

INGCO

Make The World In Your Hands

INDONESIA KATALOG



P20S
Same Battery
360+ tools



MESIN DEMOLITION
MODEL PH 65 16KG
PDB17008

MESIN CIRCULAR SAW
INDUSTRIAL
CS18528



(SS) MESIN BOR CORDLESS
12 V ECO (1B&1C)
CDL112415



ALAT POTONG
GRANIT MANUAL 60CM
HTC04600

SPRAY GUN TABUNG
ATAS INDUSTRIAL
ASG1061



INGCO

Make The World In Your Hands

SPRAY GUN LISTRIK
CORDLESS 20V + KG
CSGLI2001



HEKTER TEMBAK ANGIN
ACN50401



SARUNG TANGAN SAFETY
HGCG01-XL



MESIN ROTARY
HAMMER 28MM
RGH9028

MESIN MINI DIE
GRINDER 3MM
MG1309





Mengubah Keluhan
Menjadi Kepuasan



Menghadirkan Solusi
dalam Setiap Interaksi



Coba pelayanan terbaru kami
Terpadu satu pintu dengan
Hotline Customer Service kami



Hubungi Kami
 **0811-620-1188** (Only Chat)




Informasi lengkap
tentang Produk INGCO



Bukan hanya tentang produk,
tapi juga tentang ketenangan pikiran,
Temukan informasi masa garansi



Inovasi alat teknik terbaru ada
di ujung jari Anda



Kunjungi
 www.ingco.co.id

8 Special Products

(CG) MESIN GREENDA 4" + 2 CARBON BRUSH

AG750180CG



- ◆ Voltage : 220-240V ~50/60Hz
- ◆ Input Power : 750W
- ◆ No-Load Speed : 12000rpm
- ◆ Disc Diameter : 100mm
- ◆ Spindle Thread : M10
- ◆ with 1pcs Auxiliary Handle
- ◆ Packed by Color Box
- ◆ Net Weight : 2.1 KG

(CG) MESIN BOR 13MM + 1 SET AKDB0801

ID6800CG



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:680W
- ◆ No-load speed:0-3000rpm
- ◆ Max.drilling capacity:13mm
- ◆ Variable speed control
- ◆ Froward/Reverse switch
- ◆ Hammer function
- ◆ Packed by color box
- ◆ Net Weight : 2.15 KG

(CG) MESIN BOR CORDLESS 12V* (1B+M.OBENG)

CDLI12422CG



- ◆ Voltage:12V
- ◆ No-load speed:0-750rpm
- ◆ Max torque:20NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Integrated work light
- ◆ Include:
- ◆ 1Pcs 65mm Cr-V bits
- ◆ 1Pcs 1.5Ah battery pack(FBLI12153)
- ◆ Battery charging port: USB type-C
- ◆ Charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 1.04 KG

(CG) MESIN BOR CORDLESS 20V (1B+1FC)

CDLI20032CG



- ◆ Voltage:20V
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 40Nm
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear
- ◆ Integrated work light
- ◆ Include:
- ◆ 1Pcs 25mm Cr-V bits
- ◆ 1Pcs 1.5Ah battery pack(FBLI20015)
- ◆ 1Pcs 20V charger(FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Packed by color box
- ◆ Net Weight : 1.8KG

(CG) BATU POTONG 4" X 1.0MM (100PC/SET)

MCD105001CG



- ◆ 50pcs/set
- ◆ 50pcs/Shrink
- ◆ 105mm(4")X1.2mm(3/64")X16mm (5/8")
- ◆ Flat Centre
- ◆ Cutting Disc For Metal and Inox
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.03 KG

(CG) OBENG GAGANG KARET SET 6 PCS

HKSD0821CG



- ◆ 6 pcs Screwdriver Set
- ◆ INCCO New Design Handle
- ◆ Material: CR-V
- ◆ Round Blade
- ◆ 1pcs SL5.5*5*75
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*150
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH1*5*100
- ◆ 1pcs PH2*6*150
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.52 KG

(CG) SARUNG TANGAN SAFETY ANTI GORES

HGCG22CG-XL



- ◆ Size:XL
- ◆ Use for timber and glass cutting worker, heavy sharp objects carriers etc.
- ◆ PU coated palm,flexible and good feeling.
- ◆ HPPE shell,cut-resistance and abrasion.
- ◆ Antistatic.
- ◆ Packed by poly bag
- ◆ Net Weight : 0.07 KG

(CG) KOMPRESOR ANGIN 3/4 HP 24L

ACS175241CG



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 600W0.8(HP)
- ◆ Tank: 24L6.3(Gal)
- ◆ Oil free system
- ◆ Noise: 60db
- ◆ Copper wire motor
- ◆ No-load speed:1440rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 17.4 KG

8 SPECIAL ITEM

INGCO

Make The World In Your Hands



P20S

**SAME BATTERY
360+ TOOLS**

INGCO

Make The World In Your Hands

Lithium-Ion
S12
Share 30+
Same Battery 30+ tools



12V

GABUNG **FRANCHISE INGCO**

MENGAPA HARUS INGCO



**MECHANIC
BEST CHOICE**



**PRODUK
KUALITAS TERBAIK**



**PRODUK
BERGARANSI**



**KEPUASAAN
PELANGGAN**



**SERTIFIKASI
K3LH**



**GERMAN
STANDARD**

BENEFIT FRANCHISE STORE



Profit besar



Mudah dikelola



Perlengkapan paket usaha



**Harga terbaik yang dituangkan
menjadi produk berkualitas**



Pengembalian investasi cepat



Support bahan promosi



Mendapatkan mentoring bisnis



Kemitraan yang berkelanjutan

Informasi Lebih Lanjut:

ingco.co.id/franchise

0811-620-1188(Chat Only)



01-26 POWER TOOLS



27-38 POWER TOOLS ACCESSORIES



39-48 AIR TOOLS



49-88 HAND TOOLS



89-94 MEASURING TOOLS



95-98 SAFETY PRODUCTS



99-102 HARDWARE TOOLS



103-105 WELDING MACHINE



106-110 OTHER TOOLS

**CLEARANCE
& SALE**

111-146

POWER TOOLS



**(CG) MESIN BOR 13MM
+ 1 SET AKDB0801**

ID6800CG



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:680W
- ◆ No-load speed:0-3000rpm
- ◆ Max.drilling capacity:13mm
- ◆ Variable speed control
- ◆ Forward/Reverse switch
- ◆ Hammer function
- ◆ Packed by color box
- ◆ Net Weight : 2.15 KG

**MESIN BOR 10MM 500W
ED500282**



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 500W
- ◆ No-load speed : 0-3300rpm
- ◆ Chuck capacity : 1.0-10mm
- ◆ Variable speed
- ◆ Forward/Reverse switch
- ◆ Packed by color box
- ◆ Net Weight : 1.62 KG

**MESIN BOR 10MM
ED50028**



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 500W
- ◆ No-Load Speed : 0-3300rpm
- ◆ Chuck Capacity : 1.0-10mm
- ◆ Variable Speed
- ◆ Forward/Reverse Switch
- ◆ Packed by Color Box
- ◆ Net Weight : 1.62 KG

**MESIN BOR 13MM 710W
ID7108**



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 710W
- ◆ No-load speed : 0-3000rpm
- ◆ Max.drilling capacity : 13mm
- ◆ Variable speed
- ◆ Forward/Reverse switch
- ◆ Hammer function
- ◆ Packed by color box
- ◆ Net Weight : 2.18 KG

**MESIN BOR DUDUK 13MM
DP133505**



- ◆ Voltage : 220-240V~50Hz
- ◆ Input power : 350W
- ◆ Max.drilling capacity : 13mm
- ◆ No-load speed : 580-2650 rpm
- ◆ Spindle speed settings : 5
- ◆ Spindle travel : 50mm
- ◆ Column diameter : 46mm
- ◆ Adjustable working table

- ◆ Table size : 160*160 mm
- ◆ Base size : 291*183mm
- ◆ Net weight : 19Kgs
- ◆ Machine height : 590mm
- ◆ Packed by carton box
- ◆ Net Weight : 14.70 KG

(SS) MESIN BOR SET KOMPLIT 115PCS
HKTHP11151



SUPER SELECT

- ◆ 115 pcs Tools Set
- ◆ 1 pcs 680W Impact Drill
- ◆ 220-240V~50/60Hz, 13mm
- ◆ Key Chuck
- ◆ Include :
- ◆ 1 pcs 80z Claw Hammer
- ◆ 1 pcs 7" Combination Pliers
- ◆ 1 pcs 6" Adjustable Wrench
- ◆ 1 pcs SL5.5X100 Screwdriver
- ◆ 1 pcs PH1X100 Screwdriver
- ◆ 1 pcs 3M Steel Measuring Tape
- ◆ 4 pcs Wood Drill Bits 4, 5, 6, 8mm
- ◆ 5 pcs Twist Drill Bits 2, 3, 4, 5, 6mm
- ◆ 5 pcs Masonry Drill Bits 4, 5, 6, 8, 10mm
- ◆ 1 pcs 9mm Snap-Off Blade Knife
- ◆ 10 pcs Screwdriver Bits SL3/SL4/SL5/SL6/PH0/PH1/PH2/PH3/PZ0/PZ1
- ◆ 1 pcs Magnetic Bits Holder
- ◆ 1 pcs Test Pencil
- ◆ 1 pcs PVC Insulation Tape
- ◆ 40 pcs Screws(20pcs*ST3.5, 10pcs*ST4,10pcs*ST5)
- ◆ 40 pcs Plastic Plugs(20pcs*5mm, 10pcs*6mm, 10pcs*8mm)
- ◆ Packed by BMC + Color Box
- ◆ Net Weight : 5.13 KG



POWER TOOLS

MESIN BLOWER HEAVY DUTY
AB8008



- ◆ Voltage : 220V-240V ~50/60Hz
- ◆ Input Power : 800W
- ◆ No-Load Speed : 0-15000rpm
- ◆ Max Blowing Rate : 0-4.5M3/min
- ◆ Variable Speed
- ◆ with 1pcs Dust Bag
- ◆ with 1pcs Flexible Tube
- ◆ with 2pcs Suction Nozzles
- ◆ Packed by Color Box
- ◆ Net Weight : 2.89 KG

MESIN BLOWER ANGIN 400 WATT INDUSTRIAL

AB4038



- ◆ Voltage: 220-240V~50/60Hz
- ◆ Input power: 400W
- ◆ No-load speed: 14000rpm
- ◆ Max.blowing rate: 3.2m³/min
- ◆ Cable length: 2m
- ◆ Include: 1Pcs dust bag.
- ◆ Packed by color box
- ◆ Net Weight: 1.50 KG

MESIN DEMOLITION MODEL BOR 7KG
PDB130018

BEST SELLER

UPGRADE FROM PDB13008



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:1300W
- ◆ Impact rate:3800bpm
- ◆ Impact force:20J
- ◆ Anti-vibration system
- ◆ HEX chuck system
- ◆ 7Kgs demolition breaker
- ◆ With 2pcs chisels
- ◆ With 1set extra carbon brushes
- ◆ Packed by BMC
- ◆ Net Weight : 10.25 KG

MESIN DEMOLITION MODEL PH 65 16KG
PDB17008

RECOMENDED

UPGRADE FROM PDB17018



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:1700W
- ◆ Impact rate:1400bpm
- ◆ Impact force:50J
- ◆ HEX chuck system
- ◆ 16Kgs demolition breaker
- ◆ With 2pcs chisels
- ◆ Packed by BMC
- ◆ Net Weight : 23 KG



MESIN DEMOLITION BREAKER 30 KG (75J)
PDB22001

BEST SELLER



- ◆ Voltage : 220V-240V~50/60Hz
- ◆ Input power : 2200W
- ◆ Impact rate : 950bpm
- ◆ Impact force : 75J
- ◆ Anti-vibration system
- ◆ Auto-stop carbon brushes
- ◆ HEX chuck system
- ◆ 30Kgs demolition breaker
- ◆ 4m rubber cables
- ◆ With 2pcs chisels
- ◆ Packed by carton box
- ◆ Net Weight : 35.50 KG

MESIN DEMOLITION MODEL BOR 11KG
PDB15006

HOT ITEM



2 Pcs Chisels

- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1500W
- ◆ Impact Rate : 1000-1900Bpm
- ◆ Impact Force : 6-25J
- ◆ Anti-Vibration System
- ◆ Auto-Stop Carbon Brushes
- ◆ Constant Electronics Power
- ◆ Chisel-Locking System
- ◆ SDS-Max Chuck System
- ◆ 10Kgs Demolition Breaker
- ◆ With 2pcs Chisels
- ◆ Packed by BMC
- ◆ Net Weight : 16 KG

**(SS) MESIN CIRCULAR SAW
1400W**

CS18538



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1400W
- ◆ No-Load Speed : 4800rpm
- ◆ Blade Diameter : 185X20mm
- ◆ Cutting Capacity :
45 Degree : 44mm
90 Degree : 65mm
- ◆ Adjustable Cutting Depth
- ◆ Adjustable Bevel Cutting
- ◆ With 1pcs 185mm Blade
- ◆ Packed by Color Box
- ◆ Net Weight : 5.25 KG

**MESIN SCROLL SAW
SS852**



- ◆ Voltage : 220-240V~50Hz
- ◆ Input power : 85W
- ◆ No-load speed : 0-1450rpm
- ◆ Max cutting depth : 50mm
- ◆ Max cutting width : 410mm
- ◆ Table size : 375*250mm
- ◆ Table tilting range : 0-45°
- ◆ Blade size:133*2.6*0.25mm(18TPI)
- ◆ Induction motor for smooth cutting
- ◆ Anti-vibration design for stable work
- ◆ Quick and easy tool free blade system
- ◆ Steel table tilts 45° left and right
- ◆ Net Weight : 12.5 KG

**MESIN CIRCULAR SAW
INDUSTRIAL**

CS18528



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1400W
- ◆ No-Load Speed : 4800rpm
- ◆ Blade Diameter : 185X20mm
- ◆ Cutting Capacity :
45 Degree : 45mm
90 Degree : 65mm
- ◆ Adjustable Cutting Depth
- ◆ Adjustable Bevel Cutting
- ◆ With 1pcs 185mm Blade
- ◆ With 1Set Extra Carbon Brushes
- ◆ Packed by Color Box
- ◆ Net Weight : 5.5 KG

**MESIN HEAT GUN PEMANAS HD
HG200028**



- ◆ Voltage : 220V-240V~50/60Hz
- ◆ Input Power : 2000W
- ◆ Temperature :
◆ Stage 1 : 50°C
◆ Stage 2 : 380°C
◆ Stage 3 : 570°C
- ◆ Airflow :
◆ Stage 1 : 500L/min
◆ Stage 2 : 300L/min
◆ Stage 3 : 500L/min
- ◆ With 1pcs Scraper and
◆ 4pcs Nozzles
- ◆ Packed by Color Box
- ◆ Net Weight : 1.45KG

**MESIN POTONG KERAMIK
MC14008**



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1400W
- ◆ No-Load Speed : 13000rpm
- ◆ Diameter Of Blade : 110X20mm
- ◆ Max.Cutting Capacity : 34mm
- ◆ Adjustable Cutting Depth
- ◆ Packed by Color Box
- ◆ Net Weight : 3.55KG

**(SI) MESIN HEAT GUN
INDUSTRIAL
HG200078**



- ◆ Voltage: 220-240V~50/60Hz
- ◆ Input power: 2000W
- ◆ Temperature:50/450°C/550°C
- ◆ Airflow:450/300/450 L/min
- ◆ 3 temperature settings
- ◆ Include 1 Pcs reduction nozzle
- ◆ 1 Pcs reflector nozzle
- ◆ 1 Pcs flat nozzle
- ◆ 1 Pcs scraper
- ◆ Packed by color box
- ◆ Net Weight : 1.15KG

(CG) MESIN GREENDA 4" + 2 CARBON BRUSH

AG750180CG



- ◆ Voltage : 220-240V ~50/60Hz
- ◆ Input Power : 750W
- ◆ No-Load Speed : 12000rpm
- ◆ Disc Diameter : 100mm
- ◆ Spindle Thread : M10
- ◆ with 1pcs Auxiliary Handle
- ◆ Packed by Color Box
- ◆ Net Weight : 2.1 KG

MESIN GERINDA 9" 2200 WATT

AG220018



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:2200W
- ◆ No-load speed:6600rpm
- ◆ Disc diameter:230mm
- ◆ Spindle thread:M14
- ◆ With 1pcs auxiliary handle
- ◆ With 1set extra carbon brushes
- ◆ Disc not included
- ◆ Packed by color box
- ◆ Net Weight : 5.4 KG



MESIN MINI DIE GRINDER HD

MG13328



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 130W
- ◆ No-load speed : 10000-35000rpm
- ◆ Collet size : 3.2mm/2.3mm
- ◆ Variable speed control
- ◆ With 1pcs flexible shaft
- ◆ With 109pcs accessories
- ◆ With 1set extra carbon brushes
- ◆ Packed by BMC
- ◆ Net Weight : 1.72 KG

MESIN GREENDA 2000W INDUSTRIAL

AG200018



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:2000W
- ◆ No-load speed:8450rpm
- ◆ Disc diameter:180mm
- ◆ Spindle thread:M14
- ◆ With 1pcs auxiliary handle
- ◆ With 1set extra carbon brushes
- ◆ Disc not included
- ◆ Packed by color box
- ◆ Net Weight : 5.4 KG

MESIN POTONG ALUMINIUM 12"

BM2S24007



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Power : 2400W
- ◆ Blade size : 305mmx30mm
- ◆ No-load speed : 4500rpm
- ◆ Cutting capacity : Mitre/
- ◆ Bevel : WidthxHeight
- ◆ 0°/0° : 305mmx90mm
- ◆ 45°/0° : 215mmx90mm

- ◆ 0°/45° : 305mmx38mm
- ◆ 45°/45° : 215mmx38mm
- ◆ With 1set extra carbon brushes
- ◆ With 2pcs extension bars
- ◆ With 1pcs TCT blade
- ◆ With 1pcs dust bag
- ◆ Packed by color box
- ◆ Net Weight : 26 KG

MESIN SANDER ORBITAL 5"

RS3208



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 320W
- ◆ No-Load Speed : 12000rpm
- ◆ Dia Of Sanding Pad : 125mm
- ◆ With 5pcs Sand Paper
- ◆ With 1Set Carbon Brushes
- ◆ Net Weight : 2 KG

MESIN SANDER 150MM / 6"

RS4508



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 450W
- ◆ No-load speed : 4000-13000rpm
- ◆ Dia of sanding pad : 150mm
- ◆ Velcrops base
- ◆ Variable speed control
- ◆ With 5pcs sand papers
- ◆ With 1set extra carbon brushes
- ◆ Packed by color box
- ◆ Net Weight : 2.87 KG

MESIN SANDER PETAK

PS2408



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 240W
- ◆ No-Load Speed : 14000rpm
- ◆ Bottom Base : 110mmx100mm
- ◆ With 5pcs Sand Papers
- ◆ Packed by Color Box
- ◆ Net Weight : 1.45 KG

MESIN SANDER PANJANG

FS3208



- ◆ Voltage : 220V-240V~50/60Hz
- ◆ Input Power : 320W
- ◆ No-Load Speed : 14000rpm
- ◆ Bottom Base : 180mmx90mm
- ◆ Aluminum Durable Base
- ◆ With 5pcs Sand Papers
- ◆ Net Weight : 1.83 KG

MESIN ROTARY 26MM 800W + ADAPTOR

RGH9028-2

BEST SELLER



- ◆ Voltage : 220-240V/50-60Hz
- ◆ Input Power : 800W
- ◆ No-Load Speed : 0-1100rpm
- ◆ Impact Rate : 0-4000bpm
- ◆ Impact Energy : 2.5J
- ◆ Max.Drilling Capacity :
- ◆ Concrete : 26mm
- ◆ Steel : 13mm
- ◆ Wood : 30mm
- ◆ Max.Drilling Capacity :
- ◆ Concrete : 26mm
- ◆ Steel : 13mm
- ◆ Wood : 30mm
- ◆ SDS Plus Chuck System
- ◆ With 3 Drills and 2 Chisels
- ◆ Packed by BMC
- ◆ Net Weight : 5.88 KG

MESIN ROTARY HAMMER 26MM 800W

RGH9028

UPGRADE FROM RGH9018

RECOMENDED



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 800W
- ◆ No-Load Speed : 0-1100rpm
- ◆ Impact Rate : 0-4000bpm
- ◆ Impact Energy : 2.5J
- ◆ Max.Drilling Capacity :
- ◆ Concrete : 26mm
- ◆ Steel : 13mm
- ◆ Wood : 30mm
- ◆ SDS Plus Chuck System
- ◆ With 3 Drills and 2 Chisels
- ◆ Packed by BMC
- ◆ Net Weight : 5.38 KG

MESIN ROTARY HAMMER 36MM

RH18008

RECOMENDED



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1800W
- ◆ No-Load Speed : 850rpm
- ◆ Impact Rate : 4200bpm
- ◆ Impact Energy : 7.0J
- ◆ Max.Drilling Capacity :
- ◆ Concrete : 36mm
- ◆ Steel : 13mm
- ◆ Wood : 42mm
- ◆ SDS Plus Chuck System
- ◆ With 3 Drills and 2 Chisels
- ◆ Packed by BMC
- ◆ Net Weight : 8.5 KG



ROTARY HAMMER

(SS) MESIN ROTARY HAMMER 26MM 4.5J

RH10506

UPGRADE FROM RH10508

RECOMENDED



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:1050W
- ◆ No-load speed:1100rpm
- ◆ Impact rate:3800bpm
- ◆ Impact energy:4.5J
- ◆ Max.drilling capacity:
- ◆ Concrete:26mm
- ◆ Steel:13mm
- ◆ Wood:40mm
- ◆ SDS plus chuck system
- ◆ With 3 drills and 2 chisels
- ◆ Packed by BMC
- ◆ Net Weight : 6.75 KG

POWER TOOLS

(SS) MESIN JIGSAW 400 WATT

JS400285



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 400W
- ◆ No-load speed : 800-3000rpm
- ◆ Cutting capacity :
- ◆ Wood : 55mm
- ◆ Steel : 3mm
- ◆ Variable speed control
- ◆ With 1pcs saw blade
- ◆ Net Weight : 1.8 KG

MESIN TRIMMER

PLM6001



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 600W
- ◆ No-load speed : 34500rpm
- ◆ Chuck diameter : 6mm and 1/4"
- ◆ With 6mm and 1/4" collets
- ◆ With 1set parralel guide
- ◆ Packed by color box
- ◆ Net Weight : 2 KG

MESIN RECIPROCATING SAW

RS8008



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Rated Power : 800W
- ◆ No-Load Speed : 900-3300rpm
- ◆ Max.Cutting Depth :
- ◆ Wood : 115mm
- ◆ Steel : 8mm

- ◆ Aluminum : 12mm
- ◆ SDS Blade Change Chuck
- ◆ With 1pcs Metal Saw Blade
- ◆ With 1pcs Wood Saw Blade
- ◆ Packed by Color Box
- ◆ Net Weight : 2.80 KG

MESIN POLISHER

AP14008



- ◆ Voltage : 220V-240V ~50-60Hz
- ◆ Input Power : 1400W
- ◆ No-Load Speed : 900-3800rpm
- ◆ Polishing Pad Diameter : 180mm
- ◆ Durable Aluminum Gear Box
- ◆ with 1pcs Polishing Pad
- ◆ with 1pcs Polishing Bonnet
- ◆ Packed by Color Box
- ◆ Net Weight : 4.38 KG

MESIN PENYAMBUNG PAPAN KAYU

BJ9508



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 950W
- ◆ No-load speed : 11000rpm
- ◆ Blade diameter : 100mm
- ◆ With 15pcs biscuit dowels
- ◆ Packed by color box
- ◆ Net Weight : 3.55 KG

MESIN JET CLEANER INDUSTRIAL

HPWR18008



- ◆ Voltage: 220-240V~50/60Hz
- ◆ Carbon brush motor
- ◆ Pure copper wire
- ◆ Input power:1800W
- ◆ Max Pressure:150Bar (2200PSI)
- ◆ Flow rate:6.0L/min
- ◆ Auto stop system 1pcs soap bottle
- ◆ 1 set water spray gun
- ◆ 5m high pressure hose
- ◆ Packed by color box
- ◆ Net Weight : 9.50 KG

MESIN JET CLEANER INDUSTRIAL 2000W

HPWR20008



- ◆ Voltage: 220-240V~50Hz
- ◆ Copper wire induction motor
- ◆ Input power:2000W
- ◆ Max Pressure:150Bar (2200PSI)
- ◆ Flow rate:6.0L/min
- ◆ Auto stop system
- ◆ 1pcs soap bottle
- ◆ 1 set water spray gun(AMSG028)
- ◆ 5m high pressure hose(AHPH5028)
- ◆ Packed by color box
- ◆ Net Weight : 14 KG



JET CLEANER

MESIN MEJA POTONG KAYU

TS15007



Table Size:
818x730mm
10"
Ø254mm

- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power: 1500W
- ◆ No-load speed: 4500rpm
- ◆ Blade size:254mm(10")*16mm
- ◆ Max cutting capacity:
- ◆ 85mm (90°)
- ◆ 60mm(45°)
- ◆ Blade Tilting Range:0-45 Degree
- ◆ Sheet Metal Table Top
- ◆ With Big Table Size
- ◆ Main Table Size:430X638mm

- ◆ Extension Table Size
- ◆ (left/right):638X150mm
- ◆ Extension Table Size(rear):
- ◆ 430X180mm
- ◆ With Rip Fence, Push Sticker
- ◆ With Miter Gauge
- ◆ High Quality Rip Fence Locks
- ◆ From Front & Rear
- ◆ Packed by carton box
- ◆ Net Weight : 27 KG

MESIN BELAH SERBAGUNA

MFS1251



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 750W
- ◆ No-load speed : 4700rpm
- ◆ Cutting capacity :
- ◆ 45 degree : 31mm
- ◆ 90 degree : 47mm
- ◆ With 1pcs 125x22.5mm TCT blade
- ◆ With 1pcs 125x22.5mm
- ◆ diamond cutting disc
- ◆ With 1 set extra carbon brushes
- ◆ Net Weight : 3.25 KG

MESIN BABAT RUMPUT DORONG

LM385



- ◆ Voltage:220V-240~50/60Hz
- ◆ Input Power:1600W
- ◆ No-load speed:3500rpm
- ◆ Carbon brush motor
- ◆ Cutting width:380mm
- ◆ Cutting height:28/48/68mm
- ◆ Grass box size:45L
- ◆ With 0.35m power cord
- ◆ Packed by carton box
- ◆ Net Weight : 9 KG

CHARGER AKI MOBIL 1 BATERAI 90A

ING-CB1501



- ◆ Input voltage(V) : 1~220-240
- ◆ Frequency(HZ) : 50/60
- ◆ Charging voltage(V) : 6/12
- ◆ Rated current(A) : 6
- ◆ Reference capacity(Ah) : 40-90
- ◆ Insulation class : H
- ◆ Weight(Kg) : 3.4
- ◆ Packed by carton box
- ◆ Net Weight : 3.63 KG

CHARGER AKI MOBIL 2 BATERAI 90A

ING-CB1601



- ◆ Input voltage(V) : 1~220-240
- ◆ Frequency(Hz) : 50/60
- ◆ Charging voltage(V) : 12/24
- ◆ Rated current(A) : 9/4
- ◆ Boost current(A) : 12
- ◆ Reference capacity(Ah) : 28-180
- ◆ Insulation class : H
- ◆ Weight(Kg) : 5.6
- ◆ Net Weight : 5.93 KG

MESIN ROUTER INDUSTRIAL 2200WATT

RT22008



- ◆ Voltage : 220V-240V~50/60Hz
- ◆ Input Power : 2200W
- ◆ No-Load Speed : 9000-23000rpm
- ◆ Collet Size : 6,8,12,1/4",1/2"mm
- ◆ Plunge Capacity : 0-60mm
- ◆ Variable Speed Control
- ◆ With 6,8,12,1/4",1/2"mm Collets
- ◆ With 1pcs Coping Ring
- ◆ With 1pcs Aluminum Guide Fence
- ◆ With 1Set Paralle Guide
- ◆ With 1Set Carbon Brushes
- ◆ Packed by Color Box
- ◆ Net Weight : 7 KG

MESIN VACUUM CLEANER 12 LITER

VC14122



- ◆ IVoltage: 220V-240V~50/60Hz
- ◆ Input power: 800W
- ◆ Copper wire motor
- ◆ Metal tank
- ◆ Dust capacity:12L
- ◆ Air flow:1.7m3/min
- ◆ Vaccum pressure:16KPa
- ◆ 1.5m flexible hose
- ◆ Plastic three parts tube
- ◆ 1pcs plastic floor brush
- ◆ 1set 2 in 1 brush
- ◆ Total 2.3m cord length
- ◆ HEPA filter
- ◆ Wet and dry cleaning
- ◆ Packed by carton box
- ◆ Net Weight : 4.3 KG

GLUE GUN 100WATT

GG148



- ◆ Volts : 220-240V~50/60Hz
- ◆ Input Power : 20W(100W)
- ◆ Gluing Capacity : 13-18g/min
- ◆ Glue Stick Diameter : 11.2mm
- ◆ Ideal For Adhesive Attachment, Model Making, Repairing, Sealing and Jointing
- ◆ Mechanical Feed System For
- ◆ Sensitive Metering and Rapid
- ◆ Application
- ◆ 2pcs 11.2mm Glue Sticks
- ◆ Packed in Double Blister
- ◆ Net Weight : 0.36 KG

GLUE GUN 150 WATT

GG258



- ◆ Volts:220-240V~50/60Hz
- ◆ Input power:25W(150W)
- ◆ Gluing capacity:15-20g/min
- ◆ Glue stick diameter:11.2mm
- ◆ With 4 pcs 150mm glue sticks.
- ◆ Packed by double blister
- ◆ Net Weight : 0.47 KG



MESIN KETAM KAYU INDUSTRIAL

PL10508



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1050W
- ◆ No-Load Speed : 16000rpm
- ◆ Planing Width&Depth : 82X3mm
- ◆ Heavy Duty Aluminum Base
- ◆ Aluminun Side Cover
- ◆ Self-Cooling Belt System
- ◆ With 2pcs Planing Blades
- ◆ With 1pcs Belt
- ◆ With 1Set Parallel Guide
- ◆ With 1pcs Depth Guide
- ◆ Packed by Color Box
- ◆ Net Weight : 4.45 KG

MESIN KETAM KAYU 550W

PL5508



- ◆ Voltage: 220-240V~50/60Hz
- ◆ Input power: 550W
- ◆ No-load speed: 16000rpm
- ◆ Planning width&depth: 82x1mm
- ◆ Heavy duty aluminum base
- ◆ Aluminun side cover
- ◆ Include:
- ◆ 1 Pcs socket wrench
- ◆ 1 Pcs parallel guide
- ◆ Packed by color box
- ◆ Net Weight : 3 KG

(SS) MESIN KETAM KAYU

PL7508



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:750W
- ◆ No-load speed:17000rpm
- ◆ Planning width&depth:82x2mm
- ◆ Heavy duty aluminum base
- ◆ Aluminun side cover
- ◆ With 1 pcs socket wrench
- ◆ With 1 pcs parallel guide
- ◆ With 1 set extra carbon brushes
- ◆ Packed by color box
- ◆ Net Weight : 3.35 KG

MESIN CUT OFF INDUSTRIAL 14"

COS35568



- ◆ Voltage: 220V-240V~50-60Hz
- ◆ Input power: 2400W
- ◆ Blade size: 355x25.4x3mm
- ◆ No-load speed: 3900rpm
- ◆ Max. cutting capacity:
- ◆ 100mm in round pipe
- ◆ 100X100mm in square steel
- ◆ 120X100mm in rectangel
- ◆ Max. cutting steel bar: 50mm
- ◆ With 1pcs 355mm cutting disc
- ◆ Packed by carton box
- ◆ Net Weight : 17.30 KG

MESIN CUT OFF 14"

COS35538

UPGRADE FROM
COS35528



- ◆ Voltage: 220V-240V~50-60Hz
- ◆ Input power: 2350W
- ◆ Blade size: 355x25.4x3mm
- ◆ No-load speed: 3800rpm
- ◆ Max cutting capacity:
- ◆ 100mm in round pipe
- ◆ 100X100mm in square steel
- ◆ 120X100mm in rectangel
- ◆ Max. cutting steel bar: 30mm
- ◆ With 1pcs 355mm cutting disc
- ◆ Packed by carton box
- ◆ Net Weight : 16 KG

(SS) MESIN CUT OFF 2200W

COS223589



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input power : 2200W
- ◆ No-load speed : 3700rpm
- ◆ Blade size : 355mmx25.4mm
- ◆ Max. cutting capacity :
- ◆ 100mm in round pipe
- ◆ 100mmx100mm in square steel
- ◆ 100mmx100mm in square steel
- ◆ 120mmx100mm in rectangle
- ◆ Max. cutting steel bar : 50mm
- ◆ With 1pcs 355mm cutting disc
- ◆ Packed by color box
- ◆ Net Weight : 15 KG



BATERAI 20V LITHIUM-ION 2AH

FBLI20011



One Battery Fits All INGCO 20V Multiple Tools

- ◆ Volts : 20V
- ◆ Lithium-Ion 2.0Ah Battery
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 0.39 KG

LITHIUM-ION USB-A CHARGER

CUCLI2022



Battery and charger NOT included

- ◆ Voltage : 20V
- ◆ Output power:
- ◆ 1. 5V/1A
- ◆ 2. 12V/0.5A
- ◆ 3. 12V/0.5A
- ◆ Battery and charger not included
- ◆ Net Weight : 0.1 KG

BATERAI 20V LITHIUM-ION 4AH

FBLI2002



Suitable For INGCO 20V Multiple Tools

- ◆ Voltage : 20V
- ◆ Lithium-Ion 4.0Ah Battery
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 0.66 KG

BATERAI LITHIUM-ION 20V 5AH

FBLI2003



Suitable For INGCO 20V Multiple Tools

- ◆ Voltage : 20V
- ◆ Lithium-Ion 5.0Ah Battery
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 0.66 KG

FAST CHARGER LITHIUM-ION 20V

FCLI2001



- ◆ Rated Input Voltage : 110V-240V~50/60Hz
- ◆ Output Voltage : 20V
- ◆ Charge Current : 2A
- ◆ Rated Input Power : 50W
- ◆ Charges 20V 2.0Ah Battery in 1Hr
- ◆ Charges 20V 4.0Ah Battery in 2Hr
- ◆ Packed by Color Box
- ◆ Net Weight : 0.38 KG

FAST INTELLIGENT CHARGER CORDLESS

FCLI20411



- ◆ Input voltage:220-240V~50/60Hz
- ◆ Output voltage:20V
- ◆ Output current:4A
- ◆ Packed by color box
- ◆ Net Weight : 0.5 KG

MESIN BLOWER CORDLESS 20V (1B&1FC)

CABLI200181



- ◆ Voltage : 20V
- ◆ No-Load Speed :
- ◆ 0-9000/0-18000rpm
- ◆ Max.Air Volume : 2.7m3/min
- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ 20V Lithium-Ion 2.0Ah Batteries

- ◆ With 1pcs Battery Pack
- ◆ With 1Pc Fast Charger
- ◆ Packed by Color Box
- ◆ Net Weight : 2.24 KG

MESIN BLOWER CORDLESS 20V

CABLI2001



- ◆ Voltage : 20V
- ◆ No-Load Speed :
- ◆ 10000/12500/17000/min
- ◆ Max.Air Volume : 2.7M3/min
- ◆ With 1pcs Dust Bag
- ◆ No Battery and Charger Included
- ◆ Packed by Color Box
- ◆ Net Weight : 1.45 KG

MESIN BLOWER CORDLESS 20V

CABLI20018



- ◆ Voltage : 20V
- ◆ No-Load Speed :
- ◆ 0-9000/0-18000rpm
- ◆ Max.Air Volume : 2.7m3/min
- ◆ No Battery and Charger Included
- ◆ Packed by Color Box
- ◆ Net Weight : 1.53 KG

MESIN POLISHER CORDLESS 20V

APLI2001



- ◆ Voltage:20V
- ◆ No-load speed:500-2800/min
- ◆ Bottom bass:150mm
- ◆ LCD display show speed
- ◆ Battery and charger not included
- ◆ Packed by color box
- ◆ Net Weight : 1.80 KG

KOMPRESOR CORDLESS 20V 150PSI + LAMPU

CACLI2018



- ◆ Voltage: 20V
- ◆ Max pressure: 150PSI/10.34BAR
- ◆ LED light
- ◆ Cordless portable design
- ◆ With 3pcs adaptors
- ◆ Battery and charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 0.90 KG

(CG) MESIN BOR CORDLESS 20V (1B+1FC)

CDLI20032CG



- ◆ Voltage: 20V
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 40Nm
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear
- ◆ Integrated work light

- ◆ Include:
- ◆ 1Pcs 25mm Cr-V bits
- ◆ 1Pcs 1.5Ah battery pack(FBLI20015)
- ◆ 1Pcs 20V charger(FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Packed by color box
- ◆ Net Weight : 1.8KG

MESIN BOR IMPACT CORDLESS 20V BRUSHLESS (2B&1FC)

CIDLI20608



- ◆ Brushless Motor
- ◆ Voltage : 20V
- ◆ No-Load Speed : 0-450/0-1900/min
- ◆ Max. Impact Rate : 22500/min
- ◆ Max. Torque : 60NM
- ◆ Chuck Capacity : 0-13mm
- ◆ Torque Settings : 23+1+1
- ◆ Mechanical 2-Speed Gear
- ◆ 20V Lithium-Ion 2.0Ah Batteries

- ◆ With 2pcs Battery Pack
- ◆ With 1pcs Fast Charger
- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 3.1 KG

(SI) MESIN BOR IMPACT CORDLESS 20V (2B&1FC)

CIDLI201452



- ◆ Brushless Motor
- ◆ Voltage : 20V
- ◆ No-Load Speed : 0-450/0-1900/min
- ◆ Max. Impact Rate : 22500/min
- ◆ Max. Torque : 60NM
- ◆ Chuck Capacity : 0-13mm
- ◆ Torque Settings : 23+1+1
- ◆ Mechanical 2-Speed Gear
- ◆ 20V Lithium-Ion 2.0Ah Batteries

- ◆ With 2pcs Battery Pack
- ◆ With 1pcs Fast Charger
- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 3.06 KG

(SS) MESIN BOR CORDLESS 20V INDUSTRIAL (2B & 1C)

CDLI200215



- ◆ Voltage : 20V
- ◆ No-Load Speed : 0-400/0-1500/min
- ◆ Max. Torque : 45Nm
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 15+1
- ◆ Mechanical 2-Speed Gear
- ◆ P20S Lithium-Ion 2.0Ah Batteries
- ◆ With 2pcs P20S 2.0Ah battery Pack
- ◆ With 1pcs Fast Intelligent Charger

- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ With 1pcs CR-V 65mm Bits
- ◆ Packed by Plastic Box
- ◆ Net Weight : 2.86 KG

**(SS) MESIN BOR CORDLESS ECO
20V (2B1FC)**

CIDLI200215



- ◆ Voltage : 20V
- ◆ No-Load Speed : 0-400/0-1500/min
- ◆ Max.Impact Rate : 22500/min
- ◆ Max.Torque : 45NM
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 18+1+1
- ◆ Mechanical 2-Speed Gear
- ◆ 20V Lithium-Ion 2.0Ah Batteries
- ◆ With 2pcs P20S 2.0Ah Battery Pack
- ◆ With 1pcs Fast Intelligent Charger

- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ With 1pcs CR-V 65mm Bits
- ◆ With 3pcs Masonry Drill Bits
- ◆ Packed by Plastic Box
- ◆ Net Weight : 3 KG

MESIN BOR CORDLESS 20V (1B&1C)

CDLI20024



- ◆ Voltage : 20V
- ◆ No-Load Speed : 0-400/0-1500/min
- ◆ Max.Torque : 45Nm
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 15+1
- ◆ Mechanical 2-Speed Gear
- ◆ 20V Lithium-Ion 2.0Ah Batteries
- ◆ With 1pcs Battery Pack
- ◆ With 1pcs 2HR Charger

- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 1.8 KG

(SI) MESIN BOR IMPACT CORDLESS 20V BRUSHLESS (2B&1FC)

CIDLI20602



- ◆ Brushless motor
- ◆ Voltage: 20V
- ◆ No-load speed: 0-550/0-2000rpm
- ◆ Max impact rate: 30000bpm
- ◆ Max torque: 60Nm
- ◆ Metal chuck
- ◆ Chuck capacity: 13mm
- ◆ Torque settings: 22+1+1
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function

- ◆ Auto-lock keyless chuck
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ Include:2 Pcs 2.0Ah battery pack(FBLI20011)
- ◆ 1 Pcs charger(FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ 47 Pcs accessories
- ◆ 3 Pcs masonry drill bits
- ◆ Packed by plastic box
- ◆ Net Weight : 3.46 KG

MESIN BOR CORDLESS 20 V

CDLI20028

UPGRADE FROM
GDLI20012



- ◆ Voltage: 20V
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 45NM
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Integrated work light

- ◆ LED battery power indicator
- ◆ With 2pcs 1.5Ah battery pack
- ◆ (FBLI20015)
- ◆ With 1pcs charger (FCLI2001)
- ◆ With 1pcs Cr-V 65mm bit
- ◆ Packed by plastic box
- ◆ Net Weight : 2.8 KG

MESIN BOR CORDLESS 20V (1B&1FC)

CDLI200518

NEW
ITEM



- ◆ Voltage: 20V
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 45Nm
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function
- ◆ Integrated LED work light

- ◆ LED battery power indicator
- ◆ Include:
- ◆ 1 Pcs 2.0Ah battery pack (FBLI20011)
- ◆ 1 Pcs charger (FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ 1 Pcs Cr-V 65mm bit
- ◆ Packed by color box
- ◆ Net Weight : 1.82 KG

MESIN BOR IMPACT CORDLESS 20V BRUSHLESS (2B&1FC)

CIDLI20508

NEW
ITEM



- ◆ Brushless motor
- ◆ Voltage: 20V
- ◆ No-load speed: 0-450/0-1800rpm
- ◆ Max impact rate: 27000bpm
- ◆ Max torque: 50Nm
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 18+1+1
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function
- ◆ Auto-lock keyless chuck
- ◆ Charge volts: 220-240V~50/60Hz

- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ Include:
- ◆ 2 Pcs 2.0Ah battery pack (FBLI20011)
- ◆ 1 Pcs charger (FCLI2001)
- ◆ 47 Pcs accessories
- ◆ 3 Pcs masonry drill bits
- ◆ Packed by plastic box
- ◆ Net Weight : 3 KG

MESIN BUKA BAUT CORDLESS 20V (2B&1C)

CIWLI2001



- ◆ Brushless Motor
- ◆ Voltage : 20V
- ◆ Square Drive : 1/2"
- ◆ No-Load Speed : 0-1300/0-2100/min
- ◆ Impact Rate : 0-2000/0-3300Bpm
- ◆ Max. Torque : 300NM
- ◆ 20V Lithium-Ion 2.0Ah Batteries
- ◆ With 2pcs Battery Pack

- ◆ With 1Pc 1HR Charger
- ◆ Charge Volts : 110V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ With 3pcs Sockets (17 19 21mm)
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 2.96 KG

PAKET COMBO MESIN PEMBUKA BAUT DAN KUNCI RATCHET ELEKTRIK 20V

COSLI23066



- ◆ 1 Pcs Lithium-Ion impact wrench
- ◆ (CIWLI2038)
- ◆ 1 Pcs Lithium-Ion drive ratchet
- ◆ (CDRLI20601)
- ◆ Lithium-Ion impact wrench
- ◆ (CIWLI2038):
- ◆ Brushless motor
- ◆ Voltage: 20V
- ◆ Square drive: 1/2"
- ◆ No-load speed: 0-1300/0-2300rpm
- ◆ Impact rate: 0-2000/0-3300bpm
- ◆ Max torque: 300Nm
- ◆ Integrated LED work light

- ◆ Lithium-Ion drive ratchet(CDRLI20601):
- ◆ Voltage: 20V
- ◆ Max torque: 65Nm
- ◆ Square drive: 3/8"
- ◆ No-load speed: 0-250/min
- ◆ Include:
- ◆ 10 Pcs 1/2" DR impact sockets
- ◆ 1 Pcs 3/8" DR to 1/2" DR impact adapter
- ◆ 2 Pcs 2.0Ah battery pack(FBLI20011)
- ◆ 1 Pcs charger(FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Packed by color box
- ◆ Net Weight : 4.90 KG

PAKET COMBO MESIN BOR DAN MESIN PEMBUKA BAUT 20V

COSLI230702



- ◆ Voltage:20V
- ◆ With 1pcs lithium-ion cordless drill (CDLI200528)
- ◆ With 1pcs lithium-ion impact wrench (CIWLI2038)
- ◆ Lithium-ion cordless drill(CDLI200528):
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 45Nm
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function
- ◆ Lithium-ion impact wrench(CIWLI2038):
- ◆ Brushless motor
- ◆ Square drive:1/2"

- ◆ No-load speed:0-1300/0-2300rpm
- ◆ Impact rate:0-2000/0-3300bpm
- ◆ Max torque:300NM
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Include:
- ◆ 1 Pcs 20V charger(FCLI2001)
- ◆ 2 Pcs 2.0Ah battery pack(FBLI20011)
- ◆ 2 Pcs sockets(19 21mm)
- ◆ 1 Pcs Cr-V 65mm bit
- ◆ Packed by plastic box
- ◆ Net Weight : 4.50 KG

(SS) MESIN BUKA BAUT CORDLESS 20V

CIWLI2038



- ◆ Brushless motor
- ◆ Voltage:20V
- ◆ Square drive:1/2"
- ◆ No-load speed:0-1300/0-2300rpm
- ◆ Impact rate:0-2000/0-3300bpm
- ◆ Max torque:300NM
- ◆ With 2pcs 2.0Ah battery pack
- ◆ With 1pcs charger

- ◆ Charge volts:220-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 2pcs sockets(19 21mm)
- ◆ Packed by plastic box
- ◆ Net Weight : 3.2 KG

(SS) MESIN GREENDA CORDLESS 20V BRUSHLESS

CAGLI201008



- ◆ Brushless Motor
- ◆ Voltage : 20V
- ◆ No-load speed : 3000/8500rpm
- ◆ Disc diameter : 100mm
- ◆ Spindle thread : M10
- ◆ Disc not included
- ◆ Battery and charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 1.83 KG

MESIN GREENDA CORDLESS 20V

CAGLI1001



- ◆ Voltage : 20V
- ◆ No-Load Speed : 8500/min
- ◆ Disc Diameter : 100mm
- ◆ Spindle Thread : M10
- ◆ Packed by Color Box
- ◆ Net Weight : 1.42 KG

MESIN BELAH KAYU CORDLESS 20V BRUSHLESS

CGSLI20128



- ◆ Brushless Motor
- ◆ Voltage : 20V
- ◆ Max Power : 100W
- ◆ Chain Speed : 3700-4500rpm
- ◆ Bar length : 12"
- ◆ Oregon chain Saw bar
- With :
- ◆ Saw chain (AGSC51202)
- ◆ Chain saw bar (AGSB51202)
- ◆ Net Weight : 4.2 KG

(SS) MESIN GERGAJI CORDLESS 20V

CGSLI20851



- ◆ Brushless motor
- ◆ Voltage : 20V
- ◆ Bar length : 8"(20cm)
- ◆ Chain speed : 7.5m/s
- ◆ Charge volts : 220-240V~50/60Hz
- ◆ With 1pcs 2.0Ah battery pack
- ◆ With 1pcs charger
- ◆ With 1pcs bottle oil 15ml
- ◆ Packed by color box
- ◆ Net Weight : 2.97 KG



MESIN GERGAJI BELAH KAYU CORDLESS 40V BRUSHLESS

CGSLI40168



- ◆ Brushless motor
- ◆ Voltage: 40V(20V+20V)
- ◆ Bar length: 16"(40cm)
- ◆ Chain speed: 14.5m/s
- ◆ Quick Chain brake function
- ◆ Auto lubrication
- ◆ Include:
- ◆ 1 Pcs 16" saw chain
- ◆ 1 Pcs 16" chain saw bar
- ◆ Battery and charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 5.4 KG

VACUUM CLEANER CORDLESS 20V (0,8 LTR)

CVLI2006



- ◆ Voltage : 20V
- ◆ Vacuum Pressure(Kpa) : 09 Kpa
- ◆ Capacity : 0.8L
- ◆ Power(W) : 120W
- ◆ Multiple Cyclone
- ◆ Pure Copper Wire Motor
- ◆ HEPA Filter
- ◆ Charge Volts : 110V-240V~50/60Hz
- ◆ Charge Time : 1.2H
- ◆ Working Time :
- ◆ ≥35Min Low Speed Level

- ◆ Working Time :
- ◆ ≥18Min High Speed Level
- ◆ 1pcs 2.0Ah Battery Pack
- ◆ 1pcs Charger For 2.0Ah Battery Pack
- ◆ 1pcs Metal Tube
- ◆ 1pcs Crevice Nozzle
- ◆ 1pcs Sofa Brush
- ◆ 1pcs Plastic Hanger
- ◆ Packed by Color Box
- ◆ Net Weight : 3.38 KG

VACUUM CLEANER MINI CORDLESS 20V (0,7 LTR)

CVLI2001



- ◆ Voltage : 20V
- ◆ Dust Capacity : 0.7L
- ◆ Vacuum Pressure :
- High : ≥7.0Kpa
- Normal : ≥5.0Kpa
- ◆ With 1pcs Flexible Hose
- ◆ With 1pcs Floor Brush
- ◆ With 2pcs Plastic Tube
- ◆ With 1pcs Crevice Nozzle
- ◆ With 1pcs Dust Brush
- ◆ Packed by Color Box
- ◆ Net Weight : 1.75 KG

VACUUM CLEANER CORDLESS 20V HD

CVLI2005E



- ◆ Voltage : 20V
- ◆ Vacuity : ≥8.0Kpa
- ◆ Dust Capacity : 20L
- ◆ Suction Hose Diameter : 32 mm
- ◆ Suction Hose Length : 1.5 M
- ◆ Tank : Stainless Steel Tank
- ◆ With 1pcs Flexible Hose
- ◆ With 1pcs Floor Brush
- ◆ With 3pcs Plastic Tube
- ◆ With 1pcs Paper Bag
- ◆ With 1pcs Crevice Nozzle
- ◆ With 1pcs HEPA Filter
- ◆ Packed by Color Box
- ◆ Net Weight : 4.1 KG

MESIN BABAT RUMPUT DORONG CORDLESS 40V BRUSHLESS

LMLI20202



- ◆ Brushless motor
- ◆ Voltage: 40V(20V+20V)
- ◆ No-load speed: 2800rpm
- ◆ Maximum cutting diameter: 20" (510mm)
- ◆ Bag capacity: 60L
- ◆ Cutting height range: 30-80mm
- ◆ Cutting height positions: 8 gears
- ◆ Single lever cutting height adjustment
- ◆ 3 functions: bagging/mulching/ side-discharge

- ◆ Include:
- ◆ 1 Pcs grass bag
- ◆ 1 Pcs mulching plug
- ◆ 1 Pcs side-discharge chute
- ◆ 2 Pcs 5.0Ah battery pack(FBLI2003)
- ◆ 1 Pcs dual-port charger(FCLI2034E)
- ◆ Charge volts:220-240V~50/60Hz
- ◆ Packed by color box
- ◆ Net Weight : 32.6 KG

KIPAS ANGIN CORDLESS 20V

CFALI2002



Battery and charger **NOT** included

- ◆ DC Voltage : 20V
- ◆ Ac Voltage : 220-240V~50/60Hz
- ◆ Speed Settings : 2
- ◆ Dimensions : 11"
- ◆ Tilt Adjustment : 0-360°
- ◆ Packed by Color Box
- ◆ Net Weight : 2 KG

LAMPU SOROT LED 20W CORDLESS

CWLI2025



- ◆ Voltage : 20V
- ◆ LED power dissipation:20W
- ◆ Lumens :
- ◆ High : 1800
- ◆ Low : 900
- ◆ NO battery and charger included
- ◆ Packed by color box
- ◆ Net Weight : 1.65 KG

MESIN ORBITAL SANDER CORDLESS 20V

CROSLI2001



Battery and charger **NOT** included

- ◆ Voltage : 20V
- ◆ No-Load Speed : 10000/min
- ◆ Bottom Bass : 125mm
- ◆ With 5pcs Sand Papers
- ◆ Packed by Color Box
- ◆ Net Weight : 1.28 KG

MESIN JIG SAW CORDLESS 20V

CJSLI8501



Battery and charger **NOT** included

- ◆ Voltage : 20V
- ◆ No-Load Speed : 2400rpm
- ◆ Cutting Capacity :
- ◆ Metal : 8mm
- ◆ Wood : 80mm
- ◆ With 5pcs Blade
- ◆ Packed by Color Box
- ◆ Net Weight : 2.04 KG

GLUE GUN CORDLESS 20V

CGGLI2001



Battery and charger **NOT** included

- ◆ Voltage : 20V
- ◆ Gluing Capacity : 13-18G/min
- ◆ Glue Stick, Diameter : 11.2mm
- ◆ Heat-Up Time : 60sec
- ◆ With 3pcs 11.2mm Glue Sticks
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.43 KG

(SS) HEKTER TENBAK BATERAI (1B+1FC)

CBNLI2016



HOT ITEM

2.0Ah X1

SUPER SELECT

- ◆ Voltage : 20V
- ◆ With 1pcs 20V 2.0AH battery and 1pcs charge
- ◆ Nail type : F15~F50
- ◆ Suitable for : ANA18201, ANA18251, ANA18301, ANA18351, ANA18401, ANA18501
- ◆ Drive rate : 2.5nails/s
- ◆ Magazine capacity : 100pcs
- ◆ Ramp up time : 80ms
- ◆ Packed by color box
- ◆ Net Weight : 3.7 KG

MESIN POTONG DAHAN CORDLESS 20V HD

CHTLI20018



UPGRADE FROM CHTLI2001

HOT ITEM

BATTERY AND CHARGER **NOT** INCLUDED

- ◆ Voltage : 20V
- ◆ Maximum Speed : 1400rpm
- ◆ Blade Length : 450mm (18")
- ◆ Maximum Cutting Diameter : 18mm
- ◆ Packed by Color Box
- ◆ Net Weight : 3.2 KG

MESIN POTONG ALUMINIUM CORDLESS 20V

CMS2001



BEST SELLER

Battery and charger **NOT** included

- ◆ Voltage : 20V
- ◆ No-Load Speed : 3000rpm
- ◆ Blade Size : 210mm(8-1/4") * 25.4mm
- ◆ Cutting Capacity :
- 0°*0° : 120*60mm
- 45°*0° : 83*60mm
- 0°*45° : 120*34mm
- 45°*45° : 83*34mm
- ◆ Net Weight : 7.2 KG

**MESIN POTONG RUMPUT
CORDLESS 20V (1B&1FIC)**
CGTLI20301



- ◆ Voltage : 20V
- ◆ No-Load Speed : 8200/min
- ◆ Cutting Diameter : 300mm
- ◆ Line Diameter : 1.6mm Twisted
- ◆ Line Length : 5M
- ◆ With 1pcs Battery Pack
- ◆ With 1pcs Fast Intelligent Charger
- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Packed by Color Box
- ◆ Net Weight : 3.15 KG

**MESIN POTONG RUMPUT
CORDLESS 20V HD**
CGTLI20018



- ◆ Voltage : 20V
- ◆ No-Load Speed : 8200/min
- ◆ Cutting Diameter : 300mm
- ◆ Line Diameter : 1.6mm Twisted
- ◆ Line Length : 5M
- ◆ Packed by Color Box
- ◆ Net Weight : 2.5 KG

**MESIN CIRCULAR SAW
CORDLESS 20V**
CSLI1651



- ◆ Voltage : 20V
- ◆ No-load speed : 4600rpm
- ◆ Blade diameter : 165mm
- ◆ Cutting capacity :
- 45° degree : 38mm
- 90° degree : 55mm
- ◆ Adjustable cutting depth
- ◆ Adjustable bevel cutting
- ◆ With 1pcs 165mm blade
- ◆ Net Weight : 3 KG

**(SI) MESIN CIRCULAR SAW
MINI CORDLESS 20V BRUSHLESS**
CSLI1402



- ◆ Brushless motor
- ◆ Voltage:20V
- ◆ No-load speed:6300rpm
- ◆ Blade diameter:140mm(5-1/2")
- ◆ Arbor size:20mm
- ◆ Adjustable cutting depth
- ◆ Adjustable bevel cutting
- ◆ Cutting capacity:
- 45°degree:33mm
- 90°degree:50mm
- ◆ Include: 1 Pcs 140mm blade
- ◆ Battery and charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : ~ KG

**MESIN CIRCULAR SAW
CORDLESS 20V**
CSLI1851



- ◆ Brushless motor
- ◆ Voltage: 20V
- ◆ No-load speed: 4800rpm
- ◆ Blade diameter: 185mm(7-1/4")
- ◆ Cutting capacity:
- 45° degree: 45mm
- 90° degree: 65mm
- ◆ Adjustable cutting depth
- ◆ Adjustable bevel cutting
- ◆ Include:
- ◆ 1 Pcs 185mm saw blade
- ◆ Battery and charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 3 KG

**MESIN JET CLEANER CORDLESS
20V**
CPWLI20082



- ◆ Voltage : 20V
- ◆ Max Pressure : 24.8Bar
- ◆ Flow rate : 2.2L/min
- ◆ Auto stop system
- ◆ 1PCS 2.0AH battery
- ◆ 1PCS fast charger
- ◆ Charge volts : 220-240V~50/60Hz
- ◆ 1 set 6-pattern spray gun
- ◆ 1 pcs 6m water inlet hose with quick connector
- ◆ 1 self suction connector
- ◆ 1 pcs 400ml foam producer
- ◆ 1 pcs portable bag
- ◆ Net Weight : 3.13 KG

(CG) MESIN BOR CORDLESS 12V* (1B+M.OBENG)

CDLI12422CG



- ◆ Voltage:12V
- ◆ No-load speed:0-750rpm
- ◆ Max torque:20NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Integrated work light
- ◆ Include:
- ◆ 1Pcs 65mm Cr-V bits
- ◆ 1Pcs 1.5Ah battery pack(FBLI12153)
- ◆ Battery charging port: USB type-C
- ◆ Charger sold separately
- ◆ Packed by color box
- ◆ Net Weight : 1.04 KG

BATERAI 12V LITHIUM ION 1.5AH CIDLI1232

FBLI12152



- ◆ Volts : 12V
- ◆ Lithium-Ion 1.5Ah Battery
- ◆ One Battery Fits All S12 Multiple Tools
- ◆ Packed by Color Box
- ◆ Net Weight : 0.21 KG

MESIN IMPACT DRIVER CORDLESS 12V

CIRLI1201



- ◆ Drill Voltage : 12V
- ◆ No-Load Speed : 0-2000RPM
- ◆ Rated Impact : 0-2800IPM
- ◆ Max. Torque Force : 100NM
- ◆ Hex.Collet : 1/4"(6.35mm)
- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ With 2pcs Battery Pack
- ◆ With 1pcs 2Hr Charger
- ◆ With 2pcs Screwdriver Bits
- ◆ With 3pcs Nut Setters
- ◆ Packed by Plastic Box
- ◆ Net Weight : 1.8 KG

FAST CHARGER POWER TOOLS

FCLI12071



- ◆ Charge Volts : 220V-240V~50/60Hz
- ◆ Charging Time : 2Hr Charger
- ◆ Packed by Color Box
- ◆ Net Weight : 0.08 KG



LAMPU SENTER CORDLESS 12V

CWLI1223



- ◆ Voltage : 12V
- ◆ LED power dissipation : 1W
- ◆ Lumens : 100±10%
- ◆ NO battery and charger included
- ◆ Packed by Plastic bag
- ◆ Net Weight : 0.08 KG

**BATERAI 12V LITHIUM ION
1.5AH**

FBLI12151



Suitable for 12V Multiple Tools

- ◆ Voltage : 12V
- ◆ Lithium-Ion 1.5Ah Battery
- ◆ LED Battery Power Indicator
- ◆ Packed by Color Box
- ◆ Net Weight : 0.25 KG

**(SS) LAMPU KERJA CORDLESS
ECO**

HWLI35261



- ◆ Using Li-Polymer Rechargeable Battery
- ◆ Lumens :
Max : 300±10%
Low : 75±10%
- ◆ LED Power Dissipation : 3.5W
- ◆ Using Li-Polymer Rechargeable Battery
- ◆ With Usb Charging Line
- ◆ Net Weight : 0.35 KG

**MESIN OBENG CORDLESS
4V 1/4" 240/MIN**

CSDLI0403



- ◆ Voltage : 4V
- ◆ Hex Shank : 1/4"
- ◆ No-Load Speed : 240/min
- ◆ Max.Torque : 4N.m
- ◆ Integrated Work Light
- ◆ Charge Level Indicator
- ◆ With 40pcs 25mm CR-V Bits+Holder
- ◆ With 1pcs 50mm CR-V Bits+Holder
- ◆ With 5pcs Magnetic Bit Holder
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.74 KG

**(SS) MESIN OBENG CORDLESS
ECO 4V 1/4" 180/MIN**

CSDLI0402



- ◆ Voltage : 4V
- ◆ Hex Shank : 1/4"
- ◆ No-Load Speed : 180/min
- ◆ Max.Torque : 4N.M
- ◆ Integrated Work Light
- ◆ Charge Level Indicator
- ◆ With 10pcs 25mm CR-V Bits+Holder
- ◆ With 1pcs Magnetic Bit Holder
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.53 KG

MESIN OBENG CORDLESS 8V 1/4"

CSDLI0802



- ◆ Voltage: 8V
- ◆ Hex shank: 1/4"
- ◆ No-load speed: 220rpm
- ◆ Max.torque: 6Nm
- ◆ Torque settings: 15+1
- ◆ Two positions adjustable handle
- ◆ Charging via USB type-C cable (cable sold separately)
- ◆ Integrated LED work light
- ◆ Include:
◆ 10 Pcs 25mm Cr-V bits+holder

- ◆ (SL4\SL6\PH1\PH2\PH3\PH4\PH5\PH6\PH7\PH8\PH9\PH10\PH11\PH12\PH13\PH14\PH15\PH16\PH17\PH18\PH19\PH20\PH21\PH22\PH23\PH24\PH25)
- ◆ 1 Pcs 60mm connector
- ◆ 4 Pcs HSS drill bits with Hex shank (2.0\2.5\3.0\4.0)
- ◆ 1 Pcs CRV PH2
- ◆ 1 Pcs CRV 6
- ◆ Packed by canvas bag
- ◆ Net Weight : 0.82 KG

POWER TOOLS

MESIN BOR CORDLESS 12V BSC (1B&1C)

CDLI1211



- ◆ Voltage : 12V
- ◆ No-Load Speed : 0-600/min
- ◆ Max.Torque : 20NM
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 15+1
- ◆ 12V Lithium-Ion 1.5Ah Batteries
- ◆ With 1pcs Battery Pack

- ◆ With 1pcs 2HR Charger
- ◆ Charge Volts : 100V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ With 1pcs CR-V 65mm Bits
- ◆ Packed by Color Box
- ◆ Net Weight : 1.2 KG

MESIN BOR CORDLESS 12V HD (1B&1C)

CDLI1221



- ◆ Voltage : 12V
- ◆ No-Load Speed : 0-350/0-1350/min
- ◆ Max. Torque : 25Nm
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 15+1
- ◆ 12V Lithium-Ion 1.5Ah Batteries
- ◆ Mechanical 2-Speed Gear
- ◆ With 1pcs Battery Pack

- ◆ With 1Pc 2HR Charger
- ◆ Charge Volts : 100V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ with 1pcs CR-V 65mm Bits
- ◆ Packed by Color Box
- ◆ Net Weight : 1.33 KG

MESIN BOR IMPACT CORDLESS 12V (2B&1C)

CIDLI1222



- ◆ Voltage : 12V
- ◆ No-Load Speed : 0-350/0-1350/min
- ◆ Max.Impact Rate :
- ◆ 0-5500/0-20000Bpm
- ◆ Max.Torque : 25Nm
- ◆ Chuck Capacity : 0.8-10mm
- ◆ Torque Settings : 18+1+1
- ◆ Auto-Lock Keyless Chuck
- ◆ Mechanical 2-Speed Gear
- ◆ 12V Lithium-Ion 1.5Ah Batteries

- ◆ With 2pcs Battery Pack
- ◆ With 1Pc 2HR Charger
- ◆ Charge Volts :
- ◆ 100V-240V~50/60Hz
- ◆ Integrated Work Light
- ◆ LED Battery Power Indicator
- ◆ With 1pcs CR-V 65mm Bits
- ◆ With 2pcs Masonry Drill Bits
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 1.8 KG

POWER TOOLS ACCESSORIES



DIAMOND WHEEL GREENDA HD (DRY)

DMD011002



- ◆ 100(4")X16mm
- ◆ Blade Width : 7.5mm
- ◆ Packed by Color Box
- ◆ Net Weight : 0.09 KG

DIAMOND WHEEL GREENDA HD (WET)

DMD021001



- ◆ 100(4")X16mm
- ◆ Blade Width : 7.5mm
- ◆ Packed by Color Box
- ◆ Net Weight : 0.1 KG

(SS) BATU POTONG 5" X 1MM X 22.2 MM

DMD011152



- ◆ 125mm(5")*1.0mm(3/64")*
- ◆ 22.2mm(7/8")
- ◆ Flat centre
- ◆ Cutting disc for metal and inox
- ◆ Packed by label
- ◆ Net Weight : 0.20 KG

(SS) BATU POTONG 7" X 1.6MM X 22.2 MM

MCD161801



- ◆ 180(7")X1.6(1/16")X 22.2mm(7/8")
- ◆ Flat centre
- ◆ Cutting disc for metal and INOX
- ◆ Packed by color box
- ◆ Net Weight : 0.09 KG

(CG) BATU POTONG 4" X 1.0MM (100PC/SET)

MCD105001CG



- ◆ 50pcs/set
- ◆ 50pcs/Shrink
- ◆ 105mm(4")X1.2mm(3/64")X16mm (5/8")
- ◆ Flat Centre
- ◆ Cutting Disc For Metal and Inox
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.03 KG

(SS) BATU POTONG 5" X 1MM X 22.2 MM

MCD101251



- ◆ 125mm(5")*1.0mm(3/64")* 22.2mm(7/8")
- ◆ Flat centre
- ◆ Cutting disc for metal and inox
- ◆ Packed by label
- ◆ Net Weight : 0.03 KG

**(SS) DIAMOND WHEEL SET DRY
100 (4") X 16MM**

DMD0110023



- ◆ 100(4")X16mm
- ◆ Blade Width : 7.5mm
- ◆ 2pcs/1Set
- ◆ Packed by Color Box
- ◆ Net Weight : 0.17 KG

**(SS) DIAMOND WHEEL SET DRY
115 (4 1/2) X 22.2MM**

DMD0111523



- ◆ 115(4-1/2")X22.2mm
- ◆ Blade Width : 7mm
- ◆ Packed by Color Box
- ◆ Net Weight : 0.20 KG

**(SS) BATU POTONG 9" X 1.6MM X
22.2 MM**

MCD162301



- ◆ 230MM(9")X1.6MM(1/16")X
22.2MM(7/8")
- ◆ Flat centre
- ◆ Cutting disc for metal and inox
- ◆ Packed by label
- ◆ Net Weight : 0.15 KG

**(SS) BATU POTONG 14" X 2.5 X
25.4**

MCD253551



- ◆ 355mm(14)X2.5mm(3/32)X25.4mm(1)
- ◆ Flat centre
- ◆ Cutting disc for metal and INOX
- ◆ Packed by label
- ◆ Net Weight : 0.56 KG

MATA CIRCULAR SAW 5" (24T)

TSB114041



- ◆ 140mm(5-1/2")
- ◆ 24T, Arbor : 25.4mm
- ◆ Reduction Ring : 16mm
- ◆ Suitable For Lithium-Ion
- ◆ Circular Saw CSLI1401
- ◆ Packed by Color
- ◆ Net Weight : 0.15 KG

MATA CIRCULAR SAW 7" (40T)

TSB118515



- ◆ 185mm(7-1/4")
- ◆ 40T, Arbor : 20mm
- ◆ With 16mm Reduction Ring
- ◆ Suitable For Circular Saw
- ◆ For INGC0 Item CS18528
- ◆ Packed by Color Box
- ◆ Net Weight : 0.36 KG

MATA CIRCULAR SAW 7" (60T)

TSB118513



- ◆ 185mm(7-1/4")
- ◆ 60T, Arbor : 20mm
- ◆ With 16mm Reduction Ring
- ◆ Suitable For Circular Saw
- ◆ For INGCO Item CS18528
- ◆ Packed by Color Box
- ◆ Net Weight : 0.35 KG

DIAMOND WHEEL TURBO

DMD031051HT



- ◆ 105(4")X20mm
- ◆ Blade Width : 10mm
- ◆ Metal Base Thickness : 1.0mm
- ◆ Universal Purpose :
- ◆ Ceramic, Tile, Marble, Brick
- ◆ Forbidden To Use
- ◆ For Vitrified Brick (Nano Glass)
- ◆ Without Flange Plate
- ◆ With 1pcs 16mm Reduction Ring
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.1 KG

(SS) MATA CIRCULAR SAW SET 7" (30T)

TSB118510



- ◆ 185mm(7-1/4")
- ◆ 30T, Arbor : 20mm
- ◆ Suitable For Circular Saw
- ◆ 2pcs/set
- ◆ Packed by Color Box
- ◆ Net Weight : 0.68 KG

BATU GRENDA POTONG 4" X 1.0MM (100 PC/SET)

MCD10105100



- ◆ 105mm(4")*1.0mm(3/64")* 16mm(5/8")
- ◆ 100pcs/metal box
- ◆ Flat centre
- ◆ Cutting disc for metal and inox
- ◆ Packed by metal box
- ◆ Net Weight : 2.13 KG

ACCESSORIES



MATA BOR BESI SET 12PCS

AKDB1125



- ◆ 12pcs HSS Twist Drill Bits Set
- ◆ Size: 2; 2.5; 3; 3.5; 4; 4.5;
- ◆ 5; 5.5; 6; 6.5; 7; 8mm
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.16 KG

(SS) MATA BOR BESI SET 19PCS

AKSDB1901



19Pcs /set

- ◆ 19pcs Drill Bits
- ◆ Setscrewdriver Bits Set
- ◆ 7pcs HSS Rolling Twist Drill Bits
- ◆ Size : 2, 3, 3.5, 4, 4.5, 6mm
- ◆ 4pcs Masonry Drill Bits
- ◆ Size : 4, 5, 6, 8mm
- ◆ 8pcs 25mm Screwdriver Bits
- ◆ SL4.5, SL5.5, PH1, PH2, PZ1, PZ2, T20, T30
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.15 KG

MATA BOR BESI SET 19 PCS

AKDB1195



- ◆ 19pcs HSS Twist Drill Bits Set
- ◆ Size: 1, 1.5, 2, 2.5, 3, 3.5, 4,
- ◆ 4.5, 5, 5.5, 6, 6.5, 7, 7.5,
- ◆ 8, 8.5, 9, 9.5, 10mm
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.41 KG

MATA BOR & MATA OBENG SET 16PCS

AKSDB9165



- ◆ 16PCS drill bits
- ◆ screwdriver bits set
- ◆ 6pcs HSS twist drill bits
- ◆ SIZE:2,3,3.5,4,5,6mm
- ◆ 4pcs Masonry drill bits
- ◆ SIZE:4,5,6,8mm
- ◆ 6PCS 25mm Screwdriver bits
- ◆ SL4.5,SL5.5,PH1,PH2,PZ1,PZ2
- ◆ Packed by double blister
- ◆ Net Weight : 0.15 KG

MATA BOR BESI SET 6 PCS

AKDB1065



- ◆ Size: 2X49, 3X61, 4X75,
- ◆ 5X86, 6X93, 8X117
- ◆ 6pcs HSS Twist Drill Bits Set
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.08 KG

(SS) MATA BOR BESI SET 8PCS

AKDB0801



8Pcs/set

- ◆ 8PCS/SET
- ◆ Size: 2X49, 3X61,3X61,4X75,
- ◆ 4X75,5X86, 6X93,8X117
- ◆ 8pcs HSS Rolling Twist Drill Bits Set
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.08 KG

**MATA BOR BETON COLOK SET
5 PCS**

AKD2052



- ◆ 6X110mm, 8X110mm, 8X160mm, 10X160mm, 12X160mm
- ◆ 5 pcs SDS
- ◆ Plus Hammer Drill Bits Set
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.38 KG

MATA BOR BETON SET 5PCS

AKDB3055



- ◆ Size:
- ◆ 4X75, 5X85, 6X100, 8X120, 10X120
- ◆ 5pcs Masonry Drill Bits Set
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.1 KG

MATA BOR BESI SET 15PCS

AKDL51501



- ◆ 15pcs HSS Drill Bits Set
- ◆ Size: 1, 2, 2.5, 3, 3.5,
- ◆ 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12mm
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.63 KG

**MATA BOR BESI TEMBOK KAYU
16PCS**

AKDL11601



- ◆ 16PCS Metal,
- ◆ Masonry and wood drill bits set
- ◆ 16pcs drill bits set
- ◆ 6pcs Metal drill bits set
- ◆ SIZE:2,3,4,5,6,8mm
- ◆ 5pcs Masonry drill bits
- ◆ SIZE:4,5,6,8,10mm
- ◆ 5pcs Wood drill bits
- ◆ SIZE:4,5,6,8,10mm
- ◆ Packed by double blister
- ◆ Net Weight : 0.58 KG



**MATA BOR BETON COLOK & SDS
PLUS SET 10 PCS**

AKD2101



- ◆ SDS Plus shank
- ◆ 10pcs/Set
- ◆ 8pcs SDS Plus hammer drill bits:
- ◆ 6X160mm,8X160mm,10X160mm, 8X210mm,10X210mm,12X210mm, 14X210mm,16X210mm
- ◆ 2pcs SDS Plus chisel:
- ◆ 14X250mm,14X250X20mm
- ◆ Packed by canvas bag
- ◆ Net Weight : 1.09 KG

MATA KETAM INDUSTRIAL

EPB820301



- ◆ Size : 82X29X3.0mm
- ◆ Material : HSS
- ◆ 2pcs/set
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.1 KG

MATA KETAM UNTUK PL10508

EPB820121



- ◆ Size : 82X5.5X1.2mm
- ◆ Material : HSS
- ◆ 2pcs/set
- ◆ Suitable For INGCO
- ◆ Electric Planer PL10508
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.02KG

MATA OBENG KECIL SET

AKSD0071



- ◆ 9 pcs Screwdriver Bits Set
- ◆ PH1, PH2, PH3, SL4.0, SL5.5,
- ◆ SL6.5, PZ1, PZ2
- ◆ Material : S2 Industrial Steel
- ◆ With Magnetic
- ◆ Strong Magnetic
- ◆ with 1 pcs Bit Holder
- ◆ with Quick Release
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.09 KG

MATA PROFIL KAYU SET 12 PCS

AKRT1201



- ◆ Shank Diameter : 6mm
- ◆ 3pcs Straight Bit
- ◆ size : 6mm, 12mm, 16mm
- ◆ 1pcs 1/2" 90°V-Groove Bit
- ◆ 1pcs 1/2" Dovetail Bit
- ◆ 1pcs 32mm 45° Chamfer Bit
- ◆ 1pcs 1/2" Flush Trim Bits
- ◆ 2pcs Round Over Bit : 1/4", 3/8"
- ◆ 1pcs 1/4" Core Box Bit
- ◆ 1pcs 1/4" Core Bit
- ◆ 1pcs R-4 Roman Ogee Bit
- ◆ Packed by Plywood Case
- ◆ Net Weight : 0.49 KG

MATA OBENG GYPSUM



SDB21PH233

- ◆ PH2, Double End Bits,
- ◆ Nickle Plated Megnetic
- ◆ 65mm,10pcs/set
- ◆ S2 Industrial Steel
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.15 KG

SDB21PH223

- ◆ PH2, Double End Bits,
- ◆ Nickle Plated Magnetic
- ◆ 50mm,10pcs/set
- ◆ S2 Industrial Steel
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.11 KG

MATA RECIPROCATING

SSB644D



- ◆ Top For Wood
- ◆ 150mmx19mmx1.25mm
- ◆ 6Tpi - Hcs - Milled
- ◆ Suitable For Rs8008
- ◆ 1/2" Shank, 2pcs/set
- ◆ Fast Cutting For Wood,
- ◆ Composition Materials and
- ◆ Plastic (Dia. <100mm)
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.05 KG

MATA RECIPROCATING UNTUK BESI


SSB922EF



- ◆ Flexible For Metal
- ◆ 150mmx19mmx0.9mm
- ◆ 18Tpi - Bi-Metal - Milled
- ◆ Suitable For Rs8008
- ◆ 1/2" Shank, 2pcs/set
- ◆ Cuts All Metals Including
- ◆ Nonferrous Pipe (<100mm) Conduit, Stainless and
- ◆ Sheet Metals (1.5-4mm)
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.05 KG

MATA BOR COLOK SDS HEX 17MM RUNCING

DBC0512801



- ◆ 17x280mm, Pointed
- ◆ Suitable For INGCO Item PDB13008
- ◆ Packed by Plastic Tube
- ◆ Net Weight : 0.44 KG

MATA BOR COLOK SDS HEX 17MM PAHAT

DBC0522801



- ◆ 17x280x22mm, Flat
- ◆ Suitable For INGCO Item PDB13008
- ◆ Packed by Plastic Tube
- ◆ Net Weight : 0.48 KG

MATA BOR COLOK SDS PLUS RUNCING

DBC0112501



- ◆ 14x250mm, Pointed
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.23 KG

MATA BOR COLOK SDS PLUS PAHAT

DBC0122501



- ◆ 14x250x20mm, Flat
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.25 KG

MATA BOR BESI HD



Item No.	Diameter(mm)	Total Length(mm)	Working Length(mm)	Net Weight(KG)
DBT1110301	3.0	61	33	0.003
DBT1110351	3.5	70	39	0.01
DBT1110401	4.0	75	43	0.01
DBT1110451	4.5	80	47	0.01
DBT1110501	5.0	86	52	0.01
DBT1110601	6.0	93	57	0.02
DBT1110801	8.0	117	75	0.04
DBT1111001	10.0	133	87	0.07
DBT1111201	12.0	151	101	0.10
DBT1111301	13.0	151	151	0.12

MATA BOR BESI BASIC



Item No.	Diameter(mm)	Total Length(mm)	Working Length(mm)	Net Weight(KG)
DBT1100303	3.0	61	33	0.002
DBT1100353	3.5	70	39	0.004
DBT1100403	4.0	75	43	0.01
DBT1100453	4.5	80	47	0.01
DBT1100503	5.0	86	52	0.01
DBT1100603	6.0	93	57	0.01
DBT1100803	8.0	117	75	0.03
DBT1100903	9.0	125	81	0.04
DBT1101003	10.0	133	87	0.05
DBT1101203	12.0	151	101	0.09

MATA BOR BETON INDUSTRIAL



Item No.	Diameter(mm)	Working Length(mm)	Net Weight(KG)
DBM111061	6x100	60	0.01
DBM111081	8x120	80	0.03
DBM111101	10x120	80	0.05
DBM111121	12x150	90	0.08

MATA BOR BETON COLOK



Item No.	Diameter(mm)	Working Length(mm)	Net Weight(KG)
DBH1210602	6x160	90	0.05
DBH1210603	6x210	135	0.05
DBH1210802	8x160	90	0.06
DBH1210803	8x210	135	0.07
DBH1211002	10x160	90	0.07
DBH1211003	10x210	135	0.08
DBH1211201	12x160	90	0.08
DBH1211204	12x310	250	0.15
DBH1211402	14x210	135	0.13
DBH1211602	16X210	135	0.16
DBH1211604	16X310	250	0.23
DBH1211801	18X210	135	0.19
DBH1212001	20X210	135	0.22

MATA MESIN MULTIFUNGSI SET

AKTMT1502



- ◆ 15pcs/set
- ◆ 1pcs Bim(M2) Segment Saw
- ◆ Blade, Diameter
87mm(3-7/16")
- ◆ 1pcs Delta Sanding Pad, Size :
80mm(3-1/8")
- ◆ 10pcs Aluminum-Oxide
Delta Sandpaper For Wood,
Size : 80mm(3-1/8")

- ◆ 1pcs CRV Radial Flush-Cut
Wood Saw Blade, Size :
34mm(1-5/16")
- ◆ 1pcs Bi-Metal Standard
Flush-Cut Metal Sawblade,
Size : 34mm(1-5/16")
- ◆ 1pcs Rigid Scraper,
Size : 50mm(2")
- ◆ Net Weight : 0.25 KG

HOLE SAW METAL SET

AKH0121



- ◆ Hole Saw 12pcs Set
- ◆ Size : 20mm(25/32"), 22mm(7/8")
- ◆ 25mm(1"), 29mm(1-1/8"),
- ◆ 32mm(1-1/4") 35mm(1-3/8"),
- ◆ 38mm(1-1/2") 44mm(1-3/4"),
- ◆ 48mm(1-7/8") 50mm1-31/32
- ◆ 1 pcs Arbor: 1/4" Round Shank
- ◆ Fit Size: 9/16"~1-3/16"
- ◆ 1 pcs Arbor: 7/16" Hex Shank
- ◆ Fit Size: 1-1/4"~8-17/64"
- ◆ Packed by Aluminum Case
- ◆ Net Weight : 1.5 KG

HOLE SAW KAYU SET

AKHS702



- ◆ 7pcs Hole Saw Set
- ◆ Hole Saw Diameter :
26,32,38,45,50,56,63mm
- ◆ Height : 50mm(2")
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.27 KG

POWER TOOLS ACCESSORIES



HOLE SAW

KERTAS PASIR SANDER BULAT



AKRS125051
◆ 125mm
◆ 3pcs P80, 2pcs P120, (5pcs/set)
◆ Suitable For RS3208 CROSLI2001
◆ Packed by Label
◆ Net Weight : 0.04 KG

AKRS150051
◆ 150mm
◆ Suitable For RS4501.2
◆ 3pcs P80, 2pcs P120, 5pcs/set
◆ Packed by Label
◆ Net Weight : 0.06 KG

**SIKAT KAWAT GERINDA
KUNINGAN (BOR 3")**

WB30751



◆ 75mm(3")
◆ wire : 0.35mm
◆ Shank diameter : 6.35mm(1/4")
◆ Packed by double blister
◆ Net Weight : 0.16 KG

SIKAT KAWAT DREMEL (BOR 1")

WB70241



◆ 24mm(1")
◆ Wire : 0.35mm
◆ Shank diameter : 6.35mm(1/4")
◆ Packed by double blister
◆ Net Weight : 0.07 KG

**KERTAS PASIR SANDER
PUTAR/TANK**

BSP020801



◆ 100*610mm
◆ P80, 2pcs/set
◆ Suitable For PBS12001
◆ Packed by Paper Hanger
◆ Net Weight : 0.19 KG

WIRE CUP BRUSH



AIR TOOLS



PEMBUKA RODA ANGIN/AIR IMPACT 1"

AIW11222



- ◆ Square Drive : 25mm(1")
- ◆ No-Load Speed : 3600 rpm
- ◆ Max.Torque : 3100Nm(2300Ft)
- ◆ Air Consumption : 1019L/min(36Cfm)
- ◆ Anvil : 200mm(8")

- ◆ Capacity Bolt Size : 45mm(1-3/4")
- ◆ Air Inlet : 1/2"
- ◆ Air Hose : 1/2"
- ◆ Packed by BMC
- ◆ Net Weight : 21.5 KG

PEMBUKA RODA ANGIN/AIR IMPACT 1/2"

AIW12562



- ◆ Square Drive : 12.5mm(1/2")
- ◆ No-Load Speed : 7000 rpm
- ◆ Max.Torque : 610Nm(450ft)
- ◆ Twin Hammer Mechanism
- ◆ With 3 pcs Socket (17mm, 19mm,21mm)
- ◆ With Europe Type Connector, USA Type Connector, Nitto Type Connector and Italy Type Connector.

- ◆ Air Consumption : 142.5L/min (5.0Cfm)
- ◆ Air Pressure : 6.2Bar(90Psi)
- ◆ Length : 187mm(7.3")
- ◆ Weight : 2.6Kgs(5.7Lbs)
- ◆ Air Inlet : 1/4"
- ◆ Air Hose : 3/8"
- ◆ Packed by Color Box
- ◆ Net Weight : 3 KG

PEMBUKA RODA ANGIN/AIR IMPACT 19MM (3/4")

AIW341302



- ◆ Square Drive : 19mm(3/4")
- ◆ No-Load Speed : 4000 rpm
- ◆ Max.Torque : 1600NM(1180ft)
- ◆ Weight : 6.0KG
- ◆ Twin Hammer Mechanism
- ◆ With Universal Connector.
- ◆ Air Consumption : 256L/min(9cfm)

- ◆ Air Pressure : 6.2Bar(90psi)
- ◆ Length : 234mm(9.2")
- ◆ Weight : 5.9Kgs(13lbs)
- ◆ Air Inlet : 3/8"
- ◆ Air Hose : 1/2"
- ◆ Packed by Color Box
- ◆ Net Weight : 6.3 KG

(SS) PEMBUKA RODA ANGIN/AIR IMPACT 1/2"

AIW12312



- ◆ Square drive:12.5mm1/2)
- ◆ No-load speed:7000 rpm
- ◆ Max.torque:312Nm230ft)
- ◆ Weight: 4.2KG
- ◆ With 10 pcs socket 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm)
- ◆ With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
- ◆ Air Consumption:142.5l/min5.0cfm)
- ◆ Air Pressure:6.3bar90psi)

- ◆ Length:187mm7.3)
- ◆ Weight:4.2kgs9.3lbs)
- ◆ Air Inlet:1/4
- ◆ Air hose:3/8
- ◆ Packed by BMC
- ◆ Net Weight: 4.17 KG

(SS) SPRAY GUN LISTRIK CORDLESS 20V 1B+1FC

CSGLI20406



- ◆ Voltage :20V
- ◆ Spraying Pressure:0.1-0.2Bar
- ◆ Max.flow :800ml/min
- ◆ Max.viscosity :120DIN-s
- ◆ Container capacity :800ml
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ With 1pcs viscosity measuring cup
- ◆ With 1pcs nozzle cleaning needle
- ◆ With 2pcs copper nozzle

- ◆ 20V Lithium-Ion 2.0Ah batteries
- ◆ With 1pcs battery pack
- ◆ With 1pcs fast charger
- ◆ Packed by color box
- ◆ Net Weight: 2.10 KG

SPRAY GUN LISTRIK INDUSTRIAL (SELANG)

SPG5008



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 500W
- ◆ Spraying Pressure : 0.1-0.2Bar
- ◆ Max Flow : 850ml/min
- ◆ Max. Viscosity : 50DIN-s
- ◆ Container Capacity : 800ml
- ◆ Power Cord Length : 2.0m

- ◆ Accessories :
- ◆ 1X Viscosity Measuring Cup
- ◆ 1X Nozzle Cleaning Needle
- ◆ 1X Shoulder Strap
- ◆ Packed by Color Box
- ◆ Net Weight : 2.50 KG

SPRAY GUN LISTRIK HD

SPG3508



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 350W
- ◆ Spraying Pressure : 0.1-0.2Bar
- ◆ Max Flow : 380ml/min
- ◆ Max. Viscosity : 50DIN-S
- ◆ Container Capacity : 800ml
- ◆ Accessories :
- ◆ 1X Viscosity Measuring Cup
- ◆ 1X Nozzle Cleaning Needle
- ◆ Packed by Color Box
- ◆ Net Weight : 1.38 KG

SEMPROTAN ANGIN

ABG031-3



- ◆ Nozzle Length : 16mm
- ◆ Only With Nitto Type Connector.
- ◆ Packed by Sliding Card
- ◆ Net Weight: 0.16 KG

SPRAY GUN TABUNG ATAS

ASG4041



- ◆ Standard Nozzle : 1.5mm
- ◆ Pattern Width : 180-250mm
- ◆ Paint Capacity : 400Cc
- ◆ Suitable for Base Coat
- ◆ With Europe Type Connector,
- ◆ USA Type Connector,
- ◆ Nitto Type Connector

- ◆ and Italy Type Connector.
- ◆ Optional Nozzle : 1.2 - 1.8mm
- ◆ Operating Pressure : 3 - 4Bar
- ◆ Air Cons : 4.2- 7.1cfm(119-200L/min)
- ◆ Packed by Color Box
- ◆ Net Weight : 0.75 KG

SPRAY GUN TABUNG BAWAH

ASG3101



- ◆ Standard Nozzle : 1.5mm
- ◆ Pattern Width : 140-180mm
- ◆ Paint Capacity : 1000Cc
- ◆ Suitable for Base Coat
- ◆ With Europe Type Connector,
- ◆ USA Type Connector,
- ◆ Nitto Connector and
- ◆ Italy Type Connector.
- ◆ Optional Nozzle : 1.2 - 1.8mm
- ◆ Operating Pressure : 3-4Bar
- ◆ Air Cons : 4.2 - 7.1cfm(119-200L/min)
- ◆ Packed by Color Box
- ◆ Net Weight : 0.94 KG

SPRAY GUN TABUNG BAWAH

ASG3105



- ◆ Standard Nozzle : 1.8mm
- ◆ Pattern Width : 180-250mm
- ◆ Paint Capacity : 1000Cc
- ◆ Suitable for Base Coat
- ◆ With Europe Type Connector,
- ◆ USA Type Connector,
- ◆ Nitto Connector and
- ◆ Italy Type Connector.
- ◆ Optional Nozzle : 1.5 - 2.0mm
- ◆ Operating Pressure : 3 - 4Bar
- ◆ Air Cons : 3.5 - 6.0cfm(99-170L/min)
- ◆ Packed by Color Box
- ◆ Net Weight : 1.05 KG

GUN SOLLAR

AWG1001



- ◆ Nozzle Size : 215mm
- ◆ Washing Capacity : 0.75L
- ◆ Operation Pressure : 4Bar
- ◆ Packed by Color Box
- ◆ Net Weight : 0.75 KG

ALAT ISI ANGIN 3 FUNGSI

ATG0601



- ◆ Max Pressure : 12Bar(174Psi)
- ◆ With Europe Type Connector,
- ◆ USA Type Connector,
- ◆ Nitto Type Connector and
- ◆ Italy Type Connector.
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.53 KG

KOMPRESOR ANGIN + LAMPU CORDLESS 20V 160PSI

CACLI2002



- ◆ Voltage:20V
- ◆ Max.pressure:160PSI/11BAR
- ◆ With 3PCS LED light
- ◆ Digital display
- ◆ Automatic stop at the specified pressure
- ◆ Powered by vehicle or by Lithium-ion battery

- ◆ With 3M cord with cigarette lighter
- ◆ With 1PCS ball adaptor
- ◆ With 1PCS tire vale adaptor
- ◆ With 1PCS air bed adaptor
- ◆ NO battery and charger included
- ◆ Packed by color box
- ◆ Net Weight: 1.85 KG

KOMPRESOR LITHIUM 40V 6 LTR

CACLI2003



- ◆ Voltage:40V20V*2)
- ◆ Tank volume:6L
- ◆ Max pressure:135PSI/9BAR
- ◆ Rate of Flow:98L/min
- ◆ With 3pcs nozzle set
- ◆ With 5pcs adaptors

- ◆ Battery and charger sold separately
- ◆ Packed by carton box
- ◆ Net Weight: 10 KG

(SS) KOMPRESOR CORDLESS 12 V

CACLI12011



- ◆ Voltage:12V
- ◆ Max pressure:160Psi/11Bar/1100Kpa
- ◆ Charge volts:220-240V~50/60Hz
- ◆ With 3pcs adaptors
- ◆ With 1pcs 1.5Ah battery pack
- ◆ With 1pcs charger
- ◆ Packed by color box
- ◆ Net Weight: 0.78 KG

KOMPRESOR MINI

AAC1408



- ◆ Power Supply : DC 12V
- ◆ Rated Current :10A
- ◆ Max.Pressure : 140PSI (10Bar)
- ◆ Max.Air Flow : 35L/min
- ◆ with 1pcs LED Light
- ◆ with 3M Cord with Cigarette Lighter
- ◆ with 1pcs Battery Clips
- ◆ with 4pcs Nozzle Adapters
- ◆ Packed by Color Box
- ◆ Net Weight: 1.7 KG

(SS) KOMPRESOR OIL LESS 6 LTR 1.5 HP

ACS111062



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 1100W(1.5HP)
- ◆ Tank:6L(1.6Gal)
- ◆ Oil free system
- ◆ Noise: 67db
- ◆ Aluminium wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 11.6 KG

(SS) KOMPRESOR OIL LESS 24 LTR 1.5 HP

ACS111242



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 1100W(1.5HP)
- ◆ Tank:24L(6.3Gal)
- ◆ Oil free system
- ◆ Noise: 67db
- ◆ Aluminium wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 15.62 KG

(SS) KOMPRESOR OIL LESS 15 LTR 1.5 HP

ACS111152



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 1100W(1.5HP)
- ◆ Tank:15L(4Gal)
- ◆ Oil free system
- ◆ Noise: 67db
- ◆ Aluminium wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 13.10 KG

(CG) KOMPRESOR ANGIN 3/4 HP 24L

ACS175241CG



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 600W(0.8HP)
- ◆ Tank: 24L(6.3Gal)
- ◆ Oil free system
- ◆ Noise: 60db
- ◆ Copper wire motor

- ◆ No-load speed:1440rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 17.4 KG

(SS) KOMPRESOR OIL LESS 50 LTR 1.6 HP

ACS112501



- ◆ Voltage:220-240V~50Hz
- ◆ Input power:1200W 1.6HP)
- ◆ Tank:50L13.2Gal)
- ◆ Oil free system
- ◆ Noise: 75db
- ◆ Copper wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 27 KG



INGCO
Make The World In Your Hands

KOMPRESOR ANGIN LISTRIK 24 LTR 2.0 HP

AC202411

1.5kW(2.0HP) 24L



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 1.5 kW 2 HP)
- ◆ Tank:24L6.3Gal)
- ◆ Noise:96db
- ◆ Aluminium wire motor
- ◆ Pump lubricated with oil

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by carton box
- ◆ Net Weight: 18.5 KG

KOMPRESOR ANGIN LISTRIK 50 LTR 2.5 HP

AC255011

1.8kW(2.5HP) 50L



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 1.8kW2.5HP)
- ◆ Tank:50L13.2Gal)
- ◆ Noise:96db
- ◆ Aluminium wire motor
- ◆ Pump lubricated with oil

- No-load speed:2850rpm
- Operation pressure:max.8bar
- Packed by carton box
- Net Weight: 25 KG

KOMPRESSOR



(SS) KOMPRESOR OIL LESS 100 LTR 3.2 H

ACS2241001



- ◆ Voltage:220-240V~50Hz
- ◆ Input power: 2x1200W 3.2HP)
- ◆ Tank:100L26.4Gal)
- ◆ Oil free system
- ◆ Noise: 75db
- ◆ Copper wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by plywood case
- ◆ Net Weight: 52 KG

(SS) KOMPRESOR OIL LESS 150 LTR 6.4 HP

ACS4481501



- ◆ Voltage:220-240V~50Hz
- ◆ Input power:4x1200W6.4HP)
- ◆ Tank:150L40Gal)
- ◆ Oil free system
- ◆ Noise: 75db
- ◆ Copper wire motor

- ◆ No-load speed:2850rpm
- ◆ Operation pressure:max.8bar
- ◆ Packed by plywood case
- ◆ Net Weight: 84.10 KG

KOMPRESOR OIL LESS



REFILL STEPLES TEMBAK U10 U 10 MM

AST20101



- ◆ Staple size:10mm
- ◆ 5000pcs/color box
- ◆ Suitable for APS06131-3
- ◆ Ga20,1.2X0.6mm
- ◆ Staple crown:11.2mm
- ◆ Packed by color box
- ◆ Net Weight: 0.68 KG

REFILL STEPLES TEMBAK U6 U 6 MM

AST20061



- ◆ Staple size:6mm
- ◆ 5000pcs/color box
- ◆ Suitable for APS06131-3
- ◆ Ga20,1.2X0.6mm
- ◆ Staple crown:11.2mm
- ◆ Packed by color box
- ◆ Net Weight: 0.54 KG

ANAK HEKTER TEMBAK T F 30 MM


ANA18301



- ◆ Brad Length:30mm
- ◆ 5000pcs/color box
- ◆ Suitable for ACN50401, ABN15501, ABN10301, ABN10301-3, CBNLI2028, CBNLI2002, CBNLI2016, UCBNLI2016
- ◆ Ga18,1.25X1.0mm
- ◆ Packed by color box
- ◆ Net Weight: 1.19 KG

ANAK HEKTER BENTUK I 50MM

ANA18501



- ◆ Brad Length : 50mm
- ◆ 5000pcs/Color Box
- ◆ Suitable For ACN50401 and ABN15501
- ◆ Ga18, 1.25X1.0mm
- ◆ Packed by Color Box
- ◆ Net Weight : 1.97 KG

HEKTER TEMBAK ANGIN

ACN50401



- ◆ Load Capacity : 100pcs
- ◆ Brad Size : 15-50mm
- ◆ Ga18,1.25X1.0mm
- ◆ Staple Size : 16-40mm
- ◆ Ga18,1.25X1.0mm
- ◆ Staple Crown : 5.7mm
- ◆ With Europe Type Connector, USA Type Connector, Nitto Type Connector and Italy Type Connector.

- ◆ Operation Pressure : 0.4-0.7Mpa (60-100Psi)
- ◆ with 1000pcs Brad Nails
- ◆ with 1000pcs Staples
- ◆ Packed by Color Box
- ◆ Net Weight : 2.44 KG



HAND TOOLS

OBENG GAGANG FIBER (+)



HS58PH1100
◆ CR-V, PH1, Round Shank
◆ Diameter : 5.0mm
◆ Length : 100mm
◆ Packed by Poly Bag
◆ Net Weight : 0.05 KG

HS58PH2125
◆ CR-V, PH2, Round Shank
◆ Diameter : 6.0mm
◆ Length : 125mm
◆ Packed by Poly Bag
◆ Net Weight : 0.08 KG

HS58PH2150
◆ CR-V, PH2, Round Shank
◆ Diameter : 6.0mm
◆ Length : 150mm
◆ Packed by Poly Bag
◆ Net Weight : 0.08 KG

OBENG GAGANG FIBER (-)



HS585100
◆ CR-V, Round Shank
◆ Slotted: 5.0mm
◆ Diameter: 5.0mm
◆ Length: 100mm
◆ Packed by Poly Bag
◆ Net Weight : 0.05 KG

HS586125
◆ CR-V, Round Shank
◆ Slotted: 6.0mm
◆ Diameter: 6.0mm
◆ Length: 125mm
◆ Packed by Poly Bag
◆ Net Weight : 0.08 KG

HS586150
◆ CR-V, Round Shank
◆ Slotted: 6.0mm
◆ Diameter: 6.0mm
◆ Length: 150mm
◆ Packed by Poly Bag
◆ Net Weight : 0.08 KG

(SS) OBENG GAGANG KARET SET (2 PCS)

HKSD0248



◆ 2 pcs Screwdriver Set
◆ Material: CR-V
◆ Round Blade
◆ 1pcs SL6.5*6*125
◆ 1pcs PH2*6*125
◆ Packed by Plastic Hanger
◆ Net Weight : 0.21 KG

OBENG KETOK GAGANG KARET 8" (-)

HGTS688200



**UPGRADE FROM
HGTS288200**

◆ 1pcs screwdriver with 1pcs plastic hanger
◆ S2 industrial steel , Hex shank
Slotted : 8mm
Shank : 8.0mm
Length : 200mm
◆ Packed by plastic hanger
◆ Net Weight : 0.25 KG

(SS) OBENG GAGANG FIBER SET (10 PCS)
HKSD1058



- ◆ 10 pcs Screwdriver
- ◆ Material CR-V Round Blade
- ◆ 6 pcs Screwdriver
- ◆ 1pcs SL5X75mm
- ◆ 1pcs SL5X100mm
- ◆ 1pcs SL6X150mm
- ◆ 1pcs PH1X75mm
- ◆ 1pcs PH1X100mm
- ◆ 1pcs PH2X150mm
- ◆ 4 pcs Precision Screwdriver :
- ◆ SL3*50, PH0*50, T6*50, T8*50
- ◆ Packed by Plastic Hanger
- ◆ and Double Blister
- ◆ Net Weight : 0.53 KG

(SS) OBENG SET GAGANG KARET 7 PCS
HKSD0728



- ◆ 7 Pcs screwdriver set
- ◆ New design handle
- ◆ Material:CR-V
- ◆ Round blade
- ◆ 1pcs SL3.0*3*75
- ◆ 1pcs SL4.0*4*100
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*125
- ◆ 1pcs PH0*3*75
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH2*6*100
- ◆ Packed by PP hanger
- ◆ Net Weight : 0.50 KG

OBENG POROS FLEKSIBEL SET (12 BITS)
AKSDFL1208



- ◆ 12 pcs Flexible Shaft Screwdriver Set
- ◆ Include :
- ◆ 1pcs Flexible Shaft Handle
- ◆ 1pcs 4-6mm(25mm)Bits Adaptor
- ◆ 10pcs 6.35X25mm
- ◆ Screwdriver Bits:
- ◆ SL5, SL6, SL7, PH1, PH2, PH3,
- ◆ T10, T15, T20, T25
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.26 KG

OBENG CABUT 2 WAY (+) / (-)
AKISD0201



- ◆ 2 in 1 Screwdriver Set
- ◆ Shank Size : 6.35X160mm, PH2+SL6
- ◆ Material : CR-V
- ◆ with 1pcs Interchangeable Handle
- ◆ Packed by Poly Bag
- ◆ Net Weight : 0.12 KG

OBENG RACHET 8PCS
AKISD0808



- ◆ 8 pcs Ratchet Screwdriver Set
- ◆ Include :
- ◆ 1pcs High Quality
- ◆ Ratchet Handle(INGCO New Design)
- ◆ 7pcs 25mm Screwdriver Bits
- ◆ SL5, SL6, PH1, PH2, PH3, T15, T20
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.22 KG

OBENG RACHET 13PCS
AKISD1208



- ◆ 13 in 1 Ratchet Screwdriver Set
- ◆ Include :
- ◆ 1 pcs Unique Design Ratchet Handle
- ◆ Folding Handle High Quality Ratchet
- ◆ 12 pcs 6.35*25mm Screwdriver Bits
- ◆ Size: SL4,SL5,SL6,SL7, PH0, PH1,
- ◆ PH2,PH3,PZ0,PZ1,PZ2,PZ3
- ◆ Material: CR-V
- ◆ Packed by Display Color Box
- ◆ Net Weight : 0.2 KG

OBENG MINI (SET) 8 IN 1

AKISD0901



- ◆ Interchangeable Screwdriver Set
- ◆ Include :
- ◆ 3pcs SL3X65 SL5X65 SL6X65
- ◆ 3pcs PH0X65 PH1X65 PH2X65
- ◆ 1pcs 5X65 Tack Remover
- ◆ 1pcs 3X65 Scratch Awl
- ◆ Material: CR-V
- ◆ with 1pcs INGCO
- ◆ Style Interchangeable Handle
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.34 KG

OBENG KETOK TEMBUS SET 6PCS

HSGTDC180601



- ◆ 6 pcs Go-Through Screwdriver Set
- ◆ Material: 40Cr
- ◆ 1pcs SL5.5*75mm
- ◆ 1pcs SL6.5*100mm
- ◆ 1pcs SL8.0*150mm
- ◆ 1pcs PH1*75mm
- ◆ 1pcs PH2*100mm
- ◆ 1pcs PH3*150mm
- ◆ With 1 pcs Plastic Frame
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.8 KG

(CG) OBENG GAGANG KARET SET 6 PCS

HKSD0821CG



- ◆ 6 pcs Screwdriver Set
- ◆ INGCO New Design Handle
- ◆ Material: CR-V
- ◆ Round Blade
- ◆ 1pcs SL5.5*5*75
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*150
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH1*5*100
- ◆ 1pcs PH2*6*150
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.52 KG

OBENG GAGANG FIBER SET 8PCS

HKSD0858



- ◆ 8 pcs Screwdriver Set
- ◆ Material: CR-V
- ◆ Round Blade
- ◆ 1pcs SL3.0*3*75
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*150
- ◆ 1pcs SL6.5*6*38
- ◆ 1pcs PH0*3*75
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH2*6*125
- ◆ 1pcs PH2*6*38
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.45 KG

GAGANG FIBER SET 6PCS

HKSD0658



- ◆ 6 pcs Screwdriver Set
- ◆ INGCO New Design Handle
- ◆ Material : CR-V
- ◆ Round Blade
- ◆ 1pcs SL5X75mm
- ◆ 1pcs SL5X100mm
- ◆ 1pcs SL6X150mm
- ◆ 1pcs PH1X75mm
- ◆ 1pcs PH1X100mm
- ◆ 1pcs PH2X150mm
- ◆ With 1 pcs Plastic Frame
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.45 KG

OBENG GAGANG FIBER SET 8 PCS

HKSD0858



- ◆ 8 pcs screwdriver set
- ◆ Material:CR-V
- ◆ Round blade
- ◆ 1pcs SL3.0*3*75
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*150
- ◆ 1pcs SL6.5*6*38
- ◆ 1pcs PH0*3*75
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH2*6*125
- ◆ 1pcs PH2*6*38
- ◆ Packed by double blister
- ◆ Net Weight : 0.45 KG

OBENG GAGANG KARET MULTIFUNGSI SET (24 BITS)

HKSDB0248



- ◆ 24 pcs Screwdriver Set
- ◆ Include :
- ◆ 16 pcs 6.35X25mm
- ◆ Screwdriver Bit: SL3, SL4, SL5, SL6, SL6, SL7, PH1, PH2, PH2, PH3, PZ1, PZ2, T10, T15, T20, T25

- ◆ 7pcs 1/4" Power Sleeve: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm
- ◆ 1 pcs Unique Design Ratchet Handle
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.38 KG

OBENG KUNCI PAS T SET (24 BITS)

HKSDB0188



- ◆ 24pcs T-Handle Wrench
- ◆ Include :
- ◆ 15pcs 6.35X25mm CR-V
- ◆ Screwdriver Bit : SL3, SL4, SL5, SL6, PH0, PH1, PH2, PH3, PZ1, PZ2, T15, T20, H4, H5, H6
- ◆ 1Pc 5X100mm
- ◆ Bit Holder With Strong Magnetic
- ◆ 1Pc Unique Design

- ◆ T-Handle Ratchet Wrench
- ◆ 1Pc 4-6mm(25mm)Bits Adaptor
- ◆ 6Pc 1/4" Socket : 5, 6, 7, 8, 9, 10
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.32 KG

(SS) GAGANG KARET SET (14 PCS)

HKSD1428



- ◆ 14 pcs Screwdriver
- ◆ New Design Handle
- ◆ Material CR-V Round Blade
- ◆ 8 pcs Screwdriver
- ◆ 1pcs SL4*100
- ◆ 1pcs SL5.5*100
- ◆ 1pcs SL6.5*150
- ◆ 1pcs PH0*75
- ◆ 1pcs PH1*100
- ◆ 1pcs PH2*150

- ◆ 1pcs SL6*38
- ◆ 1pcs PH2*38
- ◆ 6pcs Precision Screwdriver :
- ◆ SL1.5*50 SL2*50
- ◆ PH000*50 PH00*50
- ◆ T6*50 T8*50
- ◆ With 1pcs Plastic Frame
- ◆ Packed by Double Blister
- ◆ Net Weight : 1.1 KG

KUNCI PAS T SET (47 BITS)

HKSD0478



- ◆ 47 pcs T-Handle Wrench Screwdriver Set
- ◆ Include :
- ◆ 35pcs 6.35X25mm
- ◆ Screwdriver Bits: SL3, SL4, SL5, SL6, SL7, PH0, PH1X3, Ph2X5, Ph3X3, PZ0, PZ1, PZ2X2, PZ3X2, T10, T15, T20, T25, T27, T30, T40, H2, H3, H4, H5, H6

- ◆ 9pcs 1/4"X20.5mm
- ◆ Socket : 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- ◆ 1pcs Adaptor
- ◆ 1pcs 6.3X139mm Bits Holder
- ◆ 1pcs Ratchet Handle
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.65 KG

OBENG GAGANG KARET MULTIFUNGSI SET (55 BITS)

HKSD0558



- ◆ 55 pcs Screwdriver Set
- ◆ Include:
- ◆ 21pcs 6.35X25mm
- ◆ Screwdriver Bits: SL4, SL5, SL6, PH1, PH2, PH2, PH2, PH3, PZ1, PZ2, PZ3, T10, T15, T20, T25, T30, T40, H3, H4, H5, H6
- ◆ 20pcs 4X28mm Precision
- ◆ Screwdriver Bits:
- ◆ SL1.5, SL2, SL2.5, SL3, PH000, PH00, PH0, PH1, T6, T7, T8, T9, T10, T15, T20, H1.5, H2.0, H2.5, H3.0, H4.0

- ◆ 1pcs 4-6mm(25mm)Bits Adaptor
- ◆ 9pcs 1/4"X20.5mm
- ◆ Socket : 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm
- ◆ 1pcs 4X60mm Bits Holder
- ◆ 1pcs 6.35X50mm Bits Holder
- ◆ 1pcs Unique Design Ratchet Handle
- ◆ 1pcs Unique Design Handle
- ◆ Packed by Plastic Box
- ◆ Net Weight : 0.65 KG

ELEKTRIK SET 6PCS

HKISD0608



- ◆ 6 pcs Insulated Screwdriver Set
- ◆ SL3.0x75
- ◆ SL4.0x100
- ◆ SL6.5x150
- ◆ PH0x60
- ◆ PH1x80
- ◆ PH2x100

- ◆ INGCO New Design Handle
- ◆ Use Aluminum Frame
- ◆ With 4pcs Screw and 4pcs Screw Plug
- ◆ Round Shank
- ◆ 1000V, VDE Certification
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.68 KG

PERKAKAS ELEKTRIK SET 26 PCS

HKETS0261



- ◆ 26Pcs Electricians Tools Set
- ◆ Special designed for electrical
- ◆ detection and repair
- ◆ Include:
- ◆ 1 Pcs Digital Multimeter (Alkaline battery included)
- ◆ 1 Pcs 6" adjustable wrench
- ◆ 1 Pcs 6" long nose plier
- ◆ 1 Pcs 6" Diagonal cutting pliers
- ◆ 1 Pcs 7" Combination plier
- ◆ 1 Pcs 6" Wire stripper
- ◆ 8Pcs Hex key set 2-2.5-3-4-5-6-7-8)
- ◆ 2 Pcs Slotted screwdriver SL3x75mm, SL5.5x 100mm

- ◆ 2 Pcs Phillips screwdriver PH0x75mm, PH1x 100mm
- ◆ 1 Pcs Snap-off blade knife
- ◆ 1 Pcs 3M Steel measuring tape
- ◆ 1 Pcs Test pencil 140mm
- ◆ 1 Pcs Flashlight
- ◆ 1 Pcs PVC Insulating tape
- ◆ 1 pcs Tweezers 125mm
- ◆ 1 Pcs 5.5" Electrician's Scissors
- ◆ 1 Pcs Tools bag
- ◆ Packed by Canvas bag
- ◆ Net Weight : 2.23 KG

PERKAKAS RUMAH TANGGA SET 11 PCS

HKTV01H111



- ◆ 11 pcs Tools Set
- ◆ Include:
- ◆ 1 pcs Mini Claw Hammer
- ◆ 1 pcs 7" Combination Pliers
- ◆ 1 pcs 6" Adjustable Wrench
- ◆ 1 pcs Test Pencil, Test Voltage, 100-500VAC
- ◆ 1 pcs 3M Steel Measuring Tape
- ◆ 1 pcs Snap-Off Blade Knife

- ◆ 1 pcs SL5.5X100 Screwdriver
- ◆ 1 pcs PH1X100 Screwdriver
- ◆ 1 pcs SL2.0*50mm Precision Screwdriver
- ◆ 1 pcs PH000*50mm Precision Screwdriver
- ◆ 1 pcs Spirit Bubble
- ◆ Packed by Stackable Plastic Box
- ◆ Net Weight : 1.66 KG

JANGKA SORONG DIGITAL 6"

HDCD28150



- ◆ Range : 0-150mm
- ◆ Reading:0.01mm
- ◆ IP54 housing
- ◆ Battery 3V
- ◆ Metric/inch system conversion at any position
- ◆ Packed by plastic box
- ◆ Net Weight : 0.33 KG

(SS) JANGKA SORONG DIGITAL

HDCP16150



- ◆ Material : Plastic
- ◆ Range : 0-150mm/0-6"
- ◆ Reading : 0.1mm/0.01"
- ◆ Battery 3V
- ◆ Metric/Inch System Conversion
- ◆ At Any Position
- ◆ Battery 3V
- ◆ Net Weight : 0.08 KG



TANG POTONG INDUSTRIAL



HDCP28168

- ◆ Size: 6"/160mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.22 KG

HDCP28188

- ◆ Size: 7"/180mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.27 KG

TANG KOMBINASI INDUSTRIAL



UPGRADE FROM HCP28160

HCP28168

- ◆ Size: 6"/160mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.2 KG

HCP28188

- ◆ Size: 7"/180mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.26 KG

HCP28208

- ◆ Size: 8"/200mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.32 KG

(SS) TANG KOMBINASI



HCP08168

- ◆ Size : 6"/160mm
- ◆ Polish and Anti-Rust Oil
- ◆ Two Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.25 KG

HCP08188

- ◆ Size: 7"/180mm
- ◆ Polish and Anti-Rust Oil
- ◆ Two Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.32 KG

TANG KOMBINASI 8"

HCP08208



- ◆ Size: 8"/200mm
- ◆ Polish and Anti-Rust Oil
- ◆ Two Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.38 KG

(SS) TANG MINI SET 6PCS

HMPS06115



- ◆ 1pcs 4.5" Combination Pliers
- ◆ 1pcs 4.5" Diagonal Cutting Pliers
- ◆ 1pcs 4.5" End Cutting Pliers
- ◆ 1pcs 4.5" Long Nose Pliers
- ◆ 1pcs 4.5" Flat Nose Pliers
- ◆ 1pcs 4.5" Needle Nose Pliers
- ◆ Two Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.56 KG

TANG KARET SET (3 PCS) INDUSTRIAL

HKPS28318



Cr-V

- ◆ Size:
- ◆ 8" Combination Pliers
- ◆ 6" Long Nose Pliers
- ◆ 6" Diagonal Cutting Pliers
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.75 KG

TANG POTONG 6"

HDCP08168



- ◆ Size: 6"/160mm
- ◆ Polish and anti-rust oil
- ◆ Two color handle
- ◆ Packed by sliding card
- ◆ Net Weight : 0.23 KG

TANG KOMBINASI MULTIFUNGSI

HCCP58200



NEW ITEM

65%
Energy Saving

Cr-V 200mm(8")



- ◆ Size: 8"/200mm
- ◆ Energy saving 65% than normal pliers
- ◆ Material: Cr-V
- ◆ Surface treatment: teflon coating
- ◆ TPR three color handle for strong
- ◆ grip and comfort
- ◆ With nail holder function

- ◆ With spanner function
- ◆ With deburring function
- ◆ Packed by half double blister
- ◆ Net Weight : 0.42 KG

TANG KARET SET 3 PCS

HKPS08318



- ◆ Size:
- ◆ 8" Combination pliers
- ◆ 6" Long nose pliers
- ◆ 6" Diagonal cutting pliers
- ◆ Cr-V, black finish and polish
- ◆ TPR two color handle
- ◆ Packed by PP hanger
- ◆ Net Weight : 0.83 KG

(SS) TANG KARET SET (3 PCS) BASIC

HKPS08311



- ◆ Size :
- ◆ 7" Combination Pliers
- ◆ 6" Long Nose Pliers
- ◆ 6" Diagonal Cutting Pliers
- ◆ Polish and Anti-Rust Oil
- ◆ One Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.66 KG

TANG POTONG MULTIFUNGSI

HCDCP58200



- ◆ Size: 8"/200mm
- ◆ Energy saving 65% than normal pliers
- ◆ Material: Cr-V
- ◆ Surface treatment: teflon coating
- ◆ TPR three color handle for strong
- ◆ grip and comfort
- ◆ With deburring function
- ◆ Packed by half double blister
- ◆ Net Weight : 0.39 KG

TANG POTONG BULAT HEAVY DUTY 6"

HECP28160



- ◆ Size: 6"/160mm
- ◆ Cr-V, black finish and polish
- ◆ TPR two color handle
- ◆ Packed by PP hanger
- ◆ Net Weight : 0.25 KG

TANG RUNCING 6"

HLNP08168



- ◆ Size: 6"/160mm
- ◆ Polish and anti-rust oil
- ◆ Two color handle
- ◆ Packed by sliding card
- ◆ Net Weight : 0.19 KG

TANG RUNCING INDUSTRIAL 6"

HLNP28168



- ◆ Size 6"/160mm
- ◆ Cr-V, black finish and polish TPR
- ◆ two color handle
- ◆ Packed by PP hanger
- ◆ Net Weight : 0.15 KG

TANG SLIP JOINT



HSPJP02160
◆ Size: 6"/160mm
◆ Black Finish and Polish
◆ Packed by PP Hanger
◆ Net Weight : 0.17 KG

HSPJP02200
◆ Size: 8"/200mm
◆ Black finish and polish
◆ Packed by PP hanger
◆ Net Weight : 0.28 KG

(SS) TANG AMPERE JEPIT DIGITAL

DCM2001



◆ Display : 2000 Counts
◆ AC Current : 2A/20A/200A
◆ AC Voltage : 2V/20V/200V/600V
◆ DC Voltage : 200mV/2V/20V/200V/600V
◆ Resistance : 200/2k/20k/200k/2M/20M
◆ Data Hold
◆ Diode Test

◆ Data Hold
◆ Diode Test
◆ Date Hold
◆ Low Battery Indication
Auto Power Off
◆ Packed by Color Box
◆ Net Weight : 0.21 KG

TANG AMPERE JEPIT DIGITAL 1000A

DCM100015



◆ 6000 Counts
◆ Data Hold
◆ AC Current : 60A/600A/1000A±2.5%+8)
◆ DC Current : 60A/600A/1000A±2.5%+8)
◆ AC Voltage : 60mV/600mV/6V/60V/600V±0.8%+3) 750V±1%+4)
◆ DC Voltage : 60mV/600mV/6V/60V/600V±0.7%+3) 1000V±0.8%+2)
◆ Resistance : 6000/6kΩ/60kΩ/600kΩ/6MΩ±0.8%+3) 60MΩ±1.2%+3)

◆ Capacitance : 10nF/100nF/1000nF/10?F/100?F/1000?F/10mF/100mF±4.0%+5)
◆ Temperature: -20~1000?-8~1832°F)
◆ Non-contact voltage detection
Diode test
◆ LCD with back light
low battery indication
◆ Auto power off
◆ With flash light function
◆ Packed by color box
◆ Nett Weight : 0.78 KG

**TANG KUPAS KABEL
0.5MM - 6MM**

HWSP15608



- ◆ Stripper Diameter : 0.5mm~6mm
- ◆ With Cutting Function
- ◆ PP Covered TPR Handle
- ◆ 65Mn Material Blade
- ◆ Product Size : 175*85mm
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.25 KG

TANG BURUNG (JEPIT PIPA) 10"

HPP28258



- ◆ Size : 10"/250mm
- ◆ Max Clamping Open : 40mm
- ◆ CR-V, Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by PP Hanger
- ◆ Net Weight : 0.45 KG

TANG KUPAS KABEL

HWSP101



- ◆ Size : 10"/250mm
- ◆ With Sharp Edge For Cutting Wire
- ◆ With Push Down Wire Function
- ◆ With Wire Stripping Function
- ◆ Can Strip Six Kinds Of Wire Size
- ◆ Can Cut Five Kinds Of Copper
- ◆ Screw Size
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.35 KG

**TANG BAIK BULAT CHROME
INDSTR 10"**

HCJLW0110



- ◆ CR-V
- ◆ Size : 10"
- ◆ HRC52-HRC60
- ◆ Nickel Plated
- ◆ With Plastic Handle
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.53 KG

TANG RIVET INDUSTRIAL 10"

HR101



- ◆ L : 260mm,10"
- ◆ Applicable Rivet
- ◆ Size : 2.4mm, 3.2mm, 4mm, 4.8mm
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.62 KG

(SS) TANG RIVET 10,5"

HRS108



- ◆ Size : 10.5"
- ◆ Applicable Aluminum Rivet
- ◆ Size : 2.4mm, 3.2mm,4mm,4.8mm
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.58 KG

**TANG BAIS BULAT CHROME
HD 10"**

HCJLW0210



- ◆ Carbon Steel
- ◆ Size : 10"
- ◆ HRC38°-HRC48°
- ◆ Nickel Plated
- ◆ With Plastic Handle
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.47 KG

**TANG BAIS LURUS CHROME
HD 10"**

HSJP0110



- ◆ Carbon Steel
- ◆ Size : 10"
- ◆ HRC38°-HRC48°
- ◆ Nickel Plated
- ◆ With Plastic Handle
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.47 KG

TANG CIRCLIP SET 4PCS

HCCPS01180



- ◆ 4pcs Circlip Plier Set
- ◆ 2pcs Of 180°, 2pcs Of 90°
- ◆ Size : 7"/180mm
- ◆ Diameter: 1.8mm
- ◆ Carbon Steel
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.77 KG

(SS) TANG PON LOBANG

HLHP028



- ◆ Punch hole sizes : 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm
- ◆ comfortable PVC handle
- ◆ 30% save energy
- ◆ thickness:2.0mm
- ◆ Packed by Half double blister
- ◆ Net Weight : 0.44 KG

(SS) GUNTING PAGAR 22"

HHS62011



- ◆ Length : 22"(550mm)
- ◆ Material : 55# Carbon Steel
- ◆ Heat Treatment Blade
- ◆ Packed by Paper Hanger
- ◆ Net Weight : 0.78 KG

GUNTING PAGAR HEAVY DUTY

HHS6301



- ◆ Length : 22-7/8"(580mm)
- ◆ Material : 55#
- ◆ carbon steel Heat treatment blade
- ◆ Blade painted teflon
- ◆ Packed by paper hanger
- ◆ Net Weight : 1.1 KG

GUNTING PIPA PVC HEAVY DUTY

HPC0442



- ◆ Length : 225mm
- ◆ Cutting Diameter : 3-42mm
- ◆ Auto-Open Function
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.51 KG

(SS) GUNTING PIPA PVC

HPCS05428



- ◆ Length : 193mm
- ◆ Material: 4Cr13
- ◆ Cutting Diameter : 3-42mm
- ◆ Auto-Open Function
- ◆ New Unique Handle Design
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.27 KG

GUNTING DAHAN HIGH QUALITY 8"

HPS0109



- ◆ Aluminium body pruning shear blade
- ◆ Handle non slip treatment
- ◆ Max cutting diameter 12mm
- ◆ Size : 8"(200mm)
- ◆ Packed by Paper card
- ◆ Net Weight : 0.25 KG

GUNTING DAHAN GAGANG ABS 8,5"

HPS0601



- ◆ Size : 8.5"(220mm)
- ◆ Entire Metal Frame, More Durable
- ◆ High-Quality Garden Pruning Shear
- ◆ 55# Carbon Steel Blade
- ◆ Heat Treatment Telfon Coating
- ◆ PP Handle Coverd TPR Grip
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.23 KG

PEMOTONG KABEL LAS 10" HD

HCCB0210



- ◆ Size : 10"/250mm
- ◆ Black Finish and Polish
- ◆ 55# Carbon Steel
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.38 KG

GUNTING SENG GAGANG KARET 10"

HTS0410



- ◆ Size : 10"
- ◆ Max.Cutting Thicness :
- ◆ Carbon Steel : 1.2mm
- ◆ Stainless Steel : 0.5mm
- ◆ Drop-Forged Steel
- ◆ Double Dipped Grip Handle
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.55 KG

GUNTING PIPA RODA HEAVY DUTY

HPC0232



- ◆ Copper and Aluminum Pipe Cutter
- ◆ Cutting Diameter : 3-32mm
- ◆ With High Quality Blade
- ◆ Aluminium Knob
- ◆ Packed by Sliding CardNet
- ◆ Weight : 0.22 KG

(SS) GUNTING DAHAN 8"

HPS0201



- ◆ Size : 8"(200mm)
- ◆ Entire Metal Frame,More Durable
- ◆ High-Quality Garden Pruning Shear
- ◆ 55# Carbon Steel Blade
- ◆ Heat Treatment Telfon Coating
- ◆ PP Handle
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.17 KG

(SS) GUNTING BETON



Cr-V

5mm (3/16") 300mm(12")
SUPER SELECT

HBC1812

- ◆ Size : 12"
- ◆ Cr-V blade
- ◆ Max cutting range:5mm
- ◆ New design comfortable handle
- ◆ Packed by paper card
- ◆ Weight : 0.68 KG

HBC1824

- ◆ Size : 24"
- ◆ Cr-V blade
- ◆ Max cutting range:10mm
- ◆ New design comfortable handle
- ◆ Packed by paper card
- ◆ Weight : 2.25 KG

GUNTING BETON HEAVY DUTY



HBC0830

- ◆ Size : 30"
- ◆ CR-V Blade
- ◆ Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by Paper Card
- ◆ Net Weight : 3.83 KG

HBC0836

- ◆ Size : 36"
- ◆ CR-V Blade
- ◆ Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by Paper Card
- ◆ Net Weight : 5.27 KG

HBC0842

- ◆ Size : 42"
- ◆ CR-V Blade
- ◆ Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ Packed by Paper Card
- ◆ Net Weight : 7.65 KG

GUNTING PURING GAGANG KARET 10"

HTSN0110S

BEST SELLER



- ◆ INGCO Style Two Tone Soft Handle
- ◆ Aviation Snip(Straight)
- ◆ Length : 250mm
- ◆ Max.Cutting Thicness : "10"
- ◆ Carbon Steel : 1.2mm
- ◆ Stainless Steel : 0.7mm
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.45 KG

GUNTING JARI - JARI 8"

HMBC0808



- ◆ Size : 8"
- ◆ CR-V Blade
- ◆ Black Finish and Polish
- ◆ TPR Two Color Handle
- ◆ A Lock At The End Of Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.26 KG

(SS) KUNCI SOK 1/2" RATCHET SET 20 PCS

HKTS12201

BEST SELLER



- ◆ 20 Pcs 1/2 socket set
- ◆ Include:
- ◆ 1pcs 1/2 DR. Ratchet handle, 45T
- ◆ 12pcs 1/2 DR. Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm
- ◆ 1pcs 1/2 DR. Spark Plug Socket : 16mm
- ◆ 1pcs 1/2 DR. Universal joint
- ◆ 1pcs 1/2 DR. Extension bar, 10(250mm)

- ◆ 1pcs 1/2 DR. Three way joint
- ◆ 3pcs 1/2 DR. Deep hexagonal sockets : 13, 17, 19mm
- ◆ Material : CR-V (50BV30), heat treated
- ◆ Packed by BMC
- ◆ Net Weight : 3.1 KG

KUNCI PIPA HEAVY DUTY



- **Mobile Jaw Drop-Forged With High**
- **Quality Carbon Steel**
- **Inactivate Treatment**

Item No.	Size(inch)	Diameter (mm)	Net Weight (KG)	Max Clamping Diameter (mm)	Body Material
HPW0810	10	34	0.79	34	Ductile Cast Iron
HPW0812	12	42	1	42	Ductile Cast Iron

KAKAKTUA PANJANG GAGANG KARET



HRP02250
◆ Size: 10"/250mm
◆ CR-V, Black Finish and Polish
◆ With Plastic Handle
◆ Packed by PP Hanger
◆ Net Weight : 0.44 KG



HRP02230
◆ Size: 9"/228mm
◆ CR-V, Black Finish and Polish
◆ With Plastic Handle
◆ Packed by PP Hanger
◆ Net Weight : 0.36 KG

KIKIR SET 6 PCS

HKTF63



◆ 6pcs File Set
◆ Length: 140mm
◆ Diameter: 3mm
◆ Flat, Round, Half Round, Square,
◆ Triangle, Knife
◆ With Two Color Handle
◆ Packed by Double Blister
◆ Net Weight : 0.10 KG

KIKIR HD BULAT T12

HSRF088



◆ Length:200mm
◆ T12 Steel
◆ Packed by poly bag
◆ Net Weight : 0.11 KG

KIKIR HD PLAT

HSFF088



◆ Length:200mm
◆ T12 Steel
◆ Packed by poly bag
◆ Net Weight : 0.18 KG

KIKIR HD SETENGAH BULAT T12

HSHF088



◆ Length:200mm
◆ T12 Steel
◆ Packed by poly bag
◆ Net Weight : 0.18 KG

KUNCI PAS 6-22 (HD) SET 8pc

HKSPA2088



- ◆ 8pcs Double Spanner Set
- ◆ Size : 6-22mm
- ◆ 6X7mm, 8X9mm, 10X11mm,
- ◆ 12X13mm, 14X15mm, 16X17mm,
- ◆ 18X19mm, 20X22mm
- ◆ Fine Polished
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.89 KG

KUNCI PAS 6-32 (HD) SET 12pc

HKSPA2142



- ◆ 12pcs Double Spanner Set
- ◆ Size : 6-32mm
- ◆ 6X7mm, 8X9mm, 10X11mm,
- ◆ 12X13mm, 14X15mm, 16X17mm,
- ◆ 18X19mm, 20X22mm, 21X23mm,
- ◆ 24X27mm, 25X28mm, 30X32mm
- ◆ Fine Polished
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 2.56 KG

KUNCI RINGPAS 6-19 (HD) SET 8pc

HKSPA1088



- ◆ 8pcs Combination Spanner Set
- ◆ Size : 6-19mm
- ◆ 6mm, 8mm, 10mm, 12mm,
- ◆ 14mm, 15mm, 17mm, 19mm
- ◆ Fine Polished
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.78 KG

KUNCI RING 6-22 (HD) SET 8pc

HKSPA3088



- ◆ 8pcs Offset Ring Spanner Set
- ◆ Size : 6-22mm
- ◆ 6X7mm, 8X9mm, 10X11mm,
- ◆ 12X13mm, 14X15mm, 16X17mm,
- ◆ 18X19mm, 20X22mm
- ◆ Fine Polished
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 1.07 KG

KUNCI INGRIS



HADW131082

- ◆ Length : 200mm(8")
- ◆ Adjustable
- ◆ Clamp Size : 0-24mm
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.25 KG

HADW131102

- ◆ Length : 250mm(10")
- ◆ Adjustable
- ◆ Clamp Size : 0-30mm
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.43 KG

HADW131122

- ◆ Length : 300mm(12")
- ◆ Adjustable
- ◆ Clamp Size : 0-35mm
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.68 KG

KUNCI INGGRIS INDUSTRIAL



HADW131088

- ◆ Length:200mm(8"),CrV
- ◆ Adjustable clamp size:0-30mm
- ◆ Unique design two tone soft handle
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.32 KG

HADW131108

- ◆ Length : 250mm(10"),CrV
- ◆ Adjustable clamp size : 0-35mm
- ◆ Unique design two tone soft handle
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.52 KG

(SS) KUNCI INGGRIS BASIC SET (3PCS)

HADWK031



- ◆ 3 pcs Adjustable Wrench Set
- ◆ Length :
- ◆ 150mm(6")
- ◆ 200mm(8")
- ◆ 250mm(10")
- ◆ Adjustable Clamp Size : 6
- ◆ 0-19mm/8" 0-24mm/10" 0-30mm
- ◆ Material :Carbon Steel
- ◆ Drop Forged
- ◆ Packed by Half Double Blister
- ◆ Net Weight : 0.91 KG

KUNCI MOMEN TORSI 1/2" 40-200 N.M

HPTW200N1



- ◆ Size : 1/2"
- ◆ Length : 530mm
- ◆ Torque Range : 40-200N.M
- ◆ Tolerance Of Torque ±4%
- ◆ Material : CRV+CrMo
- ◆ Easy Torque-Adjusting Design
- ◆ Packed by BMC
- ◆ Net Weight : 2 KG

KUNCI L SEDANG SET KEPALA BIASA

HHK11091



- ◆ 9pcs Hex Key Set
- ◆ Material: CR-V
- ◆ Size: 1.5-10mm
- ◆ Long Arm
- ◆ Heat Treatment and Chrome Plate
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.38 KG

KUNCI L SEDANG SET BINTANG


HHK13091



- ◆ 9pcs Torx Key Set
- ◆ Material: CR-V
- ◆ Size : T10-T50
- ◆ Long Arm
- ◆ Heat Treatment and Chrome Plate
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.36 KG

KUNCI L PANJANG SET BINTANG

HHK13092



- ◆ 9pcs Torx Key Set
- ◆ Material: CR-V
- ◆ Size: T10-T50
- ◆ Extra-Long Arm
- ◆ Heat Treatment and Chrome Plate
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.44 KG

KUNCI L PANJANG SET KEPALA BIASA

HHK11092



- ◆ 9pcs Hex Key Set
- ◆ Material: CR-V
- ◆ Size : 1.5-10mm
- ◆ Extra-Long Arm
- ◆ Heat Treatment and Chrome Plate
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.47 KG

KUNCI L PANJANG SET KOMBINASI

HHKSET0181



- ◆ 18 pcs Hex Key and Torx Key Set
- ◆ Include:
- ◆ 9 pcs Hex Key
- ◆ Size: 1.5-10mm
- ◆ 9 pcs Torx Key
- ◆ Size: T10-T50
- ◆ Extra-Long Arm

- ◆ Material: CR-V
- ◆ Heat Treatment and Chrome Plate
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.88 KG

KUNCI SOCK 3/4" 15 PCS

HKTS034151



- ◆ 15 pcs 3/4" Dr.Socket Set
- ◆ Material : CR-V(50BV30)
- ◆ Include :
- ◆ 10pcs 3/4" Socket : 30-32-34-36-38
- ◆ 41-46-50-55-60mm
- ◆ 1pcs 3/4" 24T Ratchet Handle
- ◆ 1pcs 3/4" 520mm Sliding T Bar

- ◆ 1pcs 3/4" 100mm Extension Bar
- ◆ 1pcs 3/4" 200mm Extension Bar
- ◆ Heat Treated
- ◆ Cold Extrusion
- ◆ Chromed Plated
- ◆ Packed by Metal Box
- ◆ Net Weight : 13.70 KG

KUNCI SOCK 1/2" 24PCS


HKTS0243



- ◆ 24pcs Socket Set 1/2"
- ◆ Include:
- ◆ 18pcs 1/2" CRV Dr. Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- ◆ 2pcs 1/2" Dr. Extension Bar
- ◆ 1pcs 1/2" Dr. Sliding T Bar

- ◆ 1pcs 1/2" Dr. Universal Joint
- ◆ 1pcs 1/2" Dr. Speeder Handle
- ◆ 1pcs 1/2" Dr. Quick Ratchet Handle
- ◆ Packed by Metal Box
- ◆ Net Weight : 5.43 KG

KUNCI SOCK 1/2" 12PCS & 1/4" 12 PCS



HKTS14122

- ◆ 12pcs 1/4" Socket Set
- ◆ 10pcs 1/4" Socket : 5-6-7-8-9-10-11-12-13-14mm
- ◆ 1pcs 1/4" 45T Quick Release Ratchet Handle
- ◆ 1pcs 1/4" 100mm Extension Bar
- ◆ 50BV30 High Quality CRV Steel
- ◆ Chromed Plated
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.43 KG



HKTS12122

- ◆ 12pcs 1/2" Socket Set
- ◆ Include:
- ◆ 10pcs Socket : 10,11,12,13,14,15, 17,19,21,24mm
- ◆ 1pcs 1/2" 45T Quick Release Ratchet Handle
- ◆ 1pcs 5" Extension Bar
- ◆ 50BV30 High Quality CRV Steel
- ◆ Micro Finished and Chromed Plated
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 1.5 KG

(SS) PERKAKAS ELEKTRIK SET (11 PCS)

HKETS0111



- ◆ 11pcs Electricians Tools Set
- ◆ Include :
- ◆ 1 pcs 4.5" Long Nose Pliers
- ◆ 1 pcs 4.5" Diagonal Cutting Pliers
- ◆ 1 pcs 6" Wire Stripper
- ◆ 1 pcs Slotted Screwdriver SL5.5X 100mm
- ◆ 1 pcs Phillips Screwdriver PH1X 100mm
- ◆ 1 pcs Snap-Off Blade Knife

- ◆ 1 pcs Test Pencil 140mm
- ◆ 1 pcs PVC Insulating Tape
- ◆ 1 pcs Tweezers 125mm
- ◆ 1 pcs 5.5" Electrician's Scissors
- ◆ 1 pcs Tools Bag
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 0.73 KG

TOOLSET 97 PCS

HTCS220971



- ◆ 97 pcs Tool Chest Set
- ◆ Chest Part :
- ◆ Overall Size : 520*218*243mm
- ◆ Thickness Of Cabinet : 0.8mm
- ◆ Thickness Of Drawer : 0.6mm
- ◆ With 1pcs 506*215*63mm Top Tracy Area
- ◆ With 2pcs 449*196*54mm Drawer
- ◆ Tools Part :
- ◆ Top Tracy Area
- ◆ Included :
- ◆ 1pcs Ratchet Wrench : 1/2"
- ◆ 18pcs 1/2"Dr Socket : 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm

- ◆ 1pcs 1/2"Universal Joint
- ◆ 1pcs Extension Bar : 1/2"Dr X 125mm
- ◆ 1pcs 1/2"*250mm Sliding T Bar
- ◆ 2pcs Spark Plug
- ◆ Socket : 1/2"Dr 16mm&21mm
- ◆ 1pcs Ratchet Wrench : 1/4"
- ◆ 13pcs 1/4" Socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14
- ◆ 1pcs 1/4"Universal Joint
- ◆ 1pcs Extension Bar : 1/4"Dr X 100mm
- ◆ 1pcs Spinner Handle : 1/4"X150mm
- ◆ 1pcs Screwdriver Bits Holder
- ◆ 20pcs Bits : Hex : 3-4-5-6mm
- ◆ Star:T10-T15-T20-T30 SL:3-4-5-6mm, PH0-PH1-PH2-PH3,PZ0-PZ1-PZ2-PZ3.
- ◆ 9Pcs Hex
- ◆ Key Wrench : 1.5-2-2.5-3-4-5-6-8-10

- ◆ Drawer 1
- ◆ Included:
- ◆ 7Pcs screwdriver:SL3*75,SL5.5*100, SL6.5*100,SL8*150, PH0*75, PH1*100,PH2*150
- ◆ 11Pcs Combination spanner:6-7-8-9-10-11-12-13-14-15-17
- ◆ Drawer 2
- ◆ Included :
- ◆ 1pcs 10" Water Pump Pliers
- ◆ 1pcs 6" Combination Pliers
- ◆ 1pcs 6" Long Nose Pliers
- ◆ 1pcs 6" Diagonal Cutting Pliers
- ◆ 1pcs Utility Knife
- ◆ 1pcs 10"Adjustable Wrench
- ◆ 1pcs 3Mx16mm Steel Measuring Tape
- ◆ Packed in Blister + Carton Box
- ◆ Net Weight : 14.4 KG

(SS) PALU BATU BODEM GAGANG FIBER



- HSTH8803**
- ◆ Weight : 1500g
 - ◆ Drop-forged hammerhead
 - ◆ Heat treatment, 45# carbon steel
 - ◆ Unique design fiberglass handle
 - ◆ Packed by label
 - ◆ Net Weight : 1.71 KG

- HSTH8804**
- ◆ Weight : 2000g
 - ◆ Drop-forged hammerhead
 - ◆ Heat treatment, 45# carbon steel
 - ◆ Unique design fiberglass handle
 - ◆ Packed by label
 - ◆ Net Weight : 2.13 KG

KUNCI RING 6-32 (HD) SET 12pc

HKSPA3142



- ◆ 12pcs Offset Ring Spanner Set
- ◆ Size : 6-32mm
- ◆ 6X7mm, 8X9mm, 10X11mm,
- ◆ 12X13mm, 14X15mm, 16X17mm,
- ◆ 18X19mm, 20X22mm, 21X23mm,
- ◆ 24X27mm, 25X28mm, 30X32mm
- ◆ Fine Polished
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 3.13 KG

KUNCI UNIVERSAL SET 2pc

HBWS110808



- ◆ 1 pcs Double Open End Wrench,
- ◆ 9-14mm,15-22mm
- ◆ 1 pcs Single Open End Wrench,
- ◆ 23-32mm
- ◆ Chrome Plated
- ◆ Two Color Handle
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.72 KG

KUNCI RINGPAS 6-32 (HD) SET 12pc

HKSPA1143



- ◆ 12pcs Combination Spanner Set
- ◆ Size : 6-32mm
- ◆ 6mm, 8mm, 10mm, 12mm,
- ◆ 14mm, 17mm, 19mm, 22mm,
- ◆ 24mm, 27mm, 30mm, 32mm
- ◆ Fine Polished
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 3.38 KG

(SS) KUNCI UNIVERSAL SET 2 PCS

HBWS09328



- ◆ Chrome plated
- ◆ Two color handle
- ◆ Packed by sliding card
- ◆ 1 Pcs double open end wrench,
- ◆ 9-14mm,15-22mm
- ◆ 1 Pcs single open end wrench,
- ◆ 23-32mm
- ◆ Net Weight : ~ KG

KUNCI RINGPAS 6-24 (HD) SET 12pc

HKSPA1142



- ◆ 12pcs Combination Spanner Set
- ◆ Size : 6-24mm
- ◆ 6mm, 8mm, 10mm, 11mm,
- ◆ 12mm, 13mm, 14mm, 15mm,
- ◆ 17mm, 19mm, 22mm, 24mm
- ◆ Fine Polished
- ◆ Packed by Canvas Bag
- ◆ Net Weight : 1.63 KG

GAGANG RACHET 1/2"

HRTH0812



- ◆ Size : 1/2" 45T
- ◆ Length : 260mm
- ◆ Material : CR-V+Cr-Mo
- ◆ Packed by Plastic Hanger
- ◆ Net Weight : 0.58 KG

PALU BULAT GAGANG FIBER OZ



HBPH88024
◆ Weight: 24Oz/660g
◆ Drop-Forged Hammerhead
◆ Heat Treatment, 45# Carbon Steel
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 0.89 KG

HBPH88032
◆ Weight: 32Oz/900g
◆ Drop-Forged Hammerhead
◆ Heat Treatment, 45# Carbon Steel
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 1.06 KG

HBPH88048
◆ Weight?48oz/1300g
◆ Drop-forged hammerhead
◆ Heat treatment, 45# carbon steel
◆ INgCO Style Fiberglass handle
◆ Net Weight : 1.56 KG

PALU BATU BODEM GAGANG FIBER LB



HSLH8802
◆ Weight: 2LB
◆ Drop-Forged Hammerhead
◆ Heat Treatment, 45# Carbon Steel
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 1.08 KG

HSLH8804
◆ Weight: 4LB
◆ Drop-Forged Hammerhead
◆ Heat Treatment, 45# Carbon Steel
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 2.06 KG

PALU KARET GAGANG FIBER 8 OZ



HRUH8208
◆ Weight: 8Oz/220G
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 0.49 KG

HRUH8216
◆ Weight: 16Oz/450G
◆ INgCO Style Fiberglass Handle
◆ Net Weight : 0.71 KG

(SS) PALU TUKANG/ MASINIS



HMHS81001
◆ Weight: 100G
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.21KG

HMHS82001
◆ Weight: 200G
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.29 KG

HMHS83001
◆ Weight: 300G
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.47 KG

(SS) PALU BATU BODEM GAGANG FIBER 1KG

HSTHS81000



◆ Weight: 1000G
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 1.17 KG

(SS) PALU BULAT GAGANG FIBER 16 OZ

HBPHS8016



◆ Weight: 160z/450G
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.64 KG

(SS) PALU KAMBING GAGANG FIBER OZ



HCHS8016
◆ Weight: 160z/450g
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.67 KG

HCHS8008
◆ Weight: 80z/220g
◆ Drop-Forged Hammerhead
◆ Heat Treatment
◆ 45# Carbon Steel
◆ Unique Design Fiberglass Handle
◆ Packed by Label
◆ Net Weight : 0.42 KG

PALU KAMBING GG FIBER MAGNET



HCHD0086
◆ Weight : 8oz/220g
◆ Anti-slip Function
◆ Magnetic nail Function
◆ Drop-forged hammerhead
◆ Heat treatment,45# carbon steel
◆ Unique design fiberglass handle
◆ Packed by label
◆ Net Weight : 0.46 KG

HCHD0166
◆ Weight:16oz/450g
◆ Magnetic nail Function
◆ Anti-slip Function
◆ Drop-forged hammerhead
◆ Heat treatment,45# carbon steel
◆ Unique design fiberglass handle
◆ Packed by label
◆ Net Weight : 0.75 KG

(SS) PALU KAMBING GAGANG KAYU 16OZ
HCH0416



◆ Weight: 16Oz/450g
◆ Hardwood Handle
◆ Drop-Forged Hammerhead
◆ Heat Treatment, 45# Carbon Steel
◆ Packed by Label
◆ Net Weight : 0.65 KG

(SS) PALU TANDUK MINI GAGANG FIBER + KARET
HMCH80808D



◆ Weight : 8oz
◆ hammerhead same like 8oz Claw hammer
◆ Drop-forged hammerhead
Heat treatment, 45# carbon steel
◆ Unique design Fiberglass handle
◆ Packed by paper card
◆ Net Weight : 0.35 KG

(SS) PALU TUKANG/ MASINIS GAGANG FIBER

UPGRADE FROM
HMH080500



HMH880500
◆ Weight : 500g
◆ Drop-forged hammerhead
◆ Heat treatment, 45# carbon steel
◆ Unique design fiberglass handle
◆ Packed by label
◆ Net Weight : 0.71 KG

HMH881000
◆ Weight : 1000g
◆ Drop-forged hammerhead
◆ Heat treatment, 45# carbon steel
◆ Unique design fiberglass handle
◆ Packed by label
◆ Net Weight : 1.25 KG

HMH882000
◆ Weight : 2000g
◆ Drop-forged hammerhead
◆ Heat treatment, 45# carbon steel
◆ Unique design fiberglass handle
◆ Packed by label
◆ Net Weight : 2.33 KG

**CUTTER MINI SERBAGUNA
(5MATA)**

HUK6118



- ◆ Size : 180X45mm
- ◆ Blade Size : 61X19mm
- ◆ SK5 Blade
- ◆ With 5 Blades
- ◆ Pack by Double Blister
- ◆ Net Weight : 0.21 KG

**(SS) CUTTER BESAR BASIC
1 MATA**

HKNS16001



- ◆ Super Select
- ◆ Blade Size : 18mmx100mm
- ◆ With 1 pcs CK75 Blade
- ◆ Length : 152mm
- ◆ With Flat Push Button
- ◆ Packed by Plastic Bag
- ◆ Net Weight : 0.04 KG

CUTTER SLIM

HKNS1806



- ◆ Blade : 9mm(L)X80mm(W)
- ◆ Stainless Steel Body
- ◆ With 1 pcs Blade, Auto-Lock
- ◆ Length : 129mm
- ◆ With Flat Push Button
- ◆ Packed by Bulk
- ◆ Net Weight : 0.02 KG

(SS) CUTTER GG. KARET (3MATA)

HKNS28035



- ◆ Blade Size : 18mmx100mm
- ◆ With 3 pcs SK5 Blades(HKNSB181)
- ◆ With Flat Push Button
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.12 KG

**(SS) MATA CUTTER 18 X 100MM
<10PCS>**

HKNSB112



- ◆ 10Pcs/Set
- ◆ Size: 18X100mm
- ◆ Suitable for item HKNS16001/
HKNS16518/ HKNS16618/
/HKNS16538/ HKNS1808/
HKNS28035/HKNS1807
- ◆ Packed by plastic box
- ◆ Net Weight : 0.07 KG

**(SS) CUTTER SLIDING TEKAN
1 MATA**

HKNS11805



- ◆ Blade Size : 18mmx100mm
- ◆ With 1 pcs blade(HKNSB112)
- ◆ Length : 160mm
- ◆ Blade : 18mm(W)x100mm(L)
- ◆ With flat push button
- ◆ Packed by sliding card
- ◆ Net Weight : 0.08 KG

(SS) CUTTER AUTO LOCK 1 MATA

HKNS110915



- ◆ Blade Size: 9mmx80mm
- ◆ With 1 pcs blade (HKNSB0901)
- ◆ Auto-Lock
- ◆ Length: 135mm
- ◆ With flat push button
- ◆ Packed by Sliding card
- ◆ Net Weight : 0.04 KG

(SS) CUTTER HD UTILITY KNIFE 1 MATA

HKNS11615



- ◆ Blade Size : 9mmx80mm
- ◆ With 1 pcs Blade, Auto-Lock
- ◆ Length : 150mm
- ◆ With Flat Push Button
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.1 KG

(SS) CUTTER HD AUTO LOCK 1 MATA

HKNS11807



- ◆ Blade: 18mm(W)x100mm(L) (HKNSB112)
- ◆ Aluminium alloy body
- ◆ With 1pcs SK5 blade, auto-Lock
- ◆ Length: 152mm
- ◆ With flat push button
- ◆ Packed by sliding card
- ◆ Net Weight : 0.12 KG

(SS) LAMPU SENTER KEPALA - HEADLAMP

HHL013AAA5



- ◆ Brightness : 100 lumens
- ◆ Use alkaline 3AAA battery
- ◆ Max 91m beam distance
- ◆ IPX4 raining resistant
- ◆ Packed by double blister
- ◆ Net Weight : 0.09 KG

BAIS MEJA HEAVY DUTY



HBV084
◆ Swivel Base Size: 4"
◆ Weight : 6.7Kg
◆ Max Clamping : 1300Kgs
◆ With Anvil
◆ Packed by Carton Box
◆ Net Weight : 6.7 KG

HBV086
◆ Swivel base Size: 6"
◆ Weight: 11.2kg
◆ Max clamping force: 1600KGS
◆ With anvil
◆ Packed by carton box
◆ Net Weight : 11.25 KG

HBV088
◆ Swivel Base Size: 8"
◆ Weight : 21Kg
◆ Max Clamping : 2500Kgs
◆ With Anvil
◆ Packed by Carton Box
◆ Net Weight : 20.5 KG

SOLDER CORDLESS 20V

CSILI2001



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 60W
- ◆ Preheat Time : 3~5Minuters
- ◆ Straight, Tip Head
- ◆ With A Piece Of Support
- ◆ Long Life Replaceable Tip
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.26 KG

GUN SILICONE HD

HCG0909



- ◆ 9" caulking gun
- ◆ Thickness: 1.0mm
- ◆ Length: 235mm
- ◆ Diameter:51mm
- ◆ With cutting function
- ◆ Packed by label
- ◆ Net Weight : 0.56 KG

SOLDER LISTRIK HD

SI0268



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 60W
- ◆ Preheat Time : 3~5Minuters
- ◆ Straight, Tip Head
- ◆ With A Piece Of Support
- ◆ Long Life Replaceable Tip
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.26 KG

(SS) GUN SILICONE BASIC

HCG1809



- ◆ 9" caulking gun
- ◆ Thickness: 1.0mm
- ◆ Length: 235mm
- ◆ Diameter:51mm
- ◆ With cutting function
- ◆ Packed by label
- ◆ Net Weight : 0.40 KG

SOLDER LISTRIK

SI0368



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 60W
- ◆ Preheat Time : 3~5Minuters
- ◆ Bent, Flat Head
- ◆ With A Piece Of Support
- ◆ Long Life Replaceable Tip
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.26 KG

PISAU POTONG KACA HEAVY DUTY

HGCT03



- ◆ Iron Body
- ◆ Auto Oil Feed Cutter
- ◆ With 1pcs Oil Suction Pipe
- ◆ Total Cutting Length : 5000M
- ◆ Length : 178mm
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.09 KG

GERGAJI KAYU HEAVY DUTY 20"

HHAS08500



- ◆ Length: 500mm
- ◆ Thickness: 0.9mm, 7TPI
- ◆ With Teeth Protector
- ◆ Heat Treatment
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.45 KG

(SS) GERGAJI MITER FIGURA

HMBSK30082



- ◆ Plastic mitre box with back saw set
- ◆ Include:
- ◆ 1 Pcs plastic mitre box
- ◆ Size : 300x140x80mm
- ◆ 1 Pcs back saw
- ◆ Size : 300mm/12,11TPI
- ◆ Unique design soft handle
- ◆ Packed by paper card
- ◆ Net Weight : 0.72 KG

(SS) GERGAJI KAYU HEAVY DUTY

65 Mn

7TPI



UPGRADE FROM
HHAS08450

HHAS15450

- ◆ Length : 450mm
- ◆ Thickness : 0.9mm, 7TPI
- ◆ With Teeth Protector
- ◆ Heat Treatment
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.41 KG



UPGRADE FROM
HHAS48400

HHAS15400

- ◆ Length: 400mm
- ◆ Thickness: 0.9mm, 7TPI
- ◆ With Teeth Protector
- ◆ Heat Treatment
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.38 KG



GERGAJI KAYU LIPAT 7"

HFSW1808



- ◆ Same As STANLEY Quality Level
- ◆ Size : 7"/180mm
- ◆ Material : Taiwan SK5
- ◆ 7Tpi, Heat Treatment Teeth
- ◆ Triple Teeth(Precision Ground Teeth 3 Edges)
- ◆ With Hand Protection Function
- ◆ Fast Cut and Long Life
- ◆ Packed by Sliding Card
- ◆ Net Weight : 0.27 KG

GERGAJI DAHAN 13"

HPS3308



- ◆ Same as STANLEY Quality Level
- ◆ Size : 13"/330mm
- ◆ Material: Taiwan SK5
- ◆ 7TPI, Heat Treatment Teeth
- ◆ Triple Teeth(Precision Ground Teeth 3 Edges)
- ◆ With Extension Bar Function
- ◆ Fast Cut and Long Life
- ◆ Packed by Color Sleeve
- ◆ Net Weight : 0.29 KG

(SS) GAGANG GERGAJI BESI 12"

HHFS3068



- ◆ Size : 300mm/12"
- ◆ Handle Hacksaw Frame, Adjustable
- ◆ With Soft Grip
- ◆ Including 1pcs 65Mn Saw Blade
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.42 KG



GERGAJI KAYU LANCIP 12"

HCS3008



- ◆ Same as Stanley Quality Level
- ◆ Size : 12"/300mm
- ◆ Material: Taiwan Sk5
- ◆ 7TPI, Heat Treatment Teeth
- ◆ Precision Ground Teeth 2 Edges
- ◆ Fast Cut and Long Life
- ◆ Packed by Color Sleeve
- ◆ Net Weight : 0.22 KG

TAS RANSEL PERKAKAS

HBP0101



- ◆ Size: L34cm* W17cm*H45cm
- ◆ With 1pcs Handle Bag Inside
- ◆ Material: Polyester Oxford 600D
- ◆ Rigid Frame For Easy
- ◆ Opening and Access Internal
- ◆ External Pockets For Additional Storage Capacity
- ◆ Packed by Paper Card
- ◆ Net Weight : 1.21 KG

TAS PINGANG

HTBP01011



- ◆ Size:L32*W28cm
- ◆ with 10pcs pockets
- ◆ 2pcs hammer holders
- ◆ Max load:10kg
- ◆ Material:600D polyester
- ◆ Various pockets for tools
- ◆ Packed by paper card
- ◆ Net Weight : 0.43 KG

(SS) TAS PERKAKAS JINJING

13"



With 6 Pockets

16"



With 14 Pockets



HTBG281328

- ◆ Size : 13"
- ◆ Max Load: 12Kg
- ◆ Rigid Frame For Easy
- ◆ Opening and Access
- ◆ External Pockets For
- ◆ Additional Storage Capacity
- ◆ With 6 Pockets Outside
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.46 KG



HTBG281628

- ◆ Size : 16"
- ◆ Max Load: 15Kg
- ◆ Rigid Frame For Easy
- ◆ Opening and Access
- ◆ Internal & External Pockets
- ◆ For Additional Storage Capacity
- ◆ With 6 Pockets Outside and
- ◆ 8 Pockets Inside
- ◆ Packed by Paper Card
- ◆ Net Weight : 0.86 KG

SEMPROTAN TAMAN HD

HWSG032



- ◆ Same As STANLEY Quality Level.
- ◆ Adjustable 3-Way
- ◆ Plastic Trigger Nozzle
- ◆ +3/4" Tool Adaptor
- ◆ High-Impact Resistant Abs
- ◆ Plastic Body With TPR
- ◆ TPR Insulated Comfortable Soft Grip
- ◆ Nylon Lever
- ◆ Packed by Paper Hanger
- ◆ Net Weight : 0.15 KG

TOOL BOX BESI (HD) 3 TINGKAT

HTB03



- ◆ Size : 400X200X195mm
- ◆ 3 Layers
- ◆ Steel Thickness: 0.6~0.8mm
- ◆ Packed by Label
- ◆ Net Weight : 3.9 KG

SEMPROTAN TAMAN INDUSTRIAL

HWSG092



- ◆ Same as STANLEY quality level.
- ◆ 9-Pattern Plastic Trigger Nozzle+3/4"
- ◆ Tool Adaptor
- ◆ High-Impact resistant
- ◆ ABS plastic body with TPR
- ◆ TPR insulated comfortable soft grip
- ◆ Nylon Lever
- ◆ Packed by paper hanger
- ◆ Net Weight : 0.21 KG

(SS) DETEKTOR TEGANGAN LISTRIK

VD100026



- ◆ AC Voltage : 12V~1000V
(High Sensitivity)
- ◆ 48~1000V(Low Sensitivity)
- ◆ Frequency : 50/60Hz
- ◆ Alarm Mode : Sound and Light Alarm
- ◆ Flash Light : White Led
- ◆ Low Battery Indication
- ◆ Auto Power Off
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.09 KG

SEMPROTAN TAMAN INDUSTRIAL METAL

HZATN1031



- ◆ 3-Way Adjustable Rear Trigger Metal nozzle
- ◆ 3/4" tool adaptor
- ◆ Comfortable soft grip
- ◆ Material Breakdown: TPR+ABS+ Aluminium alloy+Zinc alloy
- ◆ Dimension:15*3.59*17.5cm
- ◆ Packed by paper hanger
- ◆ Net Weight : 0.31 KG

DONGKRAK BUAYA 2 TON

HFJ201



- ◆ 2Ton
- ◆ Min. Height : 140mm
- ◆ Max. Height : 340mm
- ◆ Travel : 200mm
- ◆ Net Weight: 8.5Kg
- ◆ Packed by Color Box
- ◆ Net Weight : 9 KG

(SS) HEKTER TEMBAK

HSG14012



- ◆ staple gun
- ◆ Staples : Wire : 0.7mm,
- ◆ Crown : 11.3mm,
- ◆ Length : 4-8mm
- ◆ Matched with Staple items : STS0108
- ◆ Packed by double blister
- ◆ Net Weight : 0.43 KG

(SS) HEKTER TEMBAK HD

HSG14018



- ◆ Staple Gun
- ◆ Adjustable Driving Force
- ◆ Wire : 0.7mm
- ◆ Crown : 11.3mm
- ◆ Length : 4-14mm
- ◆ Packed by Double Blister
- ◆ Match STS0108/STS0110/STS0112
- ◆ Net Weight : 0.55 KG

(SS) HEKTER TEMBAK 2 IN 1

HSG1406



- ◆ 2 in 1 staple gun
- ◆ Adjustable driving force
- ◆ Staples:
- ◆ Wire : 1.2mm, Crown : 10.6mm, Length : 6-14mm
- ◆ Wire : 1.2mm, Crown : 11.3mm, Length : 6-14mm
- ◆ Brad Nails : Wire : 1.2mm,

- ◆ Head size : 2mm, Length : 10-15mm
- ◆ With 500pcs Staples/500pcs Brad Nails
- ◆ Matched with Staple items:
- ◆ STS0208,STS0210,STS0212 and Brad Nails:STS6110
- ◆ Packed by double blister
- ◆ Net Weight : 0.90 KG

HEKTER TEMBAK 3 IN 1

HSG1405



- ◆ 3 in 1 staple gun
- ◆ Adjustable driving force
- ◆ Staples : Wire : 1.2mm
- ◆ Crown : 11.3mm
- ◆ Length : 4-14mm
- ◆ U-Shape Staples : Wire : 1.2mm
- ◆ Crown : 6.3mm,
- ◆ Length : 10-12mm
- ◆ Brad Nails :
- ◆ Wire : 1.2mm
- ◆ Length : 10-14mm

- ◆ With 200pcs Staples/200pcs
- ◆ U-Shape Staples/200pcs
- ◆ Brad Nails
- ◆ Matched with Staple items :
- ◆ STS0208/STS0210/STS0212
- ◆ U-Shape Staples : STS0412
- ◆ Brad Nails : STS6110
- ◆ Packed by double blister
- ◆ Net Weight : 0.70 KG

(SS) SENDOK / CATOKAN SEMEN LANCIP



HBT6125
◆ Size : 6/150mm(plastic handle)
◆ Diameter of connecting rod : 9.5mm
◆ unique design handle
◆ Packed by label
◆ Net Weight : 0.13 KG

HBT8125
◆ Size : 8"/200mm(Plastic Handle)
◆ Diameter Of Connecting Rod : 9.5mm
◆ Unique Design Handle
◆ Packed by Label
◆ Net Weight : 0.17 KG

(SS) SKRAP DEMPUL GAGANG FIBER



HPUT686063
◆ Size : 63(2.5")mm
◆ Carbon Steel
◆ Heat Treatment
◆ Fine Polished
◆ Packed by Label
◆ Net Weight : 0.05 KG

HPUT686100
◆ Size : 100(4")mm
◆ Carbon Steel
◆ Heat Treatment
◆ Fine Polished
◆ Packed by Label
◆ Net Weight : 0.06 KG

(SS) SIKU MAGNET LAS SET 4 PCS

AMWH4062



◆ Magnetic welding holder 4pcs set
◆ Specifications:
◆ 2pcs Mini Magnet
◆ 2pcs 3" Magnet
◆ Pull Force:
◆ Mini 10Lbs
◆ 3" 25Lbs
◆ Product Dimensions per pcs:
◆ Mini 70*42.5*12mm

◆ 3" 120*83*14.4mm
◆ Weight per pcs :
◆ Mini 108g
◆ 3" 304g
◆ Angles : 45°,90°,135°
◆ Material : Magnet and Steel
◆ Packed by double blister
◆ Net Weight : 0.88 KG

(SS) KUAS ROLL MINI

HRHT281002



- ◆ Material : Acrylic
- ◆ Size : 100mm/4"
- ◆ Fibre Height : 12mm
- ◆ Suitable For Inner Wall
- ◆ Net Weight : 0.11 KG

(SS) KUAS ROLL

HRHT282302



- ◆ Material : Acrylic
- ◆ Size : 230mm/9"
- ◆ Fibre Height : 12mm
- ◆ Suitable For Inner Wall
- ◆ Net Weight : 0.25 KG

KUAS ROLL TELESCOPIC 9"

HRHT442302T



- ◆ Material:Micro fibre
- ◆ Size:230mm/9"
- ◆ Fibre height:12mm
- ◆ Suitable for inner wall
- ◆ Mini length:440mm
- ◆ Max length:880mm
- ◆ With 1pcs roller cover
- ◆ With 4pcs assistant shank

- ◆ 8mm central shank
- ◆ With 3 parts telescoping aluminum tube
- ◆ Packed by plastic bag
- ◆ Net Weight : 0.54 KG

KUAS GAGANG FIBER



- CHPTB78615**
- ◆ Width : 1.5"
 - ◆ For Oil-Based Paint
 - ◆ Unique Design Plastic Handle
 - ◆ Bristle Length : 40mm
 - ◆ Thickness : 10mm
 - ◆ Packed by Plastic Bag
 - ◆ Net Weight : 0.03 KG

- CHPTB78604**
- ◆ Width : 4"
 - ◆ For Oil-Based Paint
 - ◆ Unique Design Plastic Handle
 - ◆ Bristle Length : 51mm
 - ◆ Thickness : 12mm
 - ◆ Packed by Plastic Bag
 - ◆ Net Weight : 0.07 KG

(SS) KUAS GAGANG FIBER



- CHPTB78601**
- ◆ Width : 1"
 - ◆ For Oil-Based Paint
 - ◆ Unique Design Plastic Handle
 - ◆ Bristle Length : 40mm
 - ◆ Thickness : 10mm
 - ◆ Packed by Plastic Bag
 - ◆ Net Weight : 0.02 KG

- CHPTB78602**
- ◆ Width : 2"
 - ◆ For Oil-Based Paint
 - ◆ Unique Design Plastic Handle
 - ◆ Bristle Length : 45mm
 - ◆ Thickness : 11mm
 - ◆ Packed by Plastic Bag
 - ◆ Net Weight : 0.03 KG

- CHPTB78603**
- ◆ Width : 3"
 - ◆ For Oil-Based Paint
 - ◆ Unique Design Plastic Handle
 - ◆ Bristle Length : 51mm
 - ◆ Thickness : 12mm
 - ◆ Packed by Plastic Bag
 - ◆ Net Weight : 0.05 KG

SUPER SELECT



(SS) KUAS GAGANG FIBER SET 3 PCS

CHPTB7860301

- ◆ 3pcs paint brush set
- ◆ For Oil-Based paint
- ◆ 1pcs 1"
- ◆ 1pcs 2"
- ◆ 1pcs 3"
- ◆ Plastic handle
- ◆ Packed by plastic bag
- ◆ Net Weight : 0.11 KG

(SS) SKRAP DEMPUL / TAPING KNIVES 10"

HPUT25011



- ◆ Size : 10"/250mm
- ◆ Blade thickness:0.5mm
- ◆ Aluminum backing plate
- ◆ Unique design handle
- ◆ Packed by label
- ◆ Net Weight : 0.18 KG

(SS) RASKAM PLAT GAGANG FIBER

HPT231025



- ◆ Size : 230x100mm
- ◆ Carbon steel
- ◆ Packed by label
- ◆ Net Weight : 0.25 KG

(SS) SKRAP DEMPUL GAGANG FIBER 8"

HPUT20011



- ◆ Size : 8"/200mm
- ◆ Carbon Steel Blade
- ◆ Reinforced Aluminium Profile
- ◆ Blade Thickness : 0.5mm
- ◆ Unique Design Handle
- ◆ Packed by Label
- ◆ Net Weight : 0.14 KG

BRUSH KAWAT KUNINGAN

HWB02250



- ◆ Plastic Handle
- ◆ Coated Copper
- ◆ Length : 250mm
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.17 KG

(SS) PERKAKAS RUMAH TANGGA BOX SET 32PCS

HKTHP10321



- ◆ 1 Pcs 7" Combination Pliers
- ◆ 1 Pcs 6" Adjustable Wrench
- ◆ 1 Pcs SL5.5*100 Screwdriver
- ◆ 1 Pcs PH1*100 Screwdriver
- ◆ 1 Pcs Test Pencil
(Test voltage:100-500VAC)
- ◆ 1 Pcs Mini Claw Hammer
- ◆ 1 Pcs 3M Steel measuring tape
- ◆ 1 Pcs Snap-off blade knife
- ◆ 1 Pcs 1/4" Magnetic shank

- ◆ 20 Pcs 1/4" Screwdriver bits SL3,
SL4,SL5,SL6,PH0,PH1,PH2,PH3,
PZ0,PZ1,PZ2,PZ3,T10,T15,T20,
T30,H3,H4,H5,H6 25mm
- ◆ 1 Pcs 8" Scissors
- ◆ 1 Pcs Mini Hacksaw frame
- ◆ 1 Pcs 17" Plastic Tool Box
- ◆ Pack by Plastic Box
- ◆ Net Weight : 2.90 KG

(SS) TOOL BOX PVC 17 INCH

PBX1701



- ◆ "17" Plastic Tool Box
- ◆ Size : 436mm(17") * 220mm
- ◆ (8.7")*205mm(8")
- ◆ Material : PP
- ◆ weight : 1390g
- ◆ PP plastic buckle
- ◆ Max Load : 15KG
- ◆ High-strength Handle
- ◆ Upper cover with three
- ◆ storage areas
- ◆ Upper cover with scale function
- ◆ Contains 1Pcs plastic tray
- ◆ Packed by carton box"
- ◆ Net Weight : 1.39 KG

TOOL BOX PVC SET 3 PCS

PBXK0301



- ◆ 3 pcs Plastic Tool Boxes Set :
14"+17"+20"
- ◆ 14" Size : 356mm(14")*168mm(6.6")*
160mm(6.3")
- ◆ 17" Size : 436mm(17")*220mm(8.7")*
205mm(8")
- ◆ 20" Size : 508mm(20")*296mm(11.7")*
261mm(10.3")
- ◆ PP plastic buckle
- ◆ Material: PP
- ◆ High-strength Handle
- ◆ Upper cover with three storage areas
- ◆ Upper cover with scale function
- ◆ Contains 1Pcs plastic tray
- ◆ Packed by label
- ◆ Nett Weight : 4.30 KG

(SS) TOOL BOX PVC 14 INCH

PBX1401



- ◆ 14 Plastic Tool Box
- ◆ Size : 356mm(14)*168mm(6.6)*
150mm(6.3)
- ◆ Material: PP
- ◆ weight : 720g
- ◆ PP plastic buckle
- ◆ Max Load : 10KG
- ◆ High-strength Handle
- ◆ Upper cover with three storage
- ◆ areas
- ◆ Upper cover with scale function
- ◆ Contains 1Pcs plastic tray
- ◆ Net Weight : 0.73 KG

(SS) TOOL BOX PVC 20 INCH

PBX2001




- ◆ 20 Plastic Tool Box
- ◆ Size : 508mm(20)*296mm(11.7)*
261mm(10.3)
- ◆ Material: PP
- ◆ weight:2150g
- ◆ PP plastic buckle
- ◆ Max Load : 20KG
- ◆ High-strength Handle
- ◆ Upper cover with three storage
- ◆ areas
- ◆ Upper cover with scale function
- ◆ Contains 1Pcs plastic tray
- ◆ Packed by label
- ◆ Net Weight : 2.15 KG

F CLAMP / CATOK PENJEPIT KAYU KACA



Item No.	Clamp Size (mm)	Max Clamp Force (KG)	Iron Ruler (mm)	Diameter (mm)	Net Weight (KG)
HFC020501	50x150	170	5x15	11	0.36
HFC020502	50x200	170	5x15	11	0.40
HFC020503	50x250	170	5x15	11	0.41
HFC020802	80x300	270	6x22	13.5	0.85
HFC021202	120X500	450	8X30	15.3	1.83
HFC021204	120X400	450	8X30	15.3	1.67
HFC021205	120X600	450	8X30	15.3	2.0
HFC021404	140X1000	550	10X35	17.8	4.15



PELINDUNG TELINGA / EARMUFF

HEM01

- ◆ Impact-resistant
- ◆ ABS shell body, soft foam pad
- ◆ NRR : 24dB
- ◆ Packed by paper card
- ◆ Net Weight : 0.21 KG

PENUTUP TELINGA / EARPLUG

HEP02



- ◆ Conforms to ear structure, safe and sanitary
- ◆ Made from polyurethane foam, smooth and ultra supple
- ◆ superior noise reuction effect, let operators keep acute hearing in noise ambient
- ◆ Packed by poly bag
- ◆ Net Weight : 0.0041 KG

(SS) KACAMATA PROYEK

HSG142



- ◆ The length of temple:4
- ◆ different positions
- ◆ Integrated encircling type design gives flank protection
- ◆ Packed by poly bag
- ◆ Net Weight : 0.03 KG

PAHAT BETON BAJA + TOPI 10" BASIC



HCCL082210
◆ INGCO Style Handle
◆ Head Size : 22mm
◆ Handle Size : 16mm
◆ Length : 250mm
◆ Material: 45# Carbon Steel
◆ Drop Forged and Heat Treatment
◆ Packed by Plastic Hanger
◆ Net Weight : 0.55 KG

HCCL082412
◆ INGCO Style Handle
◆ Head Size : 24mm
◆ Handle Size : 18mm
◆ Length : 300mm
◆ Material: 45# Carbon Steel
◆ Drop Forged and Heat Treatment
◆ Packed by Plastic Hanger
◆ Net Weight : 0.72 KG

PAHAT KAYU



HWC0812	HWC0819	HWC0816	HWC0825
◆ Width : 12mm	◆ Width : 19mm	◆ Width : 16mm	◆ Width : 25mm
◆ Length: 140mm	◆ Length : 140mm	◆ Length : 140mm	◆ Length : 140mm
◆ Wood Chisel: CRV	◆ Wood Chisel : CRV	◆ Wood Chisel : CRV	◆ Wood Chisel : CRV
◆ Packed by Double Blister	◆ Packed by Double Blister	◆ Packed by Double Blister	◆ Packed by Double Blister
◆ Net Weight : 0.2 KG	◆ Net Weight : 0.23 KG	◆ Net Weight : 0.22 KG	◆ Net Weight : 0.25 KG

**PAHAT KAYU HD (SET)
1/4.1/2.3/4.1IN**

HKTWC0401



◆ 4 pcs Wood Chisel Set
◆ Width : 6mm, 12mm, 19mm, 25mm
◆ Length: 140mm
◆ Wood Chisel : CRV
◆ Packed by Sliding card
◆ Net Weight : 0.87 KG

PENGEMBANG PIPA / FLARING TOOL

HPFT71



◆ Diameter Of Pipe:
◆ 5mm/ 6mm/ 8mm
◆ 10mm/ 12mm/ 14mm/ 16mm
◆ Chrome Plated Steel Backplane
◆ Forged Steel Frame
◆ Packed by Sliding Crad
◆ Net Weight : 0.75 KG

ALAT POTONG GRANIT MANUAL 80CM

HTC04800AG




- ◆ 800mm Tile Cutter
- ◆ With 1 pcs Bag, Easily To Carry
- ◆ Max Cutting Length : 800mm
- ◆ Max Cutting Thickness: 14mm
- ◆ Steel Base Size : 993X165mm
- ◆ With 2pcs Steel Support Frame
- ◆ Thickness Of The Base : 2.5mm
- ◆ With 1 pcs Tungsten Carbide
- ◆ Ball Bearing Blade

- ◆ Blade Size: 22X10.5X2mm
- ◆ Multi-Function : Direct Line Cutting,
- ◆ Diagonal Line Cutting
- ◆ With Aluminium Gauge
- ◆ Packed by Carton Box
- ◆ Net Weight : 12.25 KG

ALAT POTONG GRANIT MANUAL 60CM

HTC04600



- ◆ Tile Cutter
- ◆ Max Cutting Length : 600mm
- ◆ Max Cutting Thickness: 12mm
- ◆ Steel Base Size : 815X195Cm
- ◆ Thickness Of The Base : 2mm
- ◆ With 2 pcs Tungsten Carbide Blade
- ◆ Blade Size: 16X6X3mm

- ◆ Multi-Function : Direct Line Cutting,
- ◆ Diagonal Line Cutting
- ◆ Diameter Of Sliding Bar : 19mm
- ◆ Packed by Carton Box
- ◆ Net Weight : 5.25 KG

MATA POTONG GRANIT MANUAL



HTC04600B

- ◆ Tile Cutter Blade
- ◆ With Ball Bearing
- ◆ Material: Tungsten Carbide
- ◆ Blade Size: 16X6X3mm
- ◆ Suitable For HTC04600
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.02 KG

HTC04800B

- ◆ Tile Cutter Blade
- ◆ With Ball Bearing
- ◆ Material: Tungsten Carbide
- ◆ Blade Size: 22X10.5X2mm
- ◆ Suitable For HTC04800AG
- ◆ Packed by Blister Card
- ◆ Net Weight : 0.03 KG



MEASURING TOOLS



METERAN KARET AUTOSTOP



**Self Lock Function
Continuous Marking Blade**



HSMT08316

- ◆ Length & width : 3mx16mm
- ◆ Self lock function
- ◆ With metric and inch
- ◆ Double button
- ◆ Unique design
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.13 KG



HSMT08519

- ◆ Length & width : 5mx19mm
- ◆ Self lock function
- ◆ With metric and inch
- ◆ Double button
- ◆ Unique design
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.21 KG

METERAN POLOS DOUBLE STOP



Continuous Marking Blade



HSMT26316

- ◆ Length & width : 3mx16mm
- ◆ With metric and inch
- ◆ Double button
- ◆ Unique design
- ◆ Pure ABS material cover
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.10 KG



HSMT26519

- ◆ Length & width : 5mx19mm
- ◆ Double button
- ◆ With metric and inch
- ◆ Unique design
- ◆ Pure ABS material cover
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.18 KG



HSMT26525

- ◆ Length & width : 5mx25mm
- ◆ Double button
- ◆ With metric and inch
- ◆ Unique design
- ◆ Pure ABS material cover
- ◆ Packed by plastic hanger
- ◆ Net Weight : 0.22 KG

(SS) METERAN POLOS HD



Continuous Marking Blade

Metric and Inch



HSMT39316

- ◆ Length & width : 3mx16mm
- ◆ One button
- ◆ With metric and inch
- ◆ Pure ABS material cover
- ◆ Packed by label
- ◆ Net Weight : 0.09 KG

HSMT39519

- ◆ Length & Width : 5mx19mm
- ◆ One Button
- ◆ With Metric and Inch
- ◆ Pure ABS Material Cover
- ◆ Packed by Label
- ◆ Net Weight : 0.17 KG

HSMT39525

- ◆ Length & width : 5mx25mm
- ◆ One button
- ◆ With metric and inch
- ◆ Pure ABS material cover
- ◆ Packed by label
- ◆ Net Weight : 0.23 KG



HSMT39825

- ◆ Length & Width : 8mx25mm
- ◆ One Button
- ◆ With Metric and Inch
- ◆ Pure ABS Material Cover
- ◆ Packed by Label
- ◆ Net Weight : 0.3 KG

(SS) METERAN POLOS AUTOSTOP



HSMT27316
◆ Length & width : 3mx16mm
◆ Self lock function
◆ With metric and inch
◆ One button
◆ Pure ABS material cover
◆ Packed by label
◆ Net Weight : 0.11 KG

HSMT27519
◆ Length & Width : 5mx19mm
◆ Self Lock Function
◆ With Metric and Inch
◆ One Button
◆ Pure ABS Material Cover
◆ Packed by Label
◆ Net Weight : 0.18 KG



METERAN KARET AUTOSTOP 8M
HSMT08825

◆ Length & width:8mx25mm
◆ Self lock function
◆ With metric and inch
◆ Double button
◆ Unique design
◆ Packed by plastic hanger
◆ Net Weight : 0.39 KG

TESTPEN KECIL

HSDT1408



◆ Test Voltage : AC 100-500V
◆ Slotted Size : 3X140mm
◆ Packed by Plastic Hanger
◆ Net Weight : 0.03 KG

TESTPEN BESAR

HSDT1908



◆ Test Voltage : AC 100-500V
◆ Slotted Size : 4X190mm
◆ Packed by Plastic Hanger
◆ Net Weight : 0.04 KG

**SUPER
SELECT**

**HOT
ITEM**



(SS) MULTIMETER DIGITAL

DM2002

- ◆ 2000 Counts LCD Display
- ◆ DC Voltage 200mV/2V/20V/200V/600V
- ◆ AC Voltage 20V/200V/600V
- ◆ DC Current 20mA/200mA/10A
- ◆ Resistance 200 Ω /2k Ω /20k Ω /200k Ω /2M Ω /20M Ω
- ◆ With Lower Battery Indication Function
- ◆ Packed by Color Box
- ◆ Net Weight : 0.23 KG

DIGITAL LASER LEVELER (LASER HIJAU)

HLL305205



- ◆ Green Laser Beams
- ◆ Working Range : 0~30 M
- ◆ 1 Horizontal Line and 4 Vertical Lines
- ◆ Levelling Accuracy : $\pm 1.0\text{mm}$ at 5 m
- ◆ Line Accuracy $\pm 1.5\text{mm}$ at 5 m
- ◆ Levelling Time < 3S
- ◆ Self-Levelling Angle $\leq 3^\circ$
- ◆ Laser Type : Green
- ◆ Laser Class 3R, < 5Mw
- ◆ Without Tripods, Match With HLLT01152 Tripods
- ◆ With Cross Lock Function
- ◆ With Laser Gain Function
- ◆ Operating Temperature 0~+40°C
- ◆ Storage Temperature -20~+70°C
- ◆ Batteries AA(1.5V)*4
- ◆ Weight Without Batteries 980 g
- ◆ Packed by Plastic Box
- ◆ Net Weight : 1.6 KG

DIGITAL LASER



MEASURING TOOLS

WATERPASS AL (WARNA)



HSL18030
◆ Length : 30Cm
◆ Aluminum
◆ Thickness : 1mm
◆ INGCO Unique Design
◆ Packed by Color Sleeve
◆ Net Weight : 0.16 KG



HSL18040
◆ Length:40cm
◆ Aluminum
◆ Thickness:1mm
◆ INGCO unique design
◆ Packed by color sleeve
◆ Net Weight : 0.17 KG



HSL18060
◆ Length:60cm
◆ Aluminum
◆ Thickness:1mm
◆ INGCO unique design
◆ Packed by color sleeve
◆ Net Weight : 0.23 KG



HSL18080
◆ Length : 80Cm
◆ Aluminum
◆ Thickness : 1mm
◆ INGCO Unique Design
◆ Packed by Color Sleeve
◆ Net Weight : 0.29 KG



HSL18100
◆ Length:100cm
◆ Aluminum
◆ Thickness:1mm
◆ INGCO unique design
◆ Packed by color sleeve
◆ Net Weight : 0.36 KG

WATERPASS



(SS) WATERPASS AL



HSL58040
◆ Length : 40cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight : 0.14 KG

HSL58060
◆ Length : 60Cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight : 0.22 KG



HSL58100
◆ Length : 100cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight : 0.33 KG

WATERPASS HEAVY DUTY



HSL08040
◆ Length:40cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ V-shape slot for measuring objects with round surface
◆ Packed by color sleeve
◆ Net Weight : 0.29 KG

HSL08060
◆ Length:60cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ V-shape slot for measuring objects with round surface
◆ Packed by color sleeve
◆ Net Weight : 0.45 KG

WATERPASS INDUSTRIAL MAGNET



HSL38030M
◆ Length:30cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ 2 Pcs powerful magnets
◆ Double flat surfaces design
◆ Packed by color sleeve
◆ Net Weight : 0.20 KG



HSL38040M
◆ Length:40cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ 2 Pcs powerful magnets
◆ Double flat surfaces design
◆ Packed by color sleeve
◆ Net Weight : 0.30 KG

SAFETY PRODUCTS



HELM LAS BASIC

AHM009



- ◆ Viewing Area : 90x35mm
- ◆ Cartridge Size : 110x90x10mm
- ◆ Arc Sensor : 2
- ◆ Light State : Din 4
- ◆ Dark State : Fixed Shade 11
- ◆ Shade Control : Unadjustable
- ◆ Power On/Off : Fully Automatic
- ◆ Sensitivity Control : Unadjustable, Auto
- ◆ UV/IR Protection : DIN 16
- ◆ Power Supply : Solar Cells.
- ◆ Re-chargeable Battery.
- ◆ No Battery Change Required
- ◆ Switching Time : 1/5000S, From Light To Dark
- ◆ Dark To Light : 0.15-0.45S Auto
- ◆ Low Amperage TIG : ≥20Amps(DC), ≥20Amps(Ac)
- ◆ Operating Tep : -5°C~+55°C
- ◆ Storing Tep : -20°C~+70°C
- ◆ Packed by Color Box
- ◆ Net Weight : 0.92 KG

HELM LAS

AHM008



Viewing Area



- ◆ Viewing Area:92x42mm
- ◆ Cartridge Size:110x90x9mm
- ◆ Arc Sensor:2
- ◆ Optical Class:1/1/1/2
- ◆ Light State:DIN 4
- ◆ Dark State:Variable shade, 9 ~13
- ◆ Shade Control:External,Variable
- ◆ Power On/Off:Fully Automatic
- ◆ Sensitivity Control:AUTO
- ◆ UV/IR Protection:DIN 16
- ◆ Power Supply:Solar cells+2*CR2032
- ◆ Lithium batteries
- ◆ Switching Time:1/15000S, from Light to Dark
- ◆ Dark to Light(Delay):0.1-1.0 Auto
- ◆ Low Amperage TIG:-10amps(DC), = 10amps(AC)
- ◆ Grinding Function :YES
- ◆ Low Volume Alarm:YES
- ◆ Operating Tep:-5°~+55°
- ◆ Storing Tep:-20°~+70°
- ◆ Packed by color box
- ◆ Net Weight : 0.92 KG



100% New PP
Big Viewing Area
110x90mm



(SS) TOPENG LAS

WM128

- ◆ Welding Mask
- ◆ Material : 100% PP
- ◆ Glass Size : 110*90*3mm
- ◆ Movable Type Glass
- ◆ 1 pcs Clear Protection Glass
- ◆ Packed by Label
- ◆ Net Weight : 0.5 KG

(CG) SARUNG TANGAN SAFETY ANTI GORES

HGCG22CG-XL



- ◆ Size:XL
- ◆ Use for timber and glass cutting worker, heavy sharp objects carriers etc.
- ◆ PU coated palm,flexible and good feeling.
- ◆ HPPE shell,cut-resistance and abrasion.
- ◆ Antistatic.
- ◆ Packed by poly bag
- ◆ Net Weight : 0.07 KG

SARUNG TANGAN KARET TEBAL

HGVP01



- ◆ Material:high quality PVC
- ◆ Size: L 32cm
- ◆ Use for gardener, cleaner etc.
- ◆ Weight :105-110g/ pair
- ◆ Packed by plastic bag"
- ◆ Net Weight : 0.12 KG

(SS) SARUNG TANGAN LATEX TEBAL

HGVL05



- ◆ Size:XL
- ◆ Use for heavy cargo handling worker, slight sharp objects carrier etc.
- ◆ Cotton/polyester seamless knitted shell.
- ◆ Textured palm dip for extra grip and durability.
- ◆ Packed by poly bag
- ◆ Net Weight : 0.11 KG

SARUNG TANGAN BINTIK PUTIH

HGVK05



- ◆ Size : 10 (XL)
- ◆ Use For Transporting and Cargo Handling
- ◆ Worker, Recycling Worker, etc.
- ◆ Repairer Etc.
- ◆ Gauge : 10
- ◆ Weight : 58g/Pair; 700G/Dozen
- ◆ Cotton Class : A
- ◆ Packed in Poly Bag
- ◆ Net Weight : 0.06 KG

SARUNG TANGAN MEKANIK HD

HGMG01-XL



- ◆ Size : XL
- ◆ Microfibre Material Palm Provide Dexterity To Utilize Tools and Equipments
- ◆ Pack by Paper Hanger
- ◆ Net Weight : 0.07 KG

SARUNG TANGAN PROYEK

HNGG01



- ◆ Size : XL
- ◆ Use For Oil Environment (Less Oil)Worker Etc.
- ◆ Nitrile Coated Palm, Smooth and Rough-Texture Palm Finish.
- ◆ Packed by Poly Bag
- ◆ Net Weight : 0.05 KG



SABUK PENGAMAN BADAN SAFETY HARNESS

HSH501502

- ◆ 1 attachment point
- ◆ 4 adjustment point
- Material: High Strength Polyester
- ◆ Webbing Width: 50mm
- ◆ Safety rope Size : 13mm*1.5m
- ◆ Safety rope material: Polyester
- ◆ Packed by color box
- ◆ Net Weight : 1.6 KG

MANTEL HUJAN POLYESTER



HRCTL031.L

- ◆ Material : PVC+Polyester
- ◆ 100% New PVC
- ◆ Length : 120Cm
- ◆ Thickness : 0.33mm
- ◆ Size : L
- ◆ Waterproof : Breathe Freely
- ◆ Two Down Pockets With Flap
- ◆ Packed by Poly Bag
- ◆ Net Weight : 1 KG



HRCTL031.XL

- ◆ Material : PVC+Polyester
- ◆ 100% New PVC
- ◆ Length : 120Cm
- ◆ Thickness : 0.33mm
- ◆ Size : XL
- ◆ Waterproof, Breathe Freely
- ◆ Two Down Pockets With Flap
- ◆ Packed by Poly Bag
- ◆ Net Weight : 1.03 KG

JAS HUJAN POLYESTER (1 SET)



HRCTSKT031.L

- ◆ Material : PVC+Polyester
- ◆ 100% New PVC
- ◆ Thickness : 0.33mm
- ◆ Size : L
- ◆ Waterproof, With Breather Holes
- ◆ Two Down Pockets With Flap
- ◆ Packed by Poly Bag
- ◆ Net Weight : 1.25 KG



HRCTSKT031.XL

- ◆ Material : PVC+Polyester
- ◆ 100% New PVC
- ◆ Thickness : 0.33mm
- ◆ Size : XL
- ◆ Waterproof, With Breather Holes
- ◆ Two Down Pockets With Flap
- ◆ Packed by Poly Bag
- ◆ Net Weight : 1.3 KG

HARDWARE TOOLS



GEMBOK GUDANG

60MM

80MM

70MM

90MM



Same quality as Yale

DBBPL0602

- ◆ Size : 60mm
- ◆ Material : Brass
- ◆ Weight : 234g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.25 KG

DBBPL0702

- ◆ Size : 70mm
- ◆ Material : Brass
- ◆ Weight : 411g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.43 KG

DBBPL0802

- ◆ Size : 80mm
- ◆ Material : Brass
- ◆ Weight : 568g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.57 KG

DBBPL0902

- ◆ Size : 90mm
- ◆ Material : Brass
- ◆ Weight : 609g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.65 KG

GEMBOK HITAM

32MM

63MM

38MM

75MM

50MM



DIPL0301

- ◆ Size:32mm
- ◆ Material:Iron
- ◆ Weight:95g
- ◆ With 3 pcs iron keys
- ◆ Brass lock cylinder
- ◆ With waterproof rubber cover
- ◆ Packed by color box
- ◆ Net Weight : 0.1 KG



DIPL0401

- ◆ Size : 38mm
- ◆ Material : Iron
- ◆ Weight : 146g
- ◆ With 3 pcs Iron Keys
- ◆ Brass Lock Cylinder
- ◆ With Waterproof Rubber Cover
- ◆ Packed by Color Box
- ◆ Net Weight : 0.15 KG



DIPL0501

- ◆ Size : 50mm
- ◆ Material : Iron
- ◆ Weight : 289g
- ◆ With 3 pcs Iron Keys
- ◆ Brass Lock Cylinder
- ◆ With Waterproof Rubber Cover
- ◆ Packed by Color Box
- ◆ Net Weight : 0.3 KG

DIPL0601

- ◆ Size : 63mm
- ◆ Material : Iron
- ◆ Weight : 508g
- ◆ With 3 pcs Iron Keys
- ◆ Brass Lock Cylinder
- ◆ With Waterproof Rubber Cover
- ◆ Packed by Color Box
- ◆ Net Weight : 0.52 KG

DIPL0701

- ◆ Size : 75mm
- ◆ Material : Iron
- ◆ Weight : 714g
- ◆ With 3 pcs Iron Keys
- ◆ Brass Lock Cylinder
- ◆ With Waterproof Rubber Cover
- ◆ Packed by Color Box
- ◆ Net Weight : 0.74 KG

GEMBOK KUNINGAN

20MM

30MM

40MM



DBPL0202

- ◆ Size : 20mm
- ◆ Material : Brass
- ◆ Weight : 40g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.06 KG

DBPL0302

- ◆ Size : 30mm
- ◆ Material : Brass
- ◆ Weight : 84g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.10 KG

DBPL0402


- ◆ Size : 40mm
- ◆ Material : Brass
- ◆ Weight : 142g
- ◆ With 3pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.16 KG

GEMBOK KUNINGAN

50MM

60MM

70MM



DBPL0502

- ◆ Size : 50mm
- ◆ Material : Brass
- ◆ Weight : 270g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.28 KG

DBPL0602

- ◆ Size : 60mm
- ◆ Material : Brass
- ◆ Weight : 385g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.41 KG

DBPL0702

- ◆ Size : 70mm
- ◆ Material : Brass
- ◆ Weight : 542g
- ◆ With 3 pcs Brass Keys
- ◆ Packed by Double Blister
- ◆ Net Weight : 0.58 KG

WELDING MACHINES



TANG LAS 300A

WAH3008



- ◆ INGCO Style New Design
- ◆ Rated Current : 300A
- ◆ Suitable For INGCO MMA Welding MACHINES
- ◆ Packed by Carton Box
- ◆ Net Weight : 0.35KG

TANG LAS 800A

WAH8008



- ◆ INGCO Style New Design
- ◆ Rated Current : 800A
- ◆ Suitable For INGCO MMA Welder (Below 630A)
- ◆ Packed by Carton Box
- ◆ Net Weight : 0.58KG

TANG LAS 1000A

WAH10008



- ◆ INGCO Style New Design
- ◆ Rated Current : 1000A
- ◆ Suitable For INGCO MMA Welding MACHINES
- ◆ Packed by Carton Box
- ◆ Net Weight : 0.83KG

WELDING MACHINES

(SS) TRAF0 LAS 160A

ING-MMA1602



- ◆ IGBT Inverter Technology
- ◆ Input Voltage(V) : 1~220-240
- ◆ Frequency(Hz) : 50/60
- ◆ Output Current(A) : 15-160
- ◆ Duty Cycle(%) : 160A@30%
- ◆ LCD Display
- ◆ No-Load Voltage(V) : 75
- ◆ Max. Output Current(A) : 160
- ◆ Diameter Of Electrode(mm) : 1.6-4.0

- ◆ With 1pcs Electrode Holder With Cable
- ◆ With 1pcs Earth Clamp With Cable
- ◆ With 1pcs Wire Brush and 1pcs
- ◆ Helmet
- ◆ Packed by Color Box
- ◆ Net Weight : 3.7 KG

TRAF0 LAS 160A

ING-MMA1606



- ◆ IGBT Inverter technology
- ◆ Input voltage (V) : 1~220-240
- ◆ Frequency (HZ) : 50/60
- ◆ Output current (A) : 10-160
- ◆ Duty cycle (%) : 160A@60%
- ◆ LCD display
- ◆ No-load voltage (V) : 65
- ◆ Max. output current (A) : 160
- ◆ Diameter of electrode(mm) : 1.6-4.0

- ◆ With 1pcs electrode holder with cable
- ◆ With 1pcs earth clamp with cable
- ◆ With 1pcs wire brush and 1pcs helmet
- ◆ Packed by carton box
- ◆ Net Weight : 6.3 KG

WELDING MACHINES



WELDING MACHINES

OTHER TOOLS



TANGGA ALUMINIUM MULTIFUNGSI 4X4 STEP

HLAD04441



- ◆ Material : Aluminium
- ◆ Surface finish : Oxidation
- ◆ No of step : 4x4
- ◆ Step rise : 28cm
- ◆ Total lengtht : 475cm
- ◆ Step ladder height : 228cm
- ◆ Scaffold height : 130cm
- ◆ Fold height : 127cm

- ◆ Fold width : 37cm
- ◆ With 2pcs Scaffold Plate
- ◆ Approx.Wt : 18.9kg
- ◆ Max.Load : 150kg
- ◆ Packed by color sleeve
- ◆ Net Weight : 17.24 KG

TANGGA ALUMINIUM MULTIFUNGSI 4X3 STEP

HLAD04431



- ◆ Safety Standard: En131
- ◆ Material : Aluminium
- ◆ Surface Finish Oxidation
- ◆ No Of Step: 4X3
- ◆ Step Rise: 27Cm
- ◆ Total Lengtht: 336Cm
- ◆ Step Ladder Height : 162Cm
- ◆ Scaffold Height : 91Cm
- ◆ Fold Height : 91Cm

- ◆ Fold Width : 35Cm
- ◆ With 2pcs Scaffold Plate
- ◆ Approx.Wt : 15.0Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Color Sleeve
- ◆ Net Weight : 13.42 KG



TANGGA ALUMINIUM 3 STEP

HLAD06031

3Steps



- ◆ Material : Aluminium
- ◆ Surface finish : Oxidation
- ◆ No of step : 4x4
- ◆ Step rise : 28cm
- ◆ Total lengtht : 475cm
- ◆ Step ladder height :228cm
- ◆ Scaffold height : 130cm
- ◆ Fold height : 127cm
- ◆ Fold width : 37cm
- ◆ With 2pcs Scaffold Plate
- ◆ Approx.Wt : 18.9kg
- ◆ Max.Load : 150kg
- ◆ Packed by color sleeve
- ◆ Net Weight : 2.57 KG

TANGGA ALUMINIUM 4 STEP

HLAD06041

4Steps

150 kg



- ◆ Material : Aluminum
- ◆ Steps: 4 Steps
- ◆ Distance Between Two Step: 219mm
- ◆ Distance Between Top
- ◆ Step and Handle: 611mm
- ◆ Distance From Ground
- ◆ To Top Step: 877mm
- ◆ Top Aluminum Step
- ◆ Size: 260X250X30mm
- ◆ Approx.Wt : 3.3Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Shrink
- ◆ Net Weight : 3.4 KG

TANGGA ALUMINIUM 5 STEP

HLAD06051

5Steps

150 kg



- ◆ Material : Aluminum
- ◆ Steps: 4 Steps
- ◆ Distance Between Two Step: 219mm
- ◆ Distance Between Top
- ◆ Step and Handle: 611mm
- ◆ Distance From Ground
- ◆ To Top Step: 877mm
- ◆ Top Aluminum Step
- ◆ Size: 260X250X30mm
- ◆ Approx.Wt : 3.3Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Shrink
- ◆ Net Weight : 4 KG

TANGGA ALUMINIUM 6 STEP

HLAD06061

150 kg
6Steps



- ◆ Material : Aluminum
- ◆ Steps: 6 Steps
- ◆ Distance Between Two Step: 219mm
- ◆ Distance Between Top
- ◆ Step and Handle: 611mm
- ◆ Distance From Ground
- ◆ To Top Step: 1316mm
- ◆ Top Aluminum Step
- ◆ Size: 260X250X30mm
- ◆ Approx.Wt : 4.25Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Shrink
- ◆ Net Weight : 4.8 KG

TANGGA ALUMINIUM DUA SISI 8 STEP

HLAD01081



◆ 3 Section Extension Ladder

◆ Material : Aluminium

◆ Surface Finish: Oxidation

◆ Steps : 3X9

◆ Max.Load : 150Kg

◆ Step Rise (mm) : 280

◆ Ext.Height (M) : 5.92

◆ Closed Size (Wxdxh)mm

◆ 79*16*256

◆ Width (mm): 380

◆ Approx.Wt : 13.2Kg

◆ Packed by Poly Bag

◆ Net Weight : 7.60 KG

TANGGA ALUMINIUM 3 POSISI 3 X 9 STEP

HLAD03391



◆ 3 Section Extension Ladder

◆ Material : Aluminium

◆ Surface Finish: Oxidation

◆ Steps : 3X9

◆ Max.Load : 150Kg

◆ Step Rise (mm) : 280

◆ Ext.Height (M) : 5.92

◆ Closed Size (Wxdxh)mm 79*16*256

◆ Width (mm): 380

◆ Approx.Wt : 13.2Kg

◆ Packed by Poly Bag

◆ Net Weight : 13 KG

TANGGA ALUMINIUM 7 STEP

HLAD06071



- ◆ Material : Aluminum
- ◆ Steps: 7 Steps
- ◆ Distance Between Two Step: 233mm
- ◆ Distance Between Top Step and Handle 605mm
- ◆ Distance From Ground To Top Step: 1500mm
- ◆ Top Aluminum Step
- ◆ Size: 260X250X30mm

- ◆ Approx.Wt : 4.9Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Shrink
- ◆ Net Weight : 4.95 KG

TANGGA ALUMINIUM 8 STEP

HLAD06081



- ◆ Material : Aluminum
- ◆ Steps: 8 Steps
- ◆ Distance Between Two Step: 233mm
- ◆ Distance Between Top Step and Handle 605mm
- ◆ Distance From Ground To Top Step: 1500mm
- ◆ Top Aluminum Step
- ◆ Size: 260X250X30mm

- ◆ Approx.Wt : 4.9Kg
- ◆ Max.Load : 150Kg
- ◆ Packed by Shrink
- ◆ Net Weight : 5.45 KG

TANGGA ALUMINIUM 9 STEP

HLAD06091



- ◆ Material:Aluminum
- ◆ Steps:9 steps
- ◆ Distance between two step:219mm
- ◆ Distance between top step and handle:600mm
- ◆ Distance from ground to top step: 1936mm
- ◆ Top aluminum step,size: 260x250x30mm

- ◆ Approx.Wt:5.9kg
- ◆ Max.Load: 150kg
- ◆ Packed by shrink
- ◆ Net Weight : 6.15 KG

INGCO

Make The World In Your Hands

CLEARANCE & SALE

Shop Now

*% diskon dapat berubah
sewaktu-waktu dan stok terbatas*



**(CG) MESIN BOR 13MM
+ 1 SET AKDB0801**

ID6808CG



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:680W
- ◆ No-load speed:0-3000rpm
- ◆ Max.drilling capacity:13mm
- ◆ Variable speed control Froward/
- ◆ Reverse switch
- ◆ Hammer function
- ◆ Packed by color box

**(CG) SARUNG TANGAN SAFETY
ANTI GORES**

HGCG01CG-XL



- ◆ Size:XL
- ◆ Use for timber and glass cutting worker, heavy sharp objects carriers etc.
- ◆ PU coated palm,flexible and good feeling.
- ◆ HPPE shell,cut-resistance and abrasion.
- ◆ Antistatic.
- ◆ Packed by poly bag

**(CG) OBENG GAGANG KARET SET
6 PCS !**

HKSD0628CG



- ◆ 6 pcs screwdriver set
- ◆ Material:CR-V
- ◆ Include:
- ◆ 1pcs SL5.5*5*75
- ◆ 1pcs SL5.5*5*100
- ◆ 1pcs SL6.5*6*150
- ◆ 1pcs PH1*5*75
- ◆ 1pcs PH1*5*100
- ◆ 1pcs PH2*6*150
- ◆ Round blade
- ◆ New design handle
- ◆ Packed by PP hanger

**(CG) BATU POTONG 4" X 1.2MM
(50 PC/BOX) !**

MCD1210550CG



- ◆ 50pcs/set 50pcs/shrink
- ◆ 105MM(4")X1.2MM(3/64")
- ◆ X 16MM(5/8")
- ◆ Flat centre
- ◆ Cutting disc for metal and INOX
- ◆ Packed by plastic box

(CG) MESIN GREENDA 4" 750W + BONUS 2 PCS BATU POTONG !

AG750282CG



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:750W
- ◆ No-load speed:12000rpm
- ◆ Disc diameter:100mm
- ◆ Spindle thread:M10
- ◆ With 1pcs auxiliary handle
- ◆ Disc not included
- ◆ Packed by color box " "

- ◆ 50pcs/set 50pcs/shrink
- ◆ 105MM(4")X
- ◆ 1.2MM(3/64")X16MM(5/8")
- ◆ Flat centre Cutting disc
- ◆ for metal and INOX
- ◆ Packed by plastic box

((SS) MESIN BOR CORDLESS 20V (1B&1FC) => CDLI20051

CDLI20011



- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Mechanical 2-speed gear
- ◆ 20V Lithium-Ion 1.5Ah battery
- ◆ With 1pcs battery pack
- ◆ With 1pcs fast charger
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ Packed by color box

MESIN BOR CORDLESS 20V (2B&1C) => CDLI200215

CDLI20025



- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Mechanical 2-speed gear
- ◆ 20V Lithium-Ion 2.0Ah batteries
- ◆ With 2pcs battery pack
- ◆ With 1pcs 2Hr charger
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 47pcs accessories
- ◆ Packed by canvas bag

PAKET MESIN BOR DAN MESIN PEMBUKA BAUT 20V => CKLI2017

CKLI2007



- ◆ Voltage:20V
- ◆ With 1PCS Lithium-Ion cordless drill
- ◆ With 1PCS Lithium-Ion impact wrench
- ◆ With 2pcs 2.0Ah battery pack
- ◆ With 1pc 1Hr fast charger
- ◆ With 3pcs sockets(17 19 21mm)
- ◆ Lithium-Ion impact wrench
- ◆ Brushless Motor
- ◆ Voltage:20V
- ◆ Square Drive:1/2"
- ◆ No-load speed:0-1300/0-2100/min
- ◆ Impact rate:0-2000/0-3300bpm
- ◆ Max.torque:300NM

- ◆ Lithium-Ion cordless drill:
- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Mechanical 2-speed gear
- ◆ Packed by canvas bag

((SS) MESIN BOR CORDLESS 20V (2B&1FC) => CDLI20028*)

CDLI20012



- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Mechanical 2-speed gear
- ◆ 20V Lithium-Ion 1.5Ah batteries

- ◆ With 2pcs 1.5Ah battery pack
- ◆ With 1pcs fast charger
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 1pcs screwdriver bits
- ◆ Packed by plastic box

(MESIN BOR CORDLESS 20V (2B&1FC)*)

CDLI2002



- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Auto-lock keyless chuck
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function

- ◆ 20V Lithium-Ion 2.0Ah batteries
- ◆ With 2pcs battery pack
- ◆ With 1pc 1Hr fast charger
- ◆ Charge volts:110V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 47pcs accessories
- ◆ Packed by canvas bag

MESIN BOR IMPACT CORDLESS 20V HD (2B&1FC) ! => CIDLI20602

CIDLI20031



- ◆ Voltage:20V
- ◆ No-load speed:0-450/0-1900/min
- ◆ Max.impact rate:22500/min
- ◆ Max.torque:55NM
- ◆ Chuck capacity:2.0-13mm
- ◆ Torque settings:23+1+1
- ◆ Mechanical 2-speed gear
- ◆ 20V Lithium-Ion 2.0Ah batteries

- ◆ With 2pcs battery pack
- ◆ With 1pcs fast charger
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 50pcs accessories
- ◆ Packed by plastic box

MESIN BOR IMPACT CORDLESS 20V (2B&1FC)=> CIDLI201452

CIDLI2002



- ◆ Voltage:20V
- ◆ No-load speed:0-400/0-1500/min
- ◆ Max.impact rate:22500/min
- ◆ Max.torque:45NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:18+1+1
- ◆ Auto-lock keyless chuck
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function

- ◆ 20V Lithium-Ion 2.0Ah batteries
- ◆ With 2pcs battery pack
- ◆ With 1pc 1Hr charger
- ◆ Charge volts:110V-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ With 50pcs accessories
- ◆ Packed by canvas bag

PAKET COMBO MESIN PEMBUKA BOUT DAN KUNCI RATCHET ELEKTRIK 20V

COSLI23066



DISKON 10%

- ◆ Voltage: 20V
- ◆ 1 Pcs Lithium-Ion impact wrench (CIWLI2038)
- ◆ 1 Pcs Lithium-Ion drive ratchet (CDRLI20601)
- ◆ Lithium-Ion impact wrench (CIWLI2038):
- ◆ Brushless motor
- ◆ Square drive: 1/2"
- ◆ No-load speed: 0-1300/0-2300rpm
- ◆ Impact rate: 0-2000/0-3300bpm

- ◆ Max torque: 300Nm
- ◆ Integrated LED work light
- ◆ Lithium-Ion drive ratchet (CDRLI20601):
- ◆ Max torque: 65Nm
- ◆ Square drive: 3/8"
- ◆ No-load speed: 0-250rpm
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Packed by color box

PAKET COMBO MESIN BOR DAN MESIN PEMBUKA BOUT 20V

COSLI230702



DISKON 20%

- ◆ Voltage: 20V
- ◆ With 1pcs lithium-ion cordless drill (CDLI200528)
- ◆ With 1pcs lithium-ion impact wrench (CIWLI2038)
- ◆ Lithium-ion cordless drill (CDLI200528):
- ◆ No-load speed: 0-400/0-1500rpm
- ◆ Max torque: 45Nm. Plastic chuck
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 15+1
- ◆ Mechanical 2-speed gear.

- ◆ Spindle lock function.
- ◆ Lithium-ion impact wrench (CIWLI2038):
- ◆ Brushless motor
- ◆ Square drive: 1/2"
- ◆ No-load speed: 0-1300/0-2300rpm
- ◆ Impact rate: 0-2000/0-3300bpm
- ◆ Max torque: 300NM
- ◆ Charge volts: 220-240V~50/60Hz

MESIN BOR IMPACT CORDLESS 20V BRUSHLESS (2B&1FC)

CIDL20508



DISKON 20%

- ◆ Brushless motor. Voltage: 20V
- ◆ No-load speed: 0-450/0-1800rpm
- ◆ Max impact rate: 27000bpm
- ◆ Max torque: 50Nm
- ◆ Metal chuck.
- ◆ Chuck capacity: 0.8-10mm
- ◆ Torque settings: 18+1+1
- ◆ Mechanical 2-speed gear
- ◆ Spindle lock function
- ◆ Auto-lock keyless chuck

- ◆ Include: 47 Pcs accessories
- ◆ 3 Pcs masonry drill bits
- ◆ 2 Pcs 2.0Ah battery pack (FBLI20011)
- ◆ 1 Pcs charger (FCLI2001)
- ◆ Charge volts: 220-240V~50/60Hz
- ◆ Integrated work light
- ◆ LED battery power indicator
- ◆ Packed by plastic box

MESIN BOR CORDLESS 12V SET (127PC) => HKTHP11281

HKTHP11271



- ◆ 127 Pcs Tools Set
- ◆ 1 Pcs 12V Lithium-Ion 1.5Ah batteries
- ◆ With 1pcs battery pack
- ◆ With 1pc 2Hr charger
- ◆ With 1pcs Cr-V 65mm bits
- ◆ 1 Pcs 4-6mm(25mm) socket adaptor
- ◆ 6 Pcs 1/4" Hexagonal Socket 5mm 6mm 8mm 9mm 10mm 11mm
- ◆ 1 Pcs 8Oz Claw Hammer
- ◆ 1 Pcs SL5.5x100 Screwdriver
- ◆ 1 Pcs PH1x100 Screwdriver
- ◆ 1 Pcs 7" Combination Pliers
- ◆ 1 Pcs 6" Adjustable Wrench
- ◆ 1 Pcs Test Pencil
- ◆ Test voltage:100-500VAC
- ◆ 1 Pcs 3M Steel measuring tape

- ◆ 1 Pcs Snap-off blade knife
- ◆ 5 Pcs Twist Drill bits 2,3,4,5,6mm
- ◆ 4 Pcs Wood Drill bits 4,5,6,8mm
- ◆ 1 Pcs PVC Insulating Tape:0.19mmX18mmX9.15m)
- ◆ 20 Pcs Screwdriver bits SL3,SL4,SL5, SL6,PH0,PH1,PH2,PH3,PZ0,PZ1,PZ2, PZ3,T10,T15,T20,T30,H3,H4,H5,H6
- ◆ 1 Pcs Magnetic bits holder
- ◆ 40 Pcs Screws(20pcs*ST3.5,20pcs*ST4)
- ◆ 20 Pcs Plastic plugs(20pcs*6mm)
- ◆ 20 pcs Self-tapping
- ◆ Screws:20pcs*ST3.5
- ◆ Packed by BMC

(SS) MESIN BOR CORDLESS 12V SET (81PCS) => HKTHP10891

HKTHP10811



- ◆ 81pcs household tools set
- ◆ include:
- ◆ 1 Pcs 12V Lithium-Ion 1.5Ah batteries
- ◆ With 1pcs battery pack
- ◆ With 1pcs 2Hr charger
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ 1 Pcs Magnetic bits holder
- ◆ 1 Pcs SL5.5x100 Screwdriver
- ◆ 1 Pcs PH1x100 Screwdriver
- ◆ 1 Pcs 7" Combination Pliers
- ◆ 1 Pcs 6" Adjustable Wrench
- ◆ 1 Pcs 8Oz Mini Claw Hammer
- ◆ 1 Pcs Test Pencil
- ◆ Test voltage:100-500VAC
- ◆ 1 Pcs 3M Steel measuring tape

- ◆ 1 Pcs 9mm Snap-off blade knife
- ◆ 5 Pcs Twist Drill bits 2,3,4,5,6mm
- ◆ 4 Pcs Wood Drill bits 4,5,6,8mm
- ◆ 20 Pcs Screwdriver bits SL3,SL4,SL5, SL6,PH0,PH1,PH2,PH3,PZ0,PZ1,PZ2, PZ3,T10,T15,T20,T30,H3,H4,H5,H6
- ◆ 20 Pcs Screws(10pcs*ST3.5,10pcs*ST4)
- ◆ 20 Pcs Plastic plugs(10pcs*6mm*10pcs*5mm)
- ◆ Packed by BMC

BATERAI CDT08120

BAT08120

DISKON 40%



- ◆ Volts:12V
- ◆ Suitable for INGCO CDT08120
- ◆ Packed in color box

BATERAI 18V

BATLI228180

DISKON 50%



- ◆ Volts:18V
- ◆ Suitable for INGCO 18V
- ◆ cordless drill CDLI228180 and CIDLI228180
- ◆ Packed by color box

MESIN BOR IMPACT CORDLESS 12V* (2B&1C) => CIDLI12202

CIDLI1232



- ◆ Voltage:12V
- ◆ No-load speed:0-350/0-1350/min
- ◆ Max.impact rate:22500/min
- ◆ Max.torque:20NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:18+1+1
- ◆ Mechanical 2-speed gear
- ◆ Charge volts:220V-240V~50/60Hz

- ◆ Integrated work light
- ◆ With 2pcs battery pack
- ◆ With 1pcs 2Hr charger
- ◆ With 1pcs Cr-V 65mm bits
- ◆ With 3pcs masonry mata bor
- ◆ Packed by plastic box

PAKET MESIN BOR DAN MESIN IMPACT DRIVER 12V => CKLI1203

CKLI1201



- ◆ Voltage:12V
- ◆ With 1PCS Lithium-Ion cordless drill
- ◆ With 1PCS Lithium-Ion impact driver
- ◆ With 2PCS 1.5Ah battery pack
- ◆ With 1PCS charger
- ◆ Lithium-Ion cordless drill:
- ◆ Drill voltage:12V
- ◆ No-load speed:0-350/0-1350/min
- ◆ Max.torque:20NM
- ◆ Chuck capacity:0.8-10mm
- ◆ Torque settings:15+1
- ◆ Mechanical 2-speed gear

- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ Lithium-Ion impact driver:
- ◆ Drill voltage:12V
- ◆ No-load speed:0-2000RPM
- ◆ Rated impact:0-2600IPM
- ◆ Max.torque force:100NM
- ◆ Hex.collet:1/4"(6.35mm)
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Integrated work light
- ◆ Packed by canvas bag

LAMPU SOROT CORDLESS

CWLI2002



- ◆ Voltage: 20V
- ◆ LED power dissipation:20W
- ◆ Lumens:
- ◆ High:1500
- ◆ Low:750
- ◆ NO battery and charger included
- ◆ Packed by color box

RAPID CHARGER LITHIUM-ION 20V => FCLI20411

FCLI2003



- ◆ Voltage:20V
- ◆ Charge current:4A
- ◆ Charges 20V 2.0Ah battery in 0.5Hr
- ◆ Charges 20V 4.0Ah battery in 1Hr
- ◆ Packed by color box

**MESIN IMPACT DRIVER
CORDLESS 20V**

CIRLI2002



- ◆ Brushless Motor
- ◆ Drill Voltage: 20V
- ◆ Hex shank: 1/4"
- ◆ No-load speed: 0-1300/0-2100/min

LOUDSPEAKER CORDLESS 20V

CJRLI2001



- ◆ DC Voltage: 20V
- ◆ AM Frequency: 522-1620KHz
- ◆ FM Frequency: 87.5-108MHz
- ◆ Auxiliary Jack: 3.5mm
- ◆ Speaker Output: 3W
- ◆ Bluetooth 4.0
- ◆ Battery and charger not included
- ◆ Packed by color box

**MESIN ROTARY HAMMER
CORDLESS 20V**

CRHLI1601



- ◆ Voltage: 20V
- ◆ No-load speed: 0-900/min
- ◆ Impact rate: 0-5100bpm
- ◆ Single impact force: 1.5J
- ◆ Max drilling capacity: 13 in concrete
- ◆ Integrated work light
- ◆ With 3pcs SDS-plus drills
- ◆ NO battery and charger included
- ◆ Packed by color box

**MESIN ROTARY CORDLESS 20V
BRUSHLESS * + 1B&1FC**

CRHLI2201



- ◆ Brushless Motor
- ◆ Voltage: 20V
- ◆ No-load speed: 0-1350/min
- ◆ Impact rate: 0-4700bpm
- ◆ Single impact force: 1.5J
- ◆ Max drilling capacity: 22 in concrete
- ◆ Integrated work light
- ◆ SDS plus chuck system
- ◆ With 3pcs drills and 1pcs chisels
- ◆ NO battery and charger included
- ◆ Packed by color box

**SPRAY GUN LISTRIK CORDLESS
20V => CSGLI2003**

CSGLI2001



- ◆ Brushless Motor
- ◆ Voltage: 20V
- ◆ No-load speed: 0-1350/min
- ◆ Impact rate: 0-4700bpm
- ◆ Single impact force: 1.5J
- ◆ Max drilling capacity: 22 in concrete
- ◆ Integrated work light
- ◆ SDS plus chuck system
- ◆ With 3pcs drills and 1pcs chisels
- ◆ NO battery and charger included
- ◆ Packed by color box

**MESIN GUNTING DAHAN
CORDLESS**

CSSLI2001



- ◆ Brushless Motor
- ◆ Voltage: 20V
- ◆ Cutting diameter: 20mm/30mm
- ◆ Packed by BMC

MESIN POTONG DAHAN CORDLESS 40V (2B&1FC)

CSTLI202522



- ◆ Brushless Motor
- ◆ Voltage:40V
- ◆ No-load speed:0-5500/min
0-7500/min
- ◆ Blade cutting diameter:255mm(10")
- ◆ Trimmer cutting :330mm(13")
- ◆ Two function: trimmer and bush cutting
- ◆ With 2pcs 4.0Ah battery pack
- ◆ With 1pcs fast dual-port charger
- ◆ With 1pcs Line spool
- ◆ With 1pcs 3T 255mm blade
- ◆ With 1pcs trimmer head
- ◆ Charge volts:220V-240V~50/60Hz
- ◆ Packed by color box

MESIN POTONG RUMPUT & RANTING CORDLESS 40V (MATA SENAR)

CSTLI20018



- ◆ Brushless Motor
- ◆ Voltage:40V
- ◆ No-load speed:0-5500/min
0-7500/min
- ◆ Blade cutting diameter:255mm
- ◆ Trimmer cutting diameter:330mm
- ◆ Battery and charger not included
- ◆ Line dia:2.0mm round
- ◆ line length:5m
- ◆ With 1pcs trimmer head
- ◆ With 1pcs 3T blade
- ◆ Packed by color box

MESIN RECIPROCATING SAW CORDLESS 20V

CRSLI1151



- ◆ Voltage:20V
- ◆ No-load speed:0-2800/min
- ◆ Cutting capacity:
Metal:8mm
Wood:115mm
- ◆ With 2pcs sabre saw blade
- ◆ NO battery and charger included
- ◆ Packed by color box

MESIN OBENG CORDLESS 4V 1/4" 180/MIN => CSDLI0402

CSDLI0401



- ◆ Voltage:4V
- ◆ Hex Shank:1/4"
- ◆ No-load speed:180/min
- ◆ Max.torque:4N.m
- ◆ Integrated work light
- ◆ Charge level indicator
- ◆ With 1pc 2Hr charger
- ◆ Charger volts:110-240V~50/60Hz
- ◆ With 10pcs 25mm Cr-V bits+Holder
- ◆ With 1pcs magnetic bit holder
- ◆ Packed by color box

KIPAS ANGIN CORDLESS 12V

CFALI1207



- ◆ Voltage:4V
- ◆ Hex Shank:1/4"
- ◆ No-load speed:180/min
- ◆ Max.torque:4N.m
- ◆ Integrated work light
- ◆ Charge level indicator
- ◆ With 1pc 2Hr charger
- ◆ Charger volts:110-240V~50/60Hz
- ◆ With 10pcs 25mm Cr-V bits+Holder
- ◆ With 1pcs magnetic bit holder
- ◆ Packed by color box

GLUE GUN CORDLESS 12V

CGGLI1201



- ◆ Voltage:12V
- ◆ Gluing capacity:15-18g/min
- ◆ Glue stick diameter:11.2mm
- ◆ With 3pcs 150mm glue sticks
- ◆ NO battery and charger included
- ◆ Packed by double blister

MESIN MULTIFUNGSI CORDLESS 20V

CMLI2001



- ◆ Voltage:20V
- ◆ No-load speed:5000-20000r/min
- ◆ With 1PCS flexibel scraper
- ◆ With 1PCS cutting saw blade
- ◆ With 1PCS segment saw blade
- ◆ With 1PCS hex key
- ◆ With 1PCS sanding base
- ◆ With 3PCS sanding paper
- ◆ Battery and charger not included
- ◆ Packed by color box

MESIN GRENDA 7" => AG200018

AG20008



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:2000W
- ◆ No-load speed:8000rpm
- ◆ Disc diameter:180mm
- ◆ Spindle thread:M14
- ◆ With 1pcs auxiliary handle
- ◆ Packed by color box

MESIN BOR 16MM 1100W

ID211002



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:1100W
- ◆ No-load speed:0-1100rpm/0-3000rpm
- ◆ Max.drilling capacity:16mm
- ◆ Forward/Reverse action
- ◆ Hammer function
- ◆ Aluminum 2 mechanical gear box
- ◆ Packed by color box

MESIN BOR 13MM 750W => ID8108

ID7508



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:750W
- ◆ No-load speed:0-3000rpm
- ◆ Max.drilling capacity:13mm
- ◆ Variable speed
- ◆ Forward/Reverse switch
- ◆ Hammered function
- ◆ Packed by color box

MESIN MULTIFUNGSI

MF3008



- ◆ Rated voltage:220-240V~50/60HZ
- ◆ Input power:300W
- ◆ No-load speed:10000-20000r/min
- ◆ With 1PCS flexibel scraper
- ◆ With 1PCS cutting saw blade
- ◆ With 1PCS segment saw blade
- ◆ With 1PCS hex key
- ◆ With 1PCS sanding base
- ◆ With 3PCS sanding paper
- ◆ Pack by color box

MESIN SANDER PUTAR MODEL TANK

PBS12001



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:1200W
- ◆ No-load speed:500m/min
- ◆ Sanding belt size: 610x100mm
- ◆ Quick release belt change system
- ◆ Dust suction facility
- ◆ Aluminum housing base
- ◆ With 1pcs sanding belt
- ◆ Packed by color box

MESIN ROUTER INDUSTRIAL

RT22001



DISKON 40%

- ◆ Voltage:220V-240V~50/60Hz
- ◆ Input power:2200W
- ◆ No-load speed:9000-23000rpm
- ◆ Collet size:6,8,12,1/4",1/2"mm
- ◆ Plunge capacity:0-60mm
- ◆ Variable speed control
- ◆ With 6,8,12,1/4",1/2"mm collets
- ◆ With 1pcs coping ring
- ◆ With 1pcs aluminum guide fence
- ◆ With 1set parrale guide
- ◆ Packed by color box

MESIN JET CLEANER HIGH PRESSURE 100BAR

HPWR15028



DISKON 10%

- ◆ Voltage: 220-240V~50Hz
- ◆ Copper wire induction motor
- ◆ Input power:1500W
- ◆ Max Pressure:100Bar (1450PSI)
- ◆ Flow rate:6.0L/min
- ◆ 1 set water spray gun
- ◆ 8m high pressure metal hose
- ◆ Packed by color box

(SS) MESIN POMPA AIR

VPM37018



DISKON 40%

- ◆ Peripheral Pump
- ◆ Voltage:220-240V~50Hz
- ◆ Input power:370W(0.5HP)
- ◆ Max. head:30M
- ◆ Max. flow:30L/min
- ◆ Max. suction:8M
- ◆ Pipe diameter:1" x 1"
- ◆ Alumium wire motor
- ◆ Brass impeller
- ◆ 0.15m length cable
- ◆ Packed by color box

SPRAY GUN TABUNG ATAS PROFESSIONAL PAINT

ASG1065



DISKON 30%

- ◆ TOP GRADE SPRAY GUN
- ◆ Standard nozzle:1.3mm
- ◆ Pattern width:180-260mm
- ◆ Paint capacity:600cc
- ◆ Suitable for finishing coat, Professional for spray car.
- ◆ With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
- ◆ Operating pressure:2.0bar
- ◆ Air cons:5-9cfm(141-253l/min)
- ◆ Packed by color box

SPRAY GUN TABUNG BAWAH PROFESSIONAL PAINT

ASG2101



DISKON 30%

- ◆ Standard nozzle:1.4mm
- ◆ Pattern width:180-250mm
- ◆ Paint capacity:1000cc
- ◆ Suitable for finishing coat
- ◆ With Europe type connector, USA type connector,
- ◆ Nitto type connector and Italy type connector.
- ◆ Optional nozzle:1.3-2.5mm
- ◆ Operating pressure:2.5-3.5bar
- ◆ Air cons:4.2-7.1cfm(119-200l/min)
- ◆ Packed by color box

MESIN STAPLES ANGIN

APS06131-3



DISKON 30%

- ◆ Load capacity:100Pcs
- ◆ Staple size:6-13mm
- ◆ Ga20,1.2X0.6mm
- ◆ Staple crown:11.2mm
- ◆ Without safety trigger
- ◆ Only with Nitto type connector.
- ◆ Operation pressure:0.4-0.7Mpa (60-100Psi)
- ◆ Packed by color box

CONVERTER USB POWER BANK 5V 1.5A

CUCLI1201



DISKON 20%

- ◆ Voltage:12V
- ◆ Output power:12V/1A 5V/1.5A
- ◆ Battery and charger not included
- ◆ Packed by color box

BAN KERETA COR

HHWB64010-P



DISKON 30%

- ◆ MAX Load kg):130
- ◆ Wheel:16"X4.00-8, pneumatic wheel,
- ◆ 4PR, Tyre with diamond lines,
- ◆ Suitable for INGCO item HHWB64010, HHWB64008,HHWB64010PU, HHWB64008-1D
- ◆ Packed by label

CUP BRUSH

WB10752



DISKON 20%

- ◆ 75mm
- ◆ Wire Diameter : 0.3mm
- ◆ Thread : M10X1.5
- ◆ Packed in Double Blister

BULU KUAS ROLL TELESCOPIC

HRC0523007



DISKON 20%

- ◆ Suitable for HRHT052301
- ◆ Material:Acrylic
- ◆ Size:230mm/9"Fibre height:7mm
- ◆ Suitable for inner wall
- ◆ Packed by plastic bag

BULU POLIS DOMBA

APB0111801



DISKON 30%

- ◆ MAX Load kg):130
- ◆ Wheel:16"X4.00-8, pneumatic wheel,
- ◆ 4PR, Tyre with diamond lines,
- ◆ Suitable for INGCO item HHWB64010, HHWB64008,HHWB64010PU, HHWB64008-1D
- ◆ Packed by label

**CUTTER MINI SERBAGUNA
5MATA) => HUK6128**

HUK611



- ◆ Blade size:61x19mm
- ◆ SK5 blade
- ◆ With 6 pisau
- ◆ Pack by double blister

CUTTER BASIC 1 MATA

HKNS18068



- ◆ Blade Size:9mmx80mm
- ◆ With 1 pcs blade,Auto-Lock
- ◆ Length:150mm
- ◆ With flat push button
- ◆ Packed by Blister card

DIAMOND WHEEL BASIC WET

DMD021152



- ◆ 1154-1/2")X22.2mm
- ◆ Blade width:5mm
- ◆ Packed by color box

DIAMOND WHEEL BASIC DRY

DMD011152



- ◆ 1154-1/2")X22.2mm
- ◆ Blade width:7.5mm
- ◆ Packed by color box

**DIAMOND WHEEL INDUSTRIAL
DRY**

DMD011151



- ◆ (1154-1/2")X22.2mm
- ◆ Blade width:10mm
- ◆ Packed by color box

DIAMOND WHEEL DRY

DMD011152M



- ◆ (1154-1/2")X22.2mm
- ◆ Blade width:7.5mm
- ◆ 10pcs/metal box
- ◆ Packed by metal box



(SS) BATU POTONG 4" 105X1.0MM

MCD101051



- (105mm4")*(1.0mm3/64")* (16mm5/8")
- Flat centre
- Cutting disc for metal and inox
- Packed by label

(SS) BATU POTONG 4" X 1.2MM 50 PC/SET

MCD1210550



- Plastering trowel
- Size:280x130mm
- INGCO unique design handle
- Packed by label

(SS) DIAMOND WHEEL DRY SET 3PCS

DMD0123023



- (2309")X22.2mm
- Blade width:7mm
- 3pcs/set
- Packed by color box

KUNCI INGGRIS INDUSTRIAL 12"

HADW131128



- Length : 300mm12"),CRV
- Adjustable Clamp Size : 0-41mm
- INGCO Style Two Tone Soft Handle
- Packed by Plastic Hanger

DIAMOND WHEEL INDUSTRIAL (WET)

DMD021151



- 115(4-1/2")X22.2mm
- Blade width:7.5mm
- Packed by color box

BATU POTONG INDUSTRIAL 4 x 1.2 *

MCD121001



- 105mm(4")X1.2mm(3/64")X 16.0mm(5/8")
- Flat centre
- Cutting disc for metal

HOLE SAW

DISKON 50%




HSB60082
◆ Diameter:8mm
◆ Cutting with water
◆ Packed by sliding card

DISKON 50%



HSB60222
◆ Diameter:22mm
◆ Cutting with water
◆ Packed by sliding card

DISKON 50%



HSB60282
◆ Diameter:28mm
◆ Cutting with water
◆ Packed by sliding card

KLEM C / G CLAMP / ALAT PRESS KAYU BESI

DISKON 20%



HGC0104
◆ Size:4"/100mm
◆ Body malleable cast iron
◆ T-shaped thread
◆ Packed by paper card

DISKON 20%



HGC0105
◆ Size:5"/125mm
◆ Body malleable cast iron
◆ T-shaped thread
◆ Packed by paper card

DISKON 20%



HGC0106
◆ Size:6"/150mm
◆ Body malleable cast iron
◆ T-shaped thread
◆ Packed by paper card

KLEM F CLAMP / CATOK PENJEPIT KAYU KACA

DISKON 10%



HFC021201
◆ Clamp size:120x300mm
◆ Max clamp force: 450KGS
◆ Thickness and width of iron ruler: 8X30mm
◆ Diameter of screw thread:15.3mm
◆ Packed by paper card

DISKON 10%



HFC021203
◆ Clamp size:120x800mm
◆ Max clamp force: 450KGS
◆ Thickness and width of iron ruler: 8X30mm
◆ Diameter of screw thread:15.3mm
◆ Packed by paper card

DISKON 10%



HFC021401
◆ Clamp size:140x1200mm
◆ Max clamp force: 550KGS
◆ Thickness and width of iron ruler: 10X35mm
◆ Diameter of screw thread:17.8mm
◆ Packed by paper card



KRAN ANGSA WASTAFEL

HSLBM23401

DISKON 50%



- ◆ Spout height:229mm
- ◆ Total height:361mm
- ◆ Outer diameter:50mm
- ◆ 1/2" input flexible hose connector
- ◆ Reliable flow regulator insert
- ◆ High quality ceramic cartridge
- ◆ Best brass material of faucet body
- ◆ Bent hose made of stainless steel
- ◆ Multiple polishing and chrome finish
- ◆ Packed by carton box

KRAN BATHUP DUA FUNGSI

HSLBM31001

DISKON 50%



- ◆ Size:178*175*103mm
- ◆ Reliable flow regulator insert
- ◆ High quality ceramic cartridge
- ◆ Best brass material of faucet body
- ◆ Multiple polishing and chrome finish
- ◆ Packed by carton box

KRAN BATHUP SATU FUNGSI

HSLBM41201

DISKON 50%



- ◆ Size:177*130mm
- ◆ Reliable flow regulator insert
- ◆ High quality ceramic cartridge
- ◆ Best brass material of faucet body
- ◆ Multiple polishing and chrome finish
- ◆ Packed by carton box

KRAN WASTAFEL PANJANG

HSLBM11501

DISKON 50%



- ◆ Spout height:92mm
- ◆ Total height:158mm
- ◆ Outer diameter:45mm
- ◆ 1/2" input flexible hose connector
- ◆ Reliable flow regulator insert
- ◆ High quality ceramic cartridge
- ◆ Best brass material of faucet body
- ◆ Multiple polishing and chrome finish
- ◆ Packed by carton box

KUNCI PIPA HEAVY DUTY

DISKON 10%



HPW0814

- ◆ Size:14" 350mm
- ◆ Max clamping diameter:50mm
- ◆ Mobile jaw drop-forged with high quality carbon steel
- ◆ Inactivate treatment
- ◆ Body material : ductile cast iron
- ◆ Black finish and polish
- ◆ Solid rivet
- ◆ Packed by paper card

DISKON 10%



HPW0818

- ◆ Size:18" 450mm
- ◆ Max clamping diameter:60mm
- ◆ Mobile jaw drop-forged with high quality carbon steel
- ◆ Inactivate treatment
- ◆ Body material:ductile cast iron
- ◆ Black finish and polish
- ◆ Solid rivet
- ◆ Packed by paper card

DISKON 10%



HPW0824

- ◆ Size:24"
- ◆ Max clamping diameter:76mm
- ◆ Mobile jaw drop-forged with high quality carbon steel
- ◆ Inactivate treatment
- ◆ Body material:ductile cast iron
- ◆ Black finish and polish
- ◆ Solid rivet
- ◆ Packed by paper card

KUAS INDUSTRIAL

DISKON 50%



CHPTB0501

- ◆ Width:1"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 51mm
- ◆ Thickness: 12mm
- ◆ Packed by color sleeve

DISKON 50%



CHPTB0515

- ◆ Width:1.5"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 51mm
- ◆ Thickness: 13mm
- ◆ Packed by color sleeve

DISKON 50%



CHPTB0502

- ◆ Width:2"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 57mm
- ◆ Thickness: 15mm
- ◆ Packed by color sleeve

DISKON 30%



CHPTB0525

- ◆ Width:2.5"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 57mm
- ◆ Thickness: 16mm
- ◆ Packed by color sleeve

DISKON 50%



CHPTB0503

- ◆ Width:3"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 64mm
- ◆ Thickness: 18mm
- ◆ Packed by color sleeve

DISKON 50%



CHPTB0504

- ◆ Width:4"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ High quality wooden handle
- ◆ Bristle length: 70mm
- ◆ Thickness: 20mm
- ◆ Packed by color sleeve

KUAS HD

DISKON 40%



CHPTB68703

- ◆ Width:3"
- ◆ For Oil-Based paint
- ◆ INGCO unique design plastic handle
- ◆ Bristle length: 57mm
- ◆ Thickness: 12mm
- ◆ Packed by label

DISKON 40%



CHPTB68704

- ◆ Width:4"
- ◆ For Oil-Based paint
- ◆ INGCO unique design plastic handle
- ◆ Bristle length: 57mm
- ◆ Thickness: 14mm
- ◆ Packed by label

KUAS CAT 3"

CHPTB8703



DISKON 30%

- ◆ Width:3"
- ◆ For Oil-Based paint
- ◆ High quality bristles
- ◆ Unique design plastic handle
- ◆ Bristle length: 64mm
- ◆ Thickness: 22mm
- ◆ Packed by color sleeve

TAHANAN DONGKRAK / JACK STAND 3 TON

HJS0301



DISKON 10%

- ◆ 2pcs/pair
- ◆ 3Ton
- ◆ Min. height: 285mm
- ◆ Max. height:425mm
- ◆ Net weight:6.3kg
- ◆ Large saddle,more stable
- ◆ Packed by color box

MATA BOR BESI BASIC



DISKON 20%

7mm

DBT1100703

- ◆ HSS, diameter:7.0mm
- ◆ 10pcs/poly bag
- ◆ Total length:109mm
- ◆ Usable length:69mm
- ◆ Packed by poly bag



DISKON 20%

13mm

DBT1101303

- ◆ HSS, diameter:13mm
- ◆ 5pcs/poly bag
- ◆ Total length:151mm
- ◆ Usable length:101mm
- ◆ Packed by poly bag

MATA BOR BETON COLOK

DISKON 20%

DBH1210605

- ◆ 6.0x310mm,
- ◆ SDS plus
- ◆ Packed by plastic hanger



DISKON 20%

DBH1210805

- ◆ 8.0x310mm,
- ◆ SDS plus
- ◆ Packed by plastic hanger



DISKON 20%

DBH1211005

- ◆ 10x310mm,
- ◆ SDS plus
- ◆ Packed by plastic hanger



DISKON 20%

DBH1211401

- ◆ 14x160mm,
- ◆ SDS plus
- ◆ Packed by plastic hanger



DISKON 20%

DBH1211601

- ◆ 16x160mm,
- ◆ SDS plus
- ◆ Packed by plastic hanger



MATA BOR ENGSEL GELAP 25MM

ADCS2501



DISKON 20%

25mm

- ◆ TCT blade
- ◆ Diameter: 25mm
- ◆ Packed by plastic box

MATA MESIN GERGAJI CHAINSAW => AGSB51801

AGSB1801



DISKON 40%

- ◆ 18" Oregon Chain Saw Bar
- ◆ Suitable for INGCO GCS45182 gasoline chain saw
- ◆ Packed by poly bag

MATA BOR COLOK SDS HEX 30MM PAHAT

DBC0324102



- ◆ 30 X410X 40mm, flat
- ◆ Suitable for INGCO item PDB17008 and PDB17018
- ◆ Packed by plastic tube

MATA BOR COLOK SDS HEX 30MM RUNCING

DBC0314101



- ◆ 30X 410mm, point
- ◆ Suitable for INGCO item PDB17008 and PDB17018
- ◆ Packed by plastic tube

MATA BOR BETON & MATA OBENG 22PCS

AKDL12201



- ◆ 22PCS drill bits and screwdriver bits set
- ◆ 8pcs 25mm screwdriver bits set
- ◆ 6pcs glass drill bits 4,5,6,8,10,12mm
- ◆ 5pcs masonry drill bits 4,5,6,8,10,mm
- ◆ 3pcs SDS plus hammer drill bits 6X160mm,8X160mm,10X160mm
- ◆ Packed by double blister

MATA BOR SDS SET 9 PCS

AKDL30901



- ◆ 9pcs SDS Plus hammer drill bits set
- ◆ 9pcs SDS Plus hammer drill bits set
- ◆ 5X110mm,6X110mm,8X110mm, 8X160mm,10X160mm,12X160mm, 14X160mm,16X160mm
- ◆ 9 pcs SDS Plus hammer drill bits set
- ◆ Packed by double blister

MATA BOR SET KOMPLIT 260 PCS

AKD2608M-1



- ◆ 260pcs mata bor
- ◆ M2 HSS mata bor:58pcs
- ◆ HSS mata bor:103pcs
- ◆ Masonry mata bor:62pcs
- ◆ SDS plus hammer mata bor:37pcs
- ◆ 260pcs mata bor
- ◆ M2 HSS mata bor:58pcs
- 10pcs 3mm, 10pcs 4mm,
- 10pcs 5mm,10pcs 6mm,
- 5pcs 8mm, 5pcs 9mm,
- 5pcs 10mm, 3pcs 12mm
- HSS mata bor:103pcs
- 20pcs 1mm, 20pcs 2mm,
- 10pcs 3mm,10pcs 4mm, 10pcs 5mm,
- 10pcs 6mm, 5pcs 7mm, 5pcs 8mm,

- ◆ 5pcs 9mm, 5pcs 10mm, 3pcs 12mm,
- ◆ Masonry mata bor:62pcs
- ◆ 10pcs:4*75mm,6*100mm,6*150mm, 8*120mm
- ◆ 6pcs:10*120mm,10*150mm
- ◆ 5pcs:12*150mm,12*200mm
- ◆ SDS plus hammer mata bor:37pcs
- ◆ 5pcs:6*160mm,8*160mm, 10*160mm,8*210mm, 10*210mm,12*210mm
- ◆ 4pcs 14*210mm
- ◆ 3pcs 16*210mm
- ◆ Packed by carton box

INGCO

MATA SOKET



- ◆ 1/2" Dr.6pt.socket
- ◆ Material:50BV30,
Heat treatment,black nickel plated
- ◆ Packed by plastic hanger

Item No.	Size (mm)	L (mm)	DISKON
HHAST12081	8.0	38	20%
HHAST12101	10.0	38	30%
HHAST12111	11.0	38	30%
HHAST12121	12.0	38	20%
HHAST12131	13.0	38	30%
HHAST12141	14.0	38	30%
HHAST12151	15.0	38	30%
HHAST12161	16.0	38	30%
HHAST12171	17.0	38	20%
HHAST12181	18.0	38	30%
HHAST12191	19.0	38	20%
HHAST12201	20.0	38	30%
HHAST12211	21.0	38	20%
HHAST12221	22.0	38	30%
HHAST12231	23.0	38	30%
HHAST12241	24.0	38	20%
HHAST12251	25.0	41	30%
HHAST12261	26.0	41	30%
HHAST12271	27.0	43	30%
HHAST12281	28.0	44	30%
HHAST12291	29.0	44	30%
HHAST12301	30.0	44	30%
HHAST12321	32.0	44	30%

OBENG GAGANG KARET MULTIFUNGSI SET 33 BITS

HKSDB0338



- ◆ Measuring Range:0.05-60m
- ◆ Measuring Accuracy:±1.5mm
- ◆ Laser Type:635nm, <1mW, Class 2
- ◆ Operating temp:-10°C ~ +50°C
- ◆ Storage temp:-20°C ~ +65°C
- ◆ Historical Measurements:50 values

- ◆ Splash Proof/ Dust Protected:IP54
- ◆ Batteries:AAA, 2x1.5V, up to 5000 measurements
- ◆ Packed by color box

OBENG GAGANG FIBER KOMPLIT 26 PCS

HKSD2658



- ◆ 26 pcs screwdriver set
- ◆ Material:CR-V
- ◆ Round blade
- ◆ include:
- ◆ 7PCS Slotted screwdriver:SL6*38.
- ◆ SL3*75.SL5.5*100.SL5.5*100.
- ◆ SL6.5*125.SL6.5*150.SL8*200.
- ◆ 11PCS Phillips screwdriver:PH2*38.
- ◆ PH00*75.PH0*75.PH1*75.PH1*100.

- ◆ PH1*100.PH2*100.PH2*125.
- ◆ PH2*150.PH3*150.PH3*200.
- ◆ 6PCS Torx screwdriver:T15*100.
- ◆ T20*100.T25*100.T27*125.
- ◆ T30*125.T40*125
- ◆ 2PCS Square screwdriver: S1*100.
- ◆ S2*100
- ◆ With 1 pcs plastic frame
- ◆ Packed by double blister

OBENG KETOK GAGANG KARET 6" (-) => HGTS688200

HGTS288150



- ◆ S2 industrial steel , Hex shank
- ◆ Slotted:8.0mm
- ◆ Shank:8.0mm
- ◆ Length:150mm
- ◆ Packed by poly bag

OBENG KETOK GAGANG KARET 6" (+) => HGTS68PH3200

HGTS68PH3150



- ◆ S2 industrial steel,
- ◆ Hex shank,PH3
- ◆ Shank:8.0mm
- ◆ length:150mm
- ◆ Packed by poly bag

OBENG KETOK GAGANG KARET 8" (-) => HGTS688200

HGTS288200



- ◆ S2 industrial steel , Hex shank
- ◆ Slotted:8mm
- ◆ Shank:8.0mm
- ◆ Length:200mm
- ◆ Packed by poly bag

OBENG KETOK GAGANG KARET 8" (+) => HGTS68PH3200

HGTS68PH3200



- ◆ S2 industrial steel , Hex shank
- ◆ Slotted:8mm
- ◆ Shank:8.0mm
- ◆ Length:200mm
- ◆ Packed by poly bag

PALU BATU BODEM GAGANG FIBER 3 LB
HSLH8803

DISKON 30%



- ◆ Weight:3LB
- ◆ Drop-forged hammerhead
- ◆ Heat treatment, 45# carbon steel
- ◆ INGCO Style Fiberglass handle

PALU BATU BODEM GAGANG PANJANG 4KG
HSTH03498

DISKON 10%



- ◆ Weight:4kg45# carbon steel
- ◆ Drop-forged
- ◆ Heat treatment
- ◆ INGCO Style 900mm
- ◆ Fiberglass handle
- ◆ Packed by Label

PALU BATU BODEM GAGANG PANJANG 5KG
HSTH03598

DISKON 10%



- ◆ Weight:3LB
- ◆ Drop-forged hammerhead
- ◆ Heat treatment, 45# carbon steel
- ◆ INGCO Style Fiberglass handle

PALU SERBAGUNA 12 FUNGSI
HMFH0121

DISKON 30%



- ◆ Multi-function hammer
- ◆ With 12 Function
- ◆ 1.Claw hammer 2.Flat nose Pliers 3.Regular pliers 4.Wire Cutters 5.Large knife 6.Wood Saw 7.Hook remover 8.Phillips Screwdriver 9.Metal File 10.Wood File 11.SL5 Slotted screwdriver 12.Hex key
- ◆ Strong Aluminum Handle
- ◆ Packed by double blister

PERKAKAS RUMAH TANGGA SET 10 PCS
HKTV01S101

DISKON 20%



- ◆ 10 Pcs Insulated hand tools set
- ◆ Include:
- ◆ 1 Pcs SL3.0x75mm screwdriver
- ◆ 1 Pcs SL4.0x100mm screwdriver
- ◆ 1 Pcs SL5.5x125mm screwdriver
- ◆ 1 Pcs SL6.5x150mm screwdriver
- ◆ 1 Pcs PH0x60mm screwdriver
- ◆ 1 Pcs PH1x80mm screwdriver
- ◆ 1 Pcs PH2x100mm screwdriver
- ◆ 1 Pcs PZ1x80mm screwdriver
- ◆ 1 Pcs PZ2x100mm screwdriver
- ◆ 1 Pcs Test Pencil
- ◆ Test voltage:100-500VAC
- ◆ Packed by stackable plastic box

WATERPASS HEAVY DUTY 12"
HSL08030

DISKON 20%



- ◆ Length:30cm
- ◆ Double side milled
- ◆ 0.5mm/m accurate vials
- ◆ Thickness:1.5mm
- ◆ V-shape slot for measuring objects with round surface
- ◆ Packed by color sleeve

**RANTAI MESIN GERGAJI LISTRIK
=> AGSC51802**

AGSC1801



- ◆ 18" Oregon Saw chain
- ◆ Suitable for INGCO GCS45182
- ◆ gasoline chain saw
- ◆ Packed by poly bag

**RASKAM PLAT TEBAL GAGANG
FIBER**

HPT28138



- ◆ Plastering trowel
- ◆ Size:280x130mm
- ◆ INGCO unique design handle
- ◆ Packed by label

SENDOK / CATOKAN SEMEN TEBAL LANCIP



HBT618

- ◆ Size: 6"/150mm(plastic handle)
- ◆ Diameter of connecting rod:9.5mm
- ◆ unique design handle
- ◆ Packed by label



HBT718

- ◆ Size: 7"/180mmplastic handle)
- ◆ Diameter of connecting rod:9.5mm
- ◆ INGCO unique design handle
- ◆ Packed by label

SKRAP DEMPUL GAGANG KARET



HPUT08060

- ◆ Size:60mm
- ◆ Stainless steel
- ◆ Heat treatment
- ◆ Fine polished
- ◆ Double color plastic handle
- ◆ Packed by label

HPUT08080

- ◆ Size:80mm
- ◆ Stainless steel
- ◆ Heat treatment
- ◆ Fine polished
- ◆ Double color plastic handle
- ◆ Packed by label

HPUT08100

- ◆ Size:100mm
- ◆ Stainless steel
- ◆ Heat treatment
- ◆ Fine polished
- ◆ Double color plastic handle
- ◆ Packed by label

HPUT08125

- ◆ Size:125mm
- ◆ Stainless steel
- ◆ Heat treatment
- ◆ Fine polished
- ◆ Double color plastic handle
- ◆ Packed by label



GAGANG GERGAJI BESI INDUSTRIAL

HHF3008



- ◆ Size:300mm/12"
- ◆ Heavy duty steel frame
- ◆ Aluminum + TPR handle,Strong and Comfortable
- ◆ Adjustable tension
- ◆ Quick-release blade changing mechanism
- ◆ Including 1pcs 65Mn saw blade
- ◆ Packed by paper card

GAGANG GERGAJI BESI PADAT INDUSTRIAL

HHF3088



- ◆ INGCO Style INDUSTRIAL
- ◆ Hacksaw frameSize:300mm/12"
- ◆ Heavy duty steel frame
- ◆ Aluminum + ABS + TPR handle,
- ◆ Strong and Comfortable
- ◆ Adjustable tension
- ◆ Quick-release blade changing mechanism
- ◆ Including 1pcs 65Mn saw blade
- ◆ Packed by paper card

(SS) GAGANG GERGAJI BESI 6"

MHHF1505



- ◆ Mini Hacksaw
- ◆ Size:150mm(6")
- ◆ Comfortable ABS handle
- ◆ With 1 pcs blade
- ◆ Packed by paper card

GUNTING BETON HEAVY DUTY 24"

HBC0824



- ◆ Size:24"
- ◆ Cr-V blade
- ◆ Black finish and polish
- ◆ TPR two color handle
- ◆ Packed by paper card

(SS) GUNTING BETON



- HBC1814**
- ◆ Size:14"
 - ◆ Max cutting range:7mm
 - ◆ Cr-V blade
 - ◆ New design comfortable handle
 - ◆ Packed by paper card



- HBC1818**
- ◆ Size:14"
 - ◆ Max cutting range:7mm
 - ◆ Cr-V blade
 - ◆ New design comfortable handle
 - ◆ Packed by paper card

(SS) MATA CIRCULAR SAW SET 9"40T

TSB1235252



- ◆ 235mm(9-1/4")
- ◆ 40T,arbor:30mm
- ◆ 16mm and 25.4 ring
- ◆ Suitable for circular saw item
- CS2358
- ◆ Wood cutting
- ◆ Packed by color box

(SS) PALU BATU BODEM GAGANG KAYU 1KG

HSTH041000



- ◆ 235mm(9-1/4")
- ◆ 40T,arbor:30mm
- ◆ 16mm and 25.4 ring
- ◆ Suitable for circular saw item
- CS2358
- ◆ Wood cutting
- ◆ Packed by color box

(SS) PALU TUKANG/ MASINIS GAGANG FIBER 500G

HMH881500



- ◆ Weight:1500g
- ◆ Drop-forged hammerhead
- ◆ Heat treatment,45# carbon steel
- ◆ Unique design fiberglass handle
- ◆ Packed by label

(SS) PALU TUKANG/ MASINIS GAGANG KAYU 300G


HMH040300



- ◆ Weight:300g
- ◆ hardwood handle
- ◆ Drop-forged hammerhead
- ◆ Heat treatment, 45# carbon steel
- ◆ Packed by label

PALU KAMBING GAGANG FIBER 8 OZ

HCH80808



- ◆ Weight : 8oz/220gDrop-forged
- ◆ hammerhead Heat treatment,
- ◆ 45# carbon steel
- ◆ INGCO Style Fiberglass handle

GUNTING SENG GAGANG KARET HD 10"

HTS2610



- ◆ Size:10"
- ◆ Max.cutting thickness:
- ◆ Carbon steel =0.8mm
- ◆ Stainless steel =0.6mm
- ◆ Drop-forged steel
- ◆ Double dipped grip handle
- ◆ Packed by half double blister

TANG BAIS RATA CHROME HD 7"

HSP0107



- ◆ Cr-V
- ◆ Size:7"
- ◆ HRC42-HRC50
- ◆ Nickel plated
- ◆ Packed by half double blister

TANG KOMBINASI ELEKTRIK 8"

HICP01200



- ◆ Size:8"/200mm
- ◆ Satin finish, insulated handle
- ◆ Stand high pressure,1000V
- ◆ Packed by PP hanger



TANG KOMBINASI HIGH LEVERAGE



HICP28168	HICP28188	HICP28208
◆ Size:6"/160mm	◆ Size:7"/180mm	◆ Size:8"/200mm
◆ Black finish and polish	◆ Black finish and polish	◆ Black finish and polish
◆ Insulated handle	◆ Insulated handle	◆ Insulated handle
◆ Stand high pressure:1000V	◆ Stand high pressure:1000V	◆ Stand high pressure:1000V
◆ Packed by PP hanger	◆ Packed by PP hanger	◆ Packed by PP hanger

TANG RIVET HEAVY DUTY 10.5"

HR104



- ◆ Size:10.5"
- ◆ Applicable rivet size:2.4mm, 3.2mm, 4mm,4.8mm
- ◆ Packed by sliding card

TANG KUPAS KABEL HIGH LEVERAGE 6")

HIWSP28160



- ◆ Size:6"/160mm
- ◆ Black finish and polish
- ◆ Insulated handle
- ◆ Stand high pressure:1000V
- ◆ Packed by PP hanger

TANG POTONG KABEL HIGH LEVERAGE 6")

HICCB28160



- ◆ Size:6"/160mm
- ◆ Black finish and polish
- ◆ Insulated handle
- ◆ Stand high pressure:1000V
- ◆ Packed by PP hanger

TANG MINI SET 5 PCS 4.5"

HMPS01115



- ◆ 1PCS 4.5" Combination pliers
- ◆ 1PCS 4.5" Diagonal cutting pliers
- ◆ 1PCS 4.5" End cutting pliers
- ◆ 1PCS 4.5" Long nose pliers
- ◆ 1PCS 4.5" Flat nose pliers
- ◆ Two color handle
- ◆ Packed by double blister

TANG RUNCING ELEKTRIK 8"

HILNP01200



- ◆ Size:8"/200mm
- ◆ Satin finish, insulated handle
- ◆ Stand high pressure,
- ◆ 1000VPacked by PP hanger

TANG AMPERE JEPIT DIGITAL 1000A

DCM100015



- ◆ 6000 Counts. Data Hold
- ◆ AC Current : 60A/600A/1000A
- ◆ ±2.5% +8)
- ◆ DC Current : 60A/600A/1000A
- ◆ ±2.5% +8). AC Voltage : 60mV/600mV/6V/60V/600V±0.8% +3)
- ◆ 750V±1% +4). DC Voltage : 60mV/600mV/6V/60V/600V±0.7% +3)
- ◆ 1000V±0.8% +2)
- ◆ Resistance :6000/6kO/60kO/600kO/6MO±0.8% +3) 6MO±1.2% +3)

- ◆ Capacitance :10nF/100nF/1000nF/10?F/100?F/1000?F/10mF/100mF
- ◆ ±4.0% +5.
- ◆ Temperature: -20~1000?~8~1832°F).
- ◆ Non-contact voltage detection
- ◆ Diode test. LCD with back light
- ◆ low battery indication.
- ◆ Auto power off
- ◆ With flash light function

ROBOT VACUUM CLEANER

VCRR30201



- ◆ Random style
- ◆ The random cleaning path
- ◆ Product size(D*H):f300*75mm
- ◆ Vacuum pressure:500~800Pa
- ◆ Working time:50~70min
- ◆ Charging time:3~5H
- ◆ 2000mAh Lithium battery
- ◆ Only for dry cleaning

- ◆ Charge volts:110V-240V~50/60Hz
- ◆ 1pcs American outlet plug adapter
- ◆ With cliff detect sensors
- ◆ Without automatically recharge
- ◆ 2pcs cleaning brushes
- ◆ Packed by color box

ROBOT VACUUM MODEL GYROSCOPE

VCRG30261



- ◆ Gyroscope style
- ◆ Schedule the cleaning route
- ◆ Product size:300*75mm
- ◆ Vacuum pressure:700~1000Pa
- ◆ Working time:50~70min
- ◆ Charging time:3~5H
- ◆ 2000mAh Lithium battery
- ◆ Only for dry cleaning
- ◆ Charge Voltage:220V-240V~50/60Hz
- ◆ With 4pcs side brushes
- ◆ With 1pcs remote control

- ◆ With 1pcs cleaning brush
- ◆ with 1pcs HEPA filter
- ◆ With 1pcs charging base
- ◆ With electric brush
- ◆ With cliff detect sensors
- ◆ With automatically recharge
- ◆ Edge mode for wall following cleaning
- ◆ Intelligent cleaning path
- ◆ Packed by color box

VACUUM SERBAGUNA CORDLESS 22.2V 0.8 LTR => VCH22111

VCH22091




- ◆ Voltage:22.2V
- ◆ Vacuum pressure(KPa):9 Kpa
- ◆ Capacity:0.8L
- ◆ Power(W):120W
- ◆ Multiple cyclone
- ◆ 2200Amh Lithium-Ion batteries
- ◆ Pure copper wire motor
- ◆ HEPA filter
- ◆ Charge volts:110V-240V~50/60Hz
- ◆ 1pcs American outlet plug adapter

- ◆ Charge time:4.5H
- ◆ Working time:35min low speed level
- ◆ Working time:18min high speed level
- ◆ Product size:230*220*1090mm
- ◆ 1pcs metal tube
- ◆ 1pcs charger and plastic hanger
- ◆ 1pcs crevice nozzle
- ◆ 1pcs sofa brush
- ◆ Packed by color box



TANGGA TELESCOPIC


DISKON 30%



HLAD08061

- ◆ Steps: 6steps
- ◆ Material: Aluminium
- ◆ Ext.Height: 1980mm
- ◆ Step Rise: 300mm
- ◆ Fold Height: 645mm
- ◆ Fold Width: 470mm
- ◆ Max.Load: 150kg
- ◆ Easy carry
- ◆ Packed in carton box

DISKON 30%



HLAD08081

- ◆ Steps: 8steps
- ◆ Material: Aluminium
- ◆ Ext.Height: 2580mm
- ◆ Step Rise: 300mm
- ◆ Fold Height: 716mm
- ◆ Fold Width: 478mm
- ◆ Max.Load: 150kg
- ◆ Easy carry
- ◆ Packed in carton box


DISKON 20%



HLAD08101

- ◆ Steps: 10steps
- ◆ Material: Aluminium
- ◆ Ext.Height: 3180mm
- ◆ Step Rise: 300mm
- ◆ Fold Height: 775mm
- ◆ Fold Width: 485mm
- ◆ Max.Load: 150kg
- ◆ Easy carry
- ◆ Packed in carton box

DISKON 20%



HLAD08121

- ◆ Steps: 12steps
- ◆ Material: Aluminium
- ◆ Ext.Height: 3780mm
- ◆ Step Rise: 300mm
- ◆ Fold Height: 843mm
- ◆ Fold Width: 494mm
- ◆ Max.Load: 150kg
- ◆ Easy carry
- ◆ Packed in carton box



MESIN SANDER 150MM / 6"

RS4508

DISKON 20%



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:450W
- ◆ No-load speed:4000-13000rpm
- ◆ Dia of sanding pad:150mm
- ◆ Velcrops base

- ◆ Variable speed control
- ◆ With 5pcs sand papers
- ◆ With 1set extra carbon brushes
- ◆ Packed by color box

(MESIN JIG SAW INDUSTRIAL*)

JS6508

DISKON 10%



- ◆ Voltage:220-240V~50/60Hz
- ◆ Input power:650W
- ◆ No-load speed:800-2800rpm
- ◆ Cutting capacity:
Wood:80mm
Steel:8mm

- ◆ 4 step pendulum function
- ◆ With 5pcs saw pisau
- ◆ With 1set carbon brushes
- ◆ Packed by color box

MESIN MEJA POTONG KAYU

TS15007

DISKON 20%



- ◆ Voltage : 220-240V~50/60Hz
- ◆ Input Power : 1500W
- ◆ No-Load Speed : 4500rpm
- ◆ Blade Size : 254mm(10")*16mm
- ◆ Max Cutting Capacity : 85mm (90°)
60mm(45 °)
- ◆ Blade Tilting Range : 0-45 Degree
- ◆ Sheet Metal Table Top. With Big Table Size.
- ◆ Main Table Size : 430X638mm
- ◆ Extension Table Size(Left/Right) :
638X150mm.

- ◆ Extension Tabe Size(Rear) :
- ◆ 430X180mm
- ◆ With Rip Fence, Push Sticker
- ◆ With Miter Gauge
- ◆ High Quality Rip Fence Locks From Front & Rear
- ◆ Packed by Carton Box



SEPATU KERJA



SSH81SB.39
◆ Sizes assortment:39
◆ Category of protective footwear
◆ SB:steel toe cap
◆ Flyknit upper,Good breathability
◆ Dual density pu sole
◆ Packed by color box

SSH81SB.41
◆ Size:12
◆ Max clamping diameter:42mm
◆ Mobile jaw drop-forged with high quality carbon steel
◆ Inactivate treatment
◆ Solid rivet
◆ Packed by paper card

SSH81SB.42
◆ Size:14
◆ Max clamping diameter:48mm
◆ Mobile jaw drop-forged with high quality carbon steel
◆ Inactivate treatment
◆ Solid rivet
◆ Packed by paper card

SSH81SB.43
◆ Size:18"
◆ Max clamping diameter:60mm
◆ Mobile jaw drop-forged with high quality carbon steel
◆ Inactivate treatment
◆ Solid rivet
◆ Packed by paper card

MESIN VACUUM CLEANER 12 LITER

VC14122



◆ Voltage: 220V-240V~50/60Hz
◆ Input power: 800W
◆ Copper wire motor
◆ Metal tank
◆ Dust capacity:12L
◆ Air flow:1.7m3/min
◆ Vacuum pressure:16KPa
◆ 1.5m flexible hose
◆ Plastic three parts tube

◆ 1pcs plastic floor brush
◆ 1set 2 in 1 brush
◆ Total 2.3m cord length
◆ HEPA filter
◆ Wet and dry cleaning
◆ Packed by carton box

PEMBUKA RODA ANGIN/AIR IMPACT 25MM (1')

AIW11223



◆ Square drive:25mm(1")
◆ No-load speed:4000 rpm
◆ Max.torque:1800Nm(1328ft)
◆ Weight: 6.0KG
◆ Twin hammer mechanism
◆ With universal connector.
◆ Air Consumption:256l/min(9cfm)
◆ Air Pressure:6.2bar(90psi)

◆ Length:234mm(9.2")
◆ Weight:5.9kgs(13lbs)
◆ Air Inlet:3/8"
◆ Air hose:1/2"
◆ Packed by color box

(SS) TRAFOLAS LISTRIK 130A

ING-MMA1302

DISKON 20%



- | | |
|------------------------------|---|
| ◆ IGBT Inverter technology | ◆ Diameter of electrode(mm):1.6-3.2 |
| ◆ Input voltage(V):1~220-240 | ◆ With 1pcs electrode holder with cable |
| ◆ Frequency(HZ):50/60 | ◆ With 1pcs earth clamp with cable |
| ◆ Output current(A):15-130 | ◆ With 1pcs wire brush and 1pcs helmet |
| ◆ Duty cycle(%):130A@30% | ◆ Packed by color box |
| ◆ LCD Display | |
| ◆ No-load voltage(V):75 | |
| ◆ Max.output current(A):130 | |

TRAFOLAS LISTRIK 130A => ING-MMA16015

ING-MMA1305

DISKON 10%



- | | |
|------------------------------|---|
| ◆ IGBT Inverter technology | ◆ Diameter of electrode(mm):1.6-3.2 |
| ◆ Input voltage(V):1~220-240 | ◆ With 1pcs electrode holder with cable |
| ◆ Frequency(HZ):50/60 | ◆ With 1pcs earth clamp with cable |
| ◆ Output current(A):10-130 | ◆ With 1pcs wire brush and 1pcs helmet |
| ◆ Duty cycle(%):130A@40% | ◆ Packed by carton box |
| ◆ LCD display | |
| ◆ No-load voltage(V):85 | |
| ◆ Max.output current(A):130 | |

PISAU LIPAT SERBAGUNA 15 FUNGSI

HMFK8158

DISKON 20%



- | | |
|---------------------------|-------------------------------|
| ◆ Multi-function Knife; ; | ◆ 9.Fish scaler |
| ◆ With 15 Function | ◆ 10.Hook remover |
| ◆ 1.Large knife | ◆ 11.Saw |
| ◆ 2.Can opener | ◆ 12.corkscrew |
| ◆ 3.Phillips screwdriver | ◆ 13.Nail cleaner |
| ◆ 4.Leather punch | ◆ 14.Nail file |
| ◆ 5.Bottle Opener | ◆ 15.Key ring |
| ◆ 6.Scissors | ◆ Strong Aluminium Handle |
| ◆ 7.Needle | ◆ Product size:9.5cm |
| ◆ 8.Slotted Screwdriver | ◆ Packed by display color box |

(SS) MESIN HEAT GUN

HG2000385

DISKON 10%



- Voltage:220V-240V~50/60Hz
- Input power:2000W
- Temperature:350°C/550°C
- Airflow:300/500 L/min
- With 1pcs scraper and 3pcs nozzles
- Packed by color box

SENDOK / CATOKAN SEMEN TEBAL (LANCIP) 8"

HBT818

DISKON 30%



- Size: 8"/200mm(plastic handle)
- Diameter of connecting rod:9.5mm
- INGCO unique design handle
- Packed by label

SPRAY GUN TABUNG ATAS INDUSTRIAL

ASG1061

DISKON 20%



- Standard nozzle:1.4mm
- Pattern width:180-250mm
- Paint capacity:600cc
- Suitable for finishing coat
- Optional nozzle:1.3-2.5mm
- Operating pressure:2-3.5bar
- Air cons:4.2-7.1cfm(119-200l/min)
- Packed by color box

(SS) GUNTING BETON 30"

HBC1830

DISKON 20%



- Size:30"
- Max cutting range:13mm
- Cr-V blade
- New design comfortable handle
- Packed by paper card

(SS) KUNCI PIPA



- HPW18102**
- Size:10"
 - Max clamping diameter:33mm
 - Mobile jaw drop-forged with high quality carbon steel
 - Inactivate treatment
 - Solid rivet
 - Packed by paper card



- HPW18122**
- Size:12"
 - Max clamping diameter:42mm
 - Mobile jaw drop-forged with high quality carbon steel
 - Inactivate treatment
 - Solid rivet
 - Packed by paper card



- HPW18142**
- Size:14"
 - Max clamping diameter:48mm
 - Mobile jaw drop-forged with high quality carbon steel
 - Inactivate treatment
 - Solid rivet
 - Packed by paper card



- HPW18182**
- Size:18"
 - Max clamping diameter:60mm
 - Mobile jaw drop-forged with high quality carbon steel
 - Inactivate treatment
 - Solid rivet
 - Packed by paper card



- HPW18242**
- Size:24"
 - Max clamping diameter:73mm
 - Mobile jaw drop-forged with high quality carbon steel
 - Inactivate treatment
 - Solid rivet
 - Packed by paper card

(SS) TANG POTONG BASIC 6"

HDCP12160



- ◆ Size:6"/160mm
- ◆ Polish and anti-rust oil
- ◆ One color handle
- ◆ Packed by plastic bag

(SS) TANG RUNCING BASIC 6"

HLNP12160



- ◆ Size:6"/160mm
- ◆ Polish and anti-rust oil
- ◆ One color handle
- ◆ Packed by plastic bag

(SS) TANG KOMBINASI BASIC



HCP12160

- ◆ Size : 6"/160mm
- ◆ Polish and Anti-Rust Oil
- ◆ One Color Handle
- ◆ Packed by Plastic Bag



HCP12180

- ◆ Size:7"/180mm
- ◆ Polish and anti-rust oil
- ◆ One color handle
- ◆ Packed by plastic bag



HCP12200

- ◆ Size:8"/200mm
- ◆ Polish and anti-rust oil
- ◆ One color handle
- ◆ Packed by plastic bag

TANG BAI LURUS CHROME INDSTRL 10"

HSJP0210



- ◆ Cr-V
- ◆ Size:10"
- ◆ HRC52-HRC60
- ◆ Nickel plated
- ◆ With plastic handle
- ◆ Packed by half double blister

TANG KARET SET 3 PCS

HKPS08318



- ◆ Size:
- ◆ 8" Combination pliers
- ◆ 6" Long nose pliers
- ◆ 6" Diagonal cutting pliers
- ◆ Cr-V,black finish and polish
- ◆ TPR two color handle
- ◆ Packed by PP hanger

MATA JIG SAW => JSBT111C

JBT111C



- ◆ Basic for wood
- ◆ Length of tooth:74mm
- ◆ 8TPIHCS,milled
- ◆ 5pcs/set
- ◆ Packed by blister card

INGCO

METERAN KARET AUTOSTOP

DISKON 20%
3m



HSMT0803

- ◆ Length & width:3mx16mm
- ◆ Self lock function
- ◆ With metric and inch
- ◆ Double button
- ◆ With all rubber cover
- ◆ Packed by label

DISKON 20%
5m



HSMT08052

- ◆ Length & width:5mx19mm
- ◆ Self lock function
- ◆ With metric and inch
- ◆ Double button
- ◆ With all rubber cover
- ◆ Packed by label

DISKON 20%
8m



HSMT0808

- ◆ Length & width:8mx25mm
- ◆ Self lock function
- ◆ With metric and inch
- ◆ Double button
- ◆ With all rubber cover
- ◆ Packed by label

**METERAN ELEKTRIK LASER 60M
=> HLDD0608**

HLDD0601



DISKON 30%

- ◆ Measuring Range:0.05-60m
- ◆ Measuring Accuracy:±1.5mm
- ◆ Laser Type:635nm, <1mW, Class 2
- ◆ Operating temp:-10°C ~ +50°C
- ◆ Storage temp:-20°C ~ +65°C
- ◆ Historical Measurements:50 values
- ◆ Splash Proof/ Dust Protected:IP54
- ◆ Batteries:AAA, 2x1.5V, up to 5000 measurements
- ◆ Packed by color box

GERGAJI KAYU INDUSTRIAL 20"

HHAS28500



DISKON 20%

- ◆ Same as STANLEY quality level
- ◆ Size:20"/500mm
- ◆ Material:Taiwan SK5
- ◆ 7TPI,heat treatment teeth
- ◆ Triple teeth(Precision ground teeth 3 edges)Two color soft handleFast cut and long life
- ◆ Packed by Color sleeve

PAHAT BETON + TOPI INDUSTRIAL

DISKON 10%

10"



HCCL811910

- ◆ Head size:19mm
- ◆ Handle size:16mm
- ◆ Length:254mm
- ◆ Same as STANLEY quality level
- ◆ Packed by plastic hanger

DISKON 10%

12"



HCCL812512

- ◆ Head size:25mm
- ◆ Handle size:19mm
- ◆ Length:305mm
- ◆ Same as STANLEY quality level
- ◆ Packed by plastic hanger

DIAMOND WHEEL WET
DMD021152M



DISKON 10%

- ◆ 1154-1/2")X22.2mm
- ◆ Blade Width : 5mm
- ◆ 10pcs/Metal Box
- ◆ Unit Price is For 1 Piece
- ◆ Packed by Metal Box

GLUE GUN 150 WATT
GG258



DISKON 10%

25W(Max.150W)

Ø11mm x 4PCS

- ◆ Volts:220-240V~50/60Hz
- ◆ Input power:25W(150W)
- ◆ Gluing capacity:15-20g/min
- ◆ Glue stick diameter:11.2mm
- ◆ With 4 pcs 150mm glue sticks
- ◆ Packed by double blister

GUN SILICONE BASIC=> HCG1809
HCG0309



DISKON 20%

- ◆ 9" caulking gun
- ◆ Iron shank with teeth
- ◆ Thickness : 0.8mm
- ◆ Length:235mm
- ◆ Diameter:51mm
- ◆ Packed by label

KAMPAK GAGANG FIBER + KARET 600G

HAX0206008



DISKON 10%

- ◆ Weight : 600g
- ◆ Drop-forged hammerhead
- ◆ Heat treatment, 45# carbon steel
- ◆ INGCO Style
- ◆ Fiberglass handle

PERKAKAS ELEKTRIK SET 26 PCS
HKETS0261



DISKON 20%

- ◆ 26Pcs Electricians Tools Set
- ◆ Special designed for electrical detection and repair. Include:
- ◆ 1 Pcs Digital Multimeter 1 Pcs 6" adjustable wrench
- ◆ 1 Pcs 6" long nose plier
- ◆ 1 Pcs 6" Diagonal cutting pliers
- ◆ 1 Pcs 7" Combination plier
- ◆ 1 Pcs 6" Wire stripper
- ◆ 8Pcs Hex key set
- ◆ 2 Pcs Slotted screwdriver

- ◆ 2 Pcs Phillips screwdriver
- ◆ 1 Pcs Snap-off blade knife
- ◆ 1 Pcs 3M Steel measuring tape
- ◆ 1 Pcs Test pencil 140mm
- ◆ 1 Pcs Flashlight. 1 Pcs PVC Insulating tape.
- ◆ 1 pcs Tweezers 125mm
- ◆ 1 Pcs 5.5" Electrician's Scissors
- ◆ 1 Pcs Tools bag



(SS) TOOLSET 7PCS

HKTH10807



DISKON 20%

- ◆ 7Pcs Handtools Set
- ◆ Include:
- ◆ 1 Pcs 7" Combination Pliers
- ◆ 1 Pcs Test Pencil
- ◆ Test voltage:100-500VAC
- ◆ 1 Pcs 6" Adjustable Wrench
- ◆ 1 Pcs 9mm Snap-off blade knife

- ◆ 1 Pcs SL5.5x100 Screwdriver
- ◆ 1 Pcs PH1x100 Screwdriver
- ◆ 1 Pcs 3M Steel measuring tape
- ◆ Packed by Double Blister

HEKTER TEMBAK HEAVY DUTY

HSG1403



DISKON 20%

- ◆ Size:10"
- ◆ Max. cutting thickness:
- ◆ Carbon steel =0.8mm
- ◆ Stainless steel =0.6mm
- ◆ Drop-forged steel
- ◆ Double dipped grip handle
- ◆ Packed by half double blister

HEKTER TEMBAK INDUSTRIAL

HSG1404



DISKON 20%

- ◆ Heavy duty staple gun
- ◆ Wire:1.2mm
- ◆ Crown:10.6mm or 11.3mm
- ◆ Length:4-14mm
- ◆ With 1000PCS nails
- ◆ Packed by double blister
- ◆ Match with STS0208/STS0210/STS0212

SIKAT MANGKOK BULAT NILON 3"

WB30755



DISKON 20%

- ◆ 75mm
- ◆ Wire dia:1.3-1.5mm
- ◆ Shank dia:6.3mm
- ◆ Packed by double blister

SIKAT PIRING NILON 3"

WB40755



DISKON 20%

- ◆ 75mm
- ◆ Wire dia:1.3-1.5mm
- ◆ Shank dia:6.3mm
- ◆ Packed by double blister





CSR Penanggulangan Covid-19



Gathering Karyawan



Tim INGCO



Kegiatan Donor Darah



Kerjasama Industri dengan Politeknik Negeri Medan



Kegiatan Pembekalan dan latihan keterampilan kewirausahaan bagi pegawai negeri di Kota Medan



Kegiatan Berbagi Paket Sembako ke Pantti Asuhan



Branding Mobile Booth INGCO



Pameran INGCO




Rak Display INGCO



Gudang dan Logistik INGCO





INGCO

Make The World In Your Hands

HEAD OFFICE

Jl. Panglima Denai Kompleks Pergudangan Amplas Center Blok B6 (Depan Terminal Amplas - Medan), Kel, Timbang Deli, Kec. Medan Amplas, Kota Medan, Sumatera Utara 20148

 061 4277 1188

 0811-620-1188(Chat Only)

 official@ingco.co.id

 www.ingco.co.id



Official Media Sosial
ingcoindonesia



Official Marketplace
INGCO INDONESIA

